



## State of Mississippi



### FEDERALLY ENFORCEABLE AIR POLLUTION CONTROL PERMIT

Permit to Operate Air Emissions Equipment at a Synthetic Minor Source

### THIS CERTIFIES

Luvata Grenada LLC, CCP and LAL Facilities

1000 Heatcraft Drive

Grenada, MS

Grenada County

has been granted permission to operate air emissions equipment in accordance with emission limitations, monitoring requirements and conditions set forth herein. This permit is issued in accordance with the Federal Clean Air Act and the provisions of the Mississippi Air and Water Pollution Control Law (Section 49-17-1 et. seq., Mississippi Code of 1972), the regulations and standards adopted and promulgated thereunder, and the State Implementation Plan for operating permits for synthetic minor sources.

Mississippi Environmental Quality Permit Board

Mississippi Department of Environmental Quality

Issued/Modified: JAN 17 2017

Expires: DEC 31 2021

Permit No. 0960-00030

Agency Interest # 875

**Table of Contents**

Subject Item Inventory.....i

Facility Requirements.....1

General Information.....A-1

## Permit to Operate Air Emissions Equipment at a Synthetic Minor Source

Luvata Grenada LLC, CCP and LAL Facilities

Subject Item Inventory

Permit Number: 0960-00030

Activity ID No.: PER20160001

### Subject Item Inventory:

| ID    | Designation | Description  |
|-------|-------------|--|
| AI875 |             | Manufacturer of Heat Transfer and Aluminum Microchannel Coils  |
| AREA2 | AA-001      | Surface Coating Operations   |
| AREA3 | AA-002      | Metal Working Operations [including: metal cutting, brazing, drawing, drilling, forming, stamping, pressing]   |
| AREA5 | AA-003      | Fuel Burning Equipment [including: natural gas-fired process heating, natural gas-fired space heating, propylene-fired brazing burners, acetylene-fired brazer burner] |
| AREA4 | AA-004      | Miscellaneous Operations [including: wood cutting, cooling tower]  |

#### **KEY**

ACT = Activity

AREA = Area

CONT = Control Device

IA = Insignificant Activity

MAFO = Animal Feeding Operation

RPNT = Release Point

WDPT = Withdrawal Point

AI = Agency Interest

CAFO = Concentrated Animal Feeding Operation

EQPT = Equipment

IMPD = Impoundment

PCS = PCS

TRMT = Treatment

## Permit to Operate Air Emissions Equipment at a Synthetic Minor Source

Luvata Grenada LLC, CCP and LAL Facilities

Facility Requirements

Permit Number: 0960-00030

Activity ID No.:PER20160001

Page 1 of 14

### AI0000000875 Manufacturer of Heat Transfer and Aluminum Microchannel Coils:

#### Limitation Requirements:

| Condition No. | Parameter | Condition  |
|---------------|-----------|--|
| L-1           |           | For the entire facility, the permittee shall not cause, allow, or permit the discharge into the ambient air from any point source or emissions, any air contaminant of such opacity to obscure an observer's view to a degree in excess of 40%, as determined by EPA Test Method 9, 40 CFR Part 60, Appendix A. This shall not apply to vision obscuration caused by uncombined water droplets. Startup operations may produce emissions which exceed 40% opacity for up to fifteen (15) minutes per startup in any one hour and not to exceed three (3) startups per stack in any twenty-four (24) hour period. [11 Miss. Admin. Code Pt. 2, R. 1.3.A(2), B.] |
| L-2           |           | Emissions resulting from soot blowing operations shall be permitted provided such emissions do not exceed 60 percent opacity, and provided further that the aggregate duration of such emissions during any twenty-four (24) hour period does not exceed ten (10) minutes per billion BTU gross heating value of fuel in any one hour. [11 Miss. Admin. Code Pt. 2, R. 1.3.A (3).]   |
| L-3           |           | The maximum permissible emission of ash and/or particulate matter (PM) from fossil fuel burning installations of less than 10 million BTU per hour heat input shall not exceed 0.6 pounds per million BTU per hour heat input. [11 Miss. Admin. Code Pt. 2, R. 1.3.D(1)(a).]   |
| L-4           |           | Except as otherwise specified, no person shall cause, permit, or allow the emission of particulate matter in total quantities in any one hour from any manufacturing process, which includes any associated stacks, vents, outlets, or combination thereof, to exceed the amount determined by the relationship $E = 4.1 \cdot p^{0.67}$ , where E is the emission rate in pounds per hour and p is the process weight input in tons per hour. Conveyor discharge of coarse solid matter may be allowed if no nuisance is created beyond the property boundary where the discharge occurs. [11 Miss. Admin. Code Pt. 2, R. 1.3.F(1).]                          |
| L-5           |           | The maximum discharge of sulfur oxides from any fuel burning installation in which the fuel is burned primarily to produce heat or power by indirect heat transfer shall not exceed 4.8 pounds (measured as sulfur dioxide) per million BTU heat input. [11 Miss. Admin. Code Pt. 2, R. 1.4.A(1).]   |

## Permit to Operate Air Emissions Equipment at a Synthetic Minor Source

Luvata Grenada LLC, CCP and LAL Facilities

Facility Requirements

Permit Number: 0960-00030

Activity ID No.:PER20160001

Page 2 of 14

### AI0000000875 Manufacturer of Heat Transfer and Aluminum Microchannel Coils:

#### Limitation Requirements:

| Condition No. | Parameter | Condition  |
|---------------|-----------|--|
| L-6           |           | Except as otherwise provided herein, no person shall cause or permit the emission of gas containing sulfur oxides (measured as sulfur dioxide) in excess of 2,000 ppm (volume) from any process equipment in existence on January 25, 1972, or in excess of 500 ppm (volume) from any process equipment constructed after January 25, 1972. The 500 ppm (volume) requirement shall apply for equipment constructed after January 25, 1972 unless otherwise provided by the Commission. [11 Miss. Admin. Code Pt. 2, R. 1.4.B(1).]  |
| L-7           |           | No person shall cause or permit the emission of any gas stream which contains hydrogen sulfide in excess of one grain per 100 standard cubic feet. Gas streams containing hydrogen sulfide in excess of one grain per 100 standard cubic feet shall be incinerated at temperatures of not less than 1600°F for a period of not less than 0.5 seconds, or processed in such manner which is equivalent to or more effective for the removal of hydrogen sulfide. [11 Miss. Admin. Code Pt. 2, R. 1.4.B(2).]   |
| L-8           |           | <p>No person shall cause, permit, or allow the emission of particles or any contaminants in sufficient amounts or of such duration from any process as to be injurious to humans, animals, plants, or property, or to be a public nuisance, or create a condition of air pollution.</p> <p>(a) No person shall cause or permit the handling or transporting or storage of any material in a manner which allows or may allow unnecessary amounts of particulate matter to become airborne;</p> <p>(b) When dust, fumes, gases, mist, odorous matter, vapors, or any combination thereof escape from a building or equipment in such a manner and amount as to cause a nuisance to property other than that from which it originated or to violate any other provision of this regulation, the Commission may order such corrected in a way that all air and gases or air and gasborne material leaving the building or equipment are controlled or removed prior to discharge to the open air. [11 Miss. Admin. Code Pt. 2, R. 1.3.C.]</p> |
| L-9           |           | For the entire facility, the permittee shall limit volatile organic compound (VOC) emissions to no more than 99.0 tons per year as determined for each consecutive 12-month period. [11 Miss. Admin. Code Pt. 2, R. 2.2.B(10).]  |
| L-10          |           | For the entire facility, the permittee shall limit emissions of any single hazardous air pollutant (HAP) to no more than 9.90 tons per year as determined for each consecutive 12-month period. [11 Miss. Admin. Code Pt. 2, R. 2.2.B(10).]  |

## Permit to Operate Air Emissions Equipment at a Synthetic Minor Source

Luvata Grenada LLC, CCP and LAL Facilities

Facility Requirements

Permit Number: 0960-00030

Activity ID No.:PER20160001

Page 3 of 14

### AI0000000875 Manufacturer of Heat Transfer and Aluminum Microchannel Coils:

#### Limitation Requirements:

| Condition No. | Parameter | Condition   |
|---------------|-----------|---|
| L-11          |           | For the entire facility, the permittee shall limit total combined HAP emissions to no more than 24.90 tons per year as determined for each consecutive 12-month period. [11 Miss. Admin. Code Pt. 2, R. 2.2.B(10).] |

#### Monitoring Requirements:

| Condition No. | Parameter | Condition  |
|---------------|-----------|--|
| M-1           |           | <p>For the entire facility, the permittee shall determine the following for each coating, adhesive, solvent, or other VOC or HAP containing material used:</p> <ul style="list-style-type: none"><li>(a) quantity used (gal);</li><li>(b) the percentage of VOC by weight;</li><li>(c) the percentage of HAP by weight; and</li><li>(d) the density (lb/gal).</li></ul> <p>The permittee may utilize data supplied by the manufacturer, or analysis of VOC and HAP content by EPA Test Method 311, 40 CFR Part 63, Appendix A, respectively. [11 Miss. Admin. Code Pt. 2, R. 2.2.B(11).]</p> |

## Permit to Operate Air Emissions Equipment at a Synthetic Minor Source

Luvata Grenada LLC, CCP and LAL Facilities

Facility Requirements

Permit Number: 0960-00030

Activity ID No.:PER20160001

Page 4 of 14

### AI0000000875 Manufacturer of Heat Transfer and Aluminum Microchannel Coils:

#### Record-Keeping Requirements:

| Condition No. | Condition  |
|---------------|--|
| R-1           | <p>For the entire facility, the permittee shall maintain sufficient records to document:</p> <p>(a) identification of each coating, adhesive, solvent, or other VOC or HAP containing material used, and the total gallons of each coating and each solvent used on a monthly basis and in any consecutive 12-month period;</p> <p>(b) the VOC and HAP content(s) of each coating, adhesive, solvent, or other VOC or HAP containing material used. A description of the method used to determine the VOC and HAP content shall accompany this data; and</p> <p>(c) the density of each coating, adhesive, solvent, or other VOC or HAP containing material. [11 Miss. Admin. Code Pt. 2, R. 2.2.B(10).]</p> |
| R-2           | <p>The permittee shall maintain copies of all records and reports on-site for at least five (5) years and shall make them available upon request by Mississippi Department of Environmental Quality (MDEQ) personnel. [11 Miss. Admin. Code Pt. 2, R. 2.2.B(10).]</p>  |

## Permit to Operate Air Emissions Equipment at a Synthetic Minor Source

Luvata Grenada LLC, CCP and LAL Facilities

Facility Requirements

Permit Number: 0960-00030

Activity ID No.:PER20160001

Page 5 of 14

### AI0000000875 Manufacturer of Heat Transfer and Aluminum Microchannel Coils:

#### Submittal/Action Requirements:

| Condition No. | Condition   |
|---------------|---|
| S-1           | <p>For the entire facility, the permittee shall submit a monitoring report due annually by the 31st of January for the preceding calendar year. This report shall provide the following:</p> <ul style="list-style-type: none"><li>(a) identification of each coating, adhesive, solvent, or other VOC or HAP containing material used;</li><li>(b) the VOC and HAP content(s) of each coating, adhesive, solvent, or other VOC or HAP containing material used;</li><li>(c) the total gallons of each coating, adhesive, solvent, or other VOC or HAP containing material used in any consecutive 12-month period; and</li><li>(d) the total VOC emission rate, the emission rate of each individual HAP, and the total HAP emission rate in tons per year based on a consecutive 12-month period. [11 Miss. Admin. Code Pt. 2, R. 2.2.B(11).]</li></ul> |
| S-2           | <p>Except as otherwise specified herein, the permittee shall Submit a certified annual synthetic minor monitoring report: Due annually, by the 31st of January for preceding calendar year. This report shall address any required monitoring specified in the permit. [11 Miss. Admin. Code Pt. 2, R. 2.2.B(11).]</p>  |
| S-3           | <p>General Condition: Except as otherwise specified herein, the permittee shall report all deviations from permit requirements, including those attributable to upsets, the probable cause of such deviations, and any corrective actions or preventive measures taken. Said report shall be made within five (5) working days of the time the deviation began. [11 Miss. Admin. Code Pt. 2, R. 2.2.B(11).]</p>   |

#### Narrative Requirements:

| Condition No. | Condition   |
|---------------|---|
| T-1           | <p>General Condition: The permittee shall at all times maintain in good working order and operate as efficiently as possible all air pollution control facilities or systems installed or used by the permittee to achieve compliance with the terms and conditions of this permit. [11 Miss. Admin. Code Pt. 2, R. 2.2.B(10).]</p> |
| T-2           | <p>General Condition: Any diversion from or bypass of collection and control facilities is prohibited except as provided for in Regulation 11 Miss. Admin. Code Pt. 2, Ch. 1, "Air Emission Regulations for the Prevention, Abatement, and Control of Air Contaminants," Section 10. [11 Miss. Admin. Code Pt. 2, R. 1.10.]</p>     |



## Permit to Operate Air Emissions Equipment at a Synthetic Minor Source

Luvata Grenada LLC, CCP and LAL Facilities

Facility Requirements

Permit Number: 0960-00030

Activity ID No.:PER20160001

Page 6 of 14

### AI0000000875 Manufacturer of Heat Transfer and Aluminum Microchannel Coils:

#### Narrative Requirements:

| Condition No. | Condition   |
|---------------|---|
| T-3           | General Condition: Should the Executive Director of the Mississippi Department of Environmental Quality declare an Air Pollution Emergency Episode, the permittee will be required to operate in accordance with the permittee's previously approved Emissions Reduction Schedule. [11 Miss. Admin. Code Pt. 2, R. 2.2.B(10).]  |
| T-4           | General Condition: After notice and opportunity for a hearing, this permit may be modified, suspended, or revoked in whole or in part during its term for cause including, but not limited to:<br><br>(a) violation of any terms or conditions of this permit;<br><br>(b) obtaining this permit by misrepresentation or failure to disclose fully all relevant facts; or<br><br>(c) a change in any condition that required either a temporary or permanent reduction or elimination of authorized air emissions. [11 Miss. Admin. Code Pt. 2, R. 2.2.C.] |
| T-5           | General Condition: This permit and/or any part thereof may be modified, revoked, reopened, and reissued, or terminated for cause. Sufficient cause for this permit to be reopened shall exist when an air emissions stationary source becomes subject to Title V. The filing of a request by the permittee for a permit modification, revocation and reissuance, or termination, or of a notification of planned changes or anticipated noncompliance does not stay any condition of the permit. [11 Miss. Admin. Code Pt. 2, R. 2.2.B(15)(b).]           |
| T-6           | General Condition: This permit does not convey any property rights of any sort, or any exclusive privilege. [11 Miss. Admin. Code Pt. 2, R. 2.2.B(15)(c).]  |
| T-7           | General Condition: The issuance of this permit does not release the permittee from liability for constructing or operating air emissions equipment in violation of any applicable statute, rule, or regulation of State or Federal environmental authorities. [11 Miss. Admin. Code Pt. 2, R. 2.2.B(7).]  |
| T-8           | General Condition: This permit may only be transferred upon approval of the Mississippi Environmental Quality Permit Board. [11 Miss. Admin. Code Pt. 2, R. 2.16.B.]  |
| T-9           | General Condition: This permit is for air pollution control purposes only. [11 Miss. Admin. Code Pt. 2, Ch. 2.]   |
| T-10          | General Condition: This permit is a Federally-approved permit to operate a synthetic minor source as described in Regulation 11 Miss. Admin. Code Pt. 2, R. 2.1.C(29). [11 Miss. Admin. Code Pt. 2, R. 2.1.C(29).]  |

**Permit to Operate Air Emissions Equipment at a Synthetic Minor Source**

Luvata Grenada LLC, CCP and LAL Facilities

Facility Requirements

Permit Number: 0960-00030

Activity ID No.:PER20160001

Page 7 of 14

**AI0000000875 Manufacturer of Heat Transfer and Aluminum Microchannel Coils:**

**Narrative Requirements:**

| Condition No. | Condition  |
|---------------|--|
| T-11          | General Condition: The provisions of this permit are severable. If any provision of this permit, or the application of any provision of this permit to any circumstances, is challenged or held invalid, the validity of the remaining permit provisions and/or portions thereof or their application to other persons or sets of circumstances, shall not be affected thereby. [11 Miss. Admin. Code Pt. 2, R. 2.1.D(7).]   |
| T-12          | General Condition: The permittee shall furnish to MDEQ within a reasonable time any information MDEQ may request in writing to determine whether cause exists for modifying, revoking and reissuing, or terminating the permit or to determine compliance with the permit. Upon request, the permittee shall also furnish to MDEQ copies of records required to be kept by the permit or, for information claimed to be confidential, the permittee shall furnish such records to MDEQ along with a claim of confidentiality. [11 Miss. Admin. Code Pt. 2, R. 2.2.B(15)(d).] |

## Permit to Operate Air Emissions Equipment at a Synthetic Minor Source

Luvata Grenada LLC, CCP and LAL Facilities

Facility Requirements

Permit Number: 0960-00030

Activity ID No.:PER20160001

Page 8 of 14

### AI0000000875 Manufacturer of Heat Transfer and Aluminum Microchannel Coils:

#### Narrative Requirements:

| Condition No. | Condition   |
|---------------|---|
| T-13          | <p>General Condition: This permit does not authorize a modification as defined in Regulation 11 Miss. Admin. Code Pt. 2, Ch. 2, "Permit Regulations for the Construction and/or Operation of Air Emissions Equipment." Modification is defined as "Any physical change in or change in the method of operation of a facility which increases actual emissions or potential uncontrolled emissions of any air pollutant subject to regulation under the Federal Act emitted into the atmosphere by that facility or which results in the emission of any air pollutant subject to regulation under the Federal Act into the atmosphere not previously emitted. A physical change or change in the method of operation shall not include:</p> <ul style="list-style-type: none"><li>(a) routine maintenance, repair, and replacement;</li><li>(b) use of an alternative fuel or raw material by reason of an order under Sections 2(a) and (b) of the Federal Energy Supply and Environmental Coordination Act of 1974 (or any superseding legislation) or by reason of a natural gas curtailment plan pursuant to the Federal Power Act;</li><li>(c) use of an alternative fuel by reason of an order or rule under Section 125 of the Federal Act;</li><li>(d) use of an alternative fuel or raw material by a stationary source which:<ul style="list-style-type: none"><li>(i) the source was capable of accommodating before January 6, 1975, unless such change would be prohibited under any federally enforceable permit condition which was established after January 6, 1975, pursuant to 40 CFR 52.21 or under regulations approved pursuant to 40 CFR 51.166; or</li><li>(ii) the source is approved to use under any permit issued under 40 CFR 52.51 or under regulations approved pursuant to 40 CFR 51.166;</li></ul></li><li>(e) an increase in the hours of operation or in the production rate unless such change would be prohibited under any federally enforceable permit condition which was established after January 6, 1975, pursuant to 40 CFR 52.51, or under regulations approved pursuant to Subpart I or 40 CFR 51.166; or</li><li>(f) any change in ownership of the stationary source." [11 Miss. Admin. Code Pt. 2, Ch. 2.]</li></ul> |
| T-14          | <p>General Condition: It shall not be a defense for a permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of this permit unless halting or reducing activity would create an imminent and substantial endangerment threatening the public health and safety of the lives and property of the people of this state. [11 Miss. Admin. Code Pt. 2, R. 2.2.B(15)(a).]</p>   |

**Permit to Operate Air Emissions Equipment at a Synthetic Minor Source**

Luvata Grenada LLC, CCP and LAL Facilities

Facility Requirements

Permit Number: 0960-00030

Activity ID No.:PER20160001

Page 9 of 14

**AI0000000875 Manufacturer of Heat Transfer and Aluminum Microchannel Coils:**

**Narrative Requirements:**

| Condition No. | Condition  |
|---------------|--|
| T-15          | General Condition: The permittee shall retain all required records, monitoring data, supported information and reports for a period of at least five (5) years from the date of the monitoring sample, measurement, report, or application. Support information includes all calibration and maintenance records, all original strip-chart recordings or other data for continuous monitoring instrumentation, and copies of all reports required by this permit. Copies of such records shall be submitted to MDEQ as required by Applicable Rules and Regulations or this permit upon request. [11 Miss. Admin. Code Pt. 2, R. 2.2.B(11).] |
| T-16          | General Condition: The knowing submittal of a permit application with false information may serve as the basis for the Permit Board to void the permit issued pursuant thereto or subject the applicant to penalties for constructing or operating without a valid permit. [11 Miss. Admin. Code Pt. 2, R. 2.2.B(5)]   |

## Permit to Operate Air Emissions Equipment at a Synthetic Minor Source

Luvata Grenada LLC, CCP and LAL Facilities

Facility Requirements

Permit Number: 0960-00030

Activity ID No.:PER20160001

Page 10 of 14

### AI0000000875 Manufacturer of Heat Transfer and Aluminum Microchannel Coils:

#### Narrative Requirements:

| Condition No. | Condition   |
|---------------|---|
| T-17          | <p>General Condition: Emergencies</p> <p>(a) except as otherwise specified herein, an emergency means any situation arising from sudden and reasonably unforeseeable events beyond the control of the source, including acts of God, which situation requires immediate corrective action to restore normal operation, and that causes the source to exceed a technology-based emission limitation under the permit, due to unavoidable increases in emissions attributable to the emergency. An emergency shall not include noncompliance to the extent caused by improperly designed equipment, lack of preventative maintenance, careless or improper operation, or operator error;</p> <p>(b) an emergency constitutes an affirmative defense to an action brought for noncompliance with such technology-based emission limitations if the conditions specified in (c) following are met:</p> <p>(c) the affirmative defense of emergency shall be demonstrated through properly signed contemporaneous operating logs, or other relevant evidence as follows:</p> <ul style="list-style-type: none"><li>(i) an emergency occurred and that the permittee can identify the cause(s) of the emergency;</li><li>(ii) the permitted facility was at the time being properly operated;</li><li>(iii) during the period of the emergency the permittee took all reasonable steps to minimize levels of emissions that exceeded the emission standards, or other requirements in the permit; and</li><li>(iv) the permittee submitted notice of the emergency to MDEQ within two (2) working days of the time when emission limitations were exceeded due to the emergency which contained a description of the emergency, any steps taken to mitigate emissions, and corrective actions taken;</li></ul> <p>(d) in any enforcement proceeding, the permittee seeking to establish the occurrence of any emergency has the burden of proof;</p> <p>(e) this provision is in addition to any emergency or upset provision contained in any applicable requirement specified elsewhere herein. [11 Miss. Admin. Code Pt. 2, R. 2.2.B(10).]</p> |

## Permit to Operate Air Emissions Equipment at a Synthetic Minor Source

Luvata Grenada LLC, CCP and LAL Facilities

Facility Requirements

Permit Number: 0960-00030

Activity ID No.:PER20160001

Page 11 of 14

### AI0000000875 Manufacturer of Heat Transfer and Aluminum Microchannel Coils:

#### Narrative Requirements:

| Condition No. | Condition   |
|---------------|---|
| T-18          | <p>General Condition: Upsets</p> <p>(a) the occurrence of an upset constitutes an affirmative defense to an enforcement action brought for noncompliance with emission standards or other requirements of Applicable Rules and Regulations or any applicable permit if the permittee demonstrates through properly signed contemporaneous operating logs, or other relevant evidence that include information as follows:</p> <ul style="list-style-type: none"><li>(i) an upset occurred and that the permittee can identify the cause(s) of the upset;</li><li>(ii) the source was at the time being properly operated;</li><li>(iii) during the upset the permittee took all reasonable steps to minimize levels of emissions that exceeded the emission standards, or other requirements of Applicable Rules and Regulations or any applicable permit;</li><li>(iv) the permittee submitted notice of the upset to the DEQ within five (5) working days of the time the upset began which contained a description of the upset, any steps taken to mitigate emissions, and corrective actions taken;</li></ul> <p>(b) in any enforcement proceeding, the permittee seeking to establish the occurrence of an upset has the burden of proof;</p> <p>(c) this provision is in addition to any upset provision contained in any applicable requirement. [11 Miss. Admin. Code Pt. 2, R. 1.10.A.]</p> |

**Permit to Operate Air Emissions Equipment at a Synthetic Minor Source**

Luvata Grenada LLC, CCP and LAL Facilities

Facility Requirements

Permit Number: 0960-00030

Activity ID No.:PER20160001

Page 12 of 14

**AI0000000875 Manufacturer of Heat Transfer and Aluminum Microchannel Coils:**

**Narrative Requirements:**

| Condition No. | Condition  |
|---------------|--|
| T-19          | <p>General Condition: Startups and Shutdowns</p> <p>(a) startups and shutdowns are part of normal source operation. Emissions limitations applicable to normal operation apply during startups and shutdowns except as follows:</p> <p>(i) when sudden, unavoidable breakdowns occur during a startup or shutdown, the event may be classified as an upset subject to the requirements above;</p> <p>(ii) when a startup or shutdown is infrequent, the duration of excess emissions is brief in each event, and the design of the source is such that the period of excess emissions cannot be avoided without causing damage to equipment or persons; or</p> <p>(iii) when the emissions standards applicable during a startup or shutdown are defined by other requirements of Applicable Rules and Regulations or any applicable permit;</p> <p>(b) in any enforcement proceeding, the permittee seeking to establish the applicability of any exception during a startup or shutdown has the burden of proof;</p> <p>(c) in the event this startup and shutdown provision conflicts with another applicable requirement, the more stringent requirement shall apply. [11 Miss. Admin. Code Pt. 2, R. 1.10.B.]</p> |

## Permit to Operate Air Emissions Equipment at a Synthetic Minor Source

Luvata Grenada LLC, CCP and LAL Facilities

Facility Requirements

Permit Number: 0960-00030

Activity ID No.:PER20160001

Page 13 of 14

### AI0000000875 Manufacturer of Heat Transfer and Aluminum Microchannel Coils:

#### Narrative Requirements:

| Condition No. | Condition   |
|---------------|---|
| T-20          | <p>General Condition: Maintenance</p> <p>(a) maintenance should be performed during planned shutdown or repair of process equipment such that excess emissions are avoided. Unavoidable maintenance that results in brief periods of excess emissions and that is necessary to prevent or minimize emergency conditions or equipment malfunctions constitutes an affirmative defense to an enforcement action brought for noncompliance with emission standards, or other regulatory requirements if the permittee can demonstrate the following:</p> <p>(i) the permittee can identify the need for the maintenance;</p> <p>(ii) the source was at the time being properly operated;</p> <p>(iii) during the maintenance the permittee took all reasonable steps to minimize levels of emissions that exceeded the emissions standards, or other requirements of Applicable Rules and Regulations or any applicable permit;</p> <p>(iv) the permittee submitted notice of the maintenance to MDEQ within five (5) working days of the time the maintenance began or such other times as allowed by MDEQ, which contained a description of the maintenance, any steps taken to mitigate emissions, and corrective actions taken;</p> <p>(b) in any enforcement proceeding, the permittee seeking to establish the applicability of this section has the burden of proof;</p> <p>(c) in the event this maintenance provision conflicts with another applicable requirement, the more stringent requirement shall apply. [11 Miss. Admin. Code Pt. 2, R. 1.10.C.]</p> |
| T-21          | <p>General Condition: For renewal of this permit the applicant shall make application not less than one-hundred eighty (180) days prior to the expiration date of the permit substantiated with current emissions data, test results or reports, or other data as deemed necessary by the Mississippi Environmental Quality Permit Board. [11 Miss. Admin. Code Pt. 2, R. 2.8.B.]</p>   |
| T-22          | <p>General Condition: Any activities not identified in the application are not authorized by this permit. [Miss. Code Ann. 49-17-29 1.b]</p>  |
| T-23          | <p>General Condition: Solids removed in the course of control of air emissions shall be disposed of in a manner such as to prevent the solids from becoming windborne and to prevent the materials from entering state waters without the proper environmental permits. [Miss. Code Ann. 49-17-29 1.a(i and ii)]</p>  |



## Permit to Operate Air Emissions Equipment at a Synthetic Minor Source

Luvata Grenada LLC, CCP and LAL Facilities

Facility Requirements

Permit Number: 0960-00030

Activity ID No.:PER20160001

Page 14 of 14

### AI0000000875 Manufacturer of Heat Transfer and Aluminum Microchannel Coils:

#### Narrative Requirements:

| Condition No. | Condition  |
|---------------|--|
| T-24          | <p>General Condition: The permittee shall allow the Mississippi Department of Environmental Quality Office of Pollution Control and the Mississippi Environmental Quality Permit Board and/or their authorized representatives, upon the presentation of credentials:</p> <p>(a) to enter upon the permittee's premises where an air emission source is located or in which any records are required to be kept under the terms and conditions of this permit; and</p> <p>(b) at reasonable times to have access to and copy any records required to be kept under the terms and conditions of this permit, to inspect any monitoring equipment or monitoring method required in this permit, and to sample any air emission. [Miss. Code Ann. 49-17-21]</p> |
| T-25          | <p>General Condition: Except for data determined to be confidential under the Mississippi Air &amp; Water Pollution Control Law, all reports prepared in accordance with the terms of this permit shall be available for public inspection at the offices of the Mississippi Department of Environmental Quality Office of Pollution Control. [Miss. Code Ann. 49-17-39]</p>   |

## **GENERAL INFORMATION**

Luvata Grenada LLC, CCP and LAL Facilities  
1000 Heatcraft Drive  
Grenada, MS  
Grenada County

**Alternate/Historic Identifiers**

## GENERAL INFORMATION

| ID           | Alternate/Historic Name                              | User Group                    | Start Date | End Date   |
|--------------|--|-------------------------------|------------|------------|
| 875          | Heatcraft, Inc.                                      | Historic Site Name            | 07/14/1992 | 04/17/2003 |
| 2804300030   | Luvata Grenada LLC, CCP and LAL Facility             | Air-AIRS AFS                  | 10/12/2000 |            |
| MSD985967595 | Heatcraft, Inc., Commercial Coil Plant               | Hazardous Waste-EPA ID        | 02/27/1993 | 08/09/2002 |
| 096000030    | Heatcraft, Inc., Commercial Coil Plant               | Air-Construction              | 03/20/1998 |            |
| 096000030    | Heatcraft, Inc., Commercial Coil Plant               | Air-State Operating           | 06/25/1998 | 02/01/1999 |
| 096000030    | Heatcraft, Inc., Commercial Coil Plant               | Air-Title V Operating         | 10/18/1999 | 10/01/2004 |
| MSR110124    | Heatcraft, Inc., Commercial Coil Plant               | GP-Sara Title III             | 03/23/1994 | 12/12/2000 |
| MSR000383    | Heatcraft, Inc., Commercial Coil Plant               | GP-Baseline                   | 07/14/1992 | 03/23/1994 |
| MSP090730    | Heatcraft, Inc., Commercial Coil Plant               | Water - Pretreatment          | 06/22/1993 | 06/21/1998 |
| MSP090730    | Heatcraft, Inc., Commercial Coil Plant               | Water - Pretreatment          | 02/09/1999 | 04/17/2003 |
| MSR110124    | Heatcraft, Inc., Commercial Coil Plant               | GP-Baseline                   | 12/12/2000 | 04/17/2003 |
| MSD985967595 | Outokumpu Heatcraft LLC CCP                          | Hazardous Waste-EPA ID        | 08/09/2002 | 08/02/2006 |
| 875          | Luvata Grenada, LLC                                  | Official Site Name            | 06/19/2006 |            |
| 096000030    | Outokumpu Heatcraft LLC, Commercial Coil Plant       | Air-Title V Operating         | 04/17/2003 | 10/01/2004 |
| MSP090730    | Outokumpu Heatcraft LLC, Commercial Coil Plant       | Water - Pretreatment          | 04/17/2003 | 01/31/2004 |
| MSR110124    | Outokumpu Heatcraft LLC, Commercial Coil Plant       | GP-Baseline                   | 04/17/2003 | 12/20/2005 |
| MSP090730    | Outokumpu Heatcraft LLC, Commercial Coil Plant       | Water - Pretreatment          | 03/24/2004 | 02/28/2009 |
| 096000030    | Outokumpu Heatcraft LLC, Commercial Coil Plant       | Air-Synthetic Minor Operating | 02/11/2005 | 07/13/2006 |
| MSR110124    | Outokumpu Heatcraft LLC, Commercial Coil Plant       | GP-Baseline                   | 12/20/2005 | 07/13/2006 |
| 875          | Outokumpu Heatcraft LLC, Commercial Coil Plant       | Historic Site Name            | 04/17/2003 | 06/19/2006 |
| 096000030    | Luvata Grenada LLC, Commercial Coil Grenada Facility | Air-Synthetic Minor Operating | 07/14/2006 | 08/21/2007 |
| MSR110124    | Luvata Grenada LLC, Commercial Coil Plant            | GP-Baseline                   | 07/14/2006 | 11/08/2010 |
| MSD985967595 | Luvata Grenada, LLC (CCP)                            | Hazardous Waste-EPA ID        | 08/02/2006 |            |
| 096000030    | Luvata Grenada LLC, Commercial Coil Grenada Facility | Air-Synthetic Minor Operating | 08/21/2007 | 04/20/2012 |
| MSP090730    | Luvata Grenada LLC, Commercial Coil Grenada Facility | Water - Pretreatment          | 01/13/2009 | 09/23/2013 |
| 875 001      | Outokumpu Heatcraft LLC                              | GARD                          | 07/14/1992 |            |
| 875 001      | Outokumpu Heatcraft USA                              | GARD                          | 07/09/2009 |            |
| MSR110124    | Luvata Grenada LLC, Commercial Coil Plant            | GP-Baseline                   | 11/08/2010 | 02/04/2016 |
| 096000030    | Luvata Grenada LLC, Commercial Coil Grenada Facility | Air-Synthetic Minor Operating | 04/20/2012 | 01/17/2017 |
| MSP090730    | Luvata Grenada LLC, Commercial Coil Grenada Facility | Water - Pretreatment          | 09/23/2013 | 08/31/2018 |
| MSR110124    | Luvata Grenada LLC, Commercial Coil Plant            | GP-Baseline                   | 02/04/2016 | 10/31/2020 |
| 096000030    | Luvata Grenada LLC, CCP and LAL Facilities           | Air-Synthetic Minor Operating | 01/17/2017 | 12/31/2021 |

## GENERAL INFORMATION

**Basin:** Yazoo River Basin

**Location Description:**

PG- Plant Entrance (General). Data collected by David Burchfield on 9/20/2000 @ 21:38  
Zulu. Elevation 223 feet. Data collected by Mike Hardy on 11/8/2005. Latitude 33 49' 21.5"  
Longitude 89 47' 52.0". Elevation 213 feet. Just outside entry gate.