STATE OF MISSISSIPPI AIR POLLUTION CONTROL PERMIT

TO CONSTRUCT AIR EMISSIONS EQUIPMENT

THIS CERTIFIES THAT

Turley International Resources LLC, Consolidated Aggregates Mine
McCarty Island Road
Picayune, Mississippi
Pearl River County

has been granted permission to construct air emissions equipment to comply with the emission limitations, monitoring requirements and other conditions set forth herein. This permit is issued in accordance with the provisions of the Mississippi Air and Water Pollution Control Law (Section 49-17-1 et. seq., Mississippi Code of 1972), and the regulations and standards adopted and promulgated thereunder.

MISSISSIPPI ENVIRONMENTAL QUALITY PERMIT BOARD

- Drustal Vertal	
AUTHORIZED SIGNATURE ()	
MISSISSIPPI DEPARTMENT OF ENVIRONMENTAL	QUALITY

Issued: March 11, 2016 Permit No.: 2180-00054

Modified: September 10, 2018, MAY 1 6 2019

SECTION 1

A. GENERAL CONDITIONS

1. This permit is for air pollution control purposes only.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 2.1.D.)

2. Any activities not identified in the application are not authorized by this permit.

(Ref.: Miss. Code Ann. 49-17-29 1.b)

3. The knowing submittal of a permit application with false information may serve as the basis for the Permit Board to void the permit issued pursuant thereto or subject the applicant to penalties for operating without a valid permit pursuant to State Law.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 2.2.B(5).)

4. It is the responsibility of the applicant/permittee to obtain all other approvals, permits, clearances, easements, agreements, etc., which may be required including, but not limited to, all required local government zoning approvals or permits.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 2.1.D(6).)

5. The issuance of a permit does not release the permittee from liability for constructing or operating air emissions equipment in violation of any applicable statute, rule, or regulation of state or federal environmental authorities.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 2.2.B(7).)

6. It shall not be a defense for a permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of the permit, unless halting or reducing activity would create an imminent and substantial endangerment threatening the public health and safety of the lives and property of the people of this state.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 2.2.B(15)(a).)

7. The permit and/or any part thereof may be modified, revoked, reopened, and reissued, or terminated for cause. Sufficient cause for a permit to be reopened shall exist when an air emissions stationary source becomes subject to Title V. The filing of a request by the permittee for a permit modification, revocation and reissuance, or termination, or of a notification of planned changes or anticipated noncompliance does not stay any permit condition.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 2.2.B(15)(b).)

8. The permit does not convey any property rights of any sort, or any exclusive privilege.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 2.2.B(15)(c).)

9. The permittee shall furnish to the DEQ within a reasonable time any information the DEQ may request in writing to determine whether cause exists for modifying, revoking and reissuing, or terminating the permit or to determine compliance with the permit. Upon request, the permittee shall also furnish to the DEQ copies of records required to be kept by the permit or, for information claimed to be confidential, the permittee shall furnish such records to the DEQ along with a claim of confidentiality. The permittee may furnish such records directly to the Administrator along with a claim of confidentiality.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 2.2.B(15)(d).)

10. Design and Construction Requirements: The stationary source shall be designed and constructed so as to operate without causing a violation of an Applicable Rules and Regulations, without interfering with the attainment and maintenance of State and National Ambient Air Quality Standards, and such that the emission of air toxics does not result in an ambient concentration sufficient to adversely affect human health and well-being or unreasonably and adversely affect plant or animal life beyond the stationary source boundaries.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 2.5.A.)

11. Solids Removal: The necessary facilities shall be constructed so that solids removed in the course of control of air emissions may be disposed of in a manner such as to prevent the solids from becoming windborne and to prevent the materials from entering State waters without the proper environmental permits.

(Ref.: Miss. Code Ann. 49-17-29)

12. Diversion and Bypass of Air Pollution Controls: The air pollution control facilities shall be constructed such that diversion from or bypass of collection and control facilities is not needed except as provided for in 11 Miss. Admin. Code Pt. 2, R. 1.10., "Air Emission Regulations for the Prevention, Abatement, and Control of Air Contaminants."

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 1.10.)

13. Fugitive Dust Emissions from Construction Activities: The construction of the stationary source shall be performed in such a manner so as to reduce fugitive dust emissions from construction activities to a minimum.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 2.5.A(4).)

14. Right of Entry: The permittee shall allow the Mississippi Department of Environmental Quality Office of Pollution Control and the Mississippi Environmental Quality Permit Board and/or their representatives upon presentation of credentials:

- a) To enter upon the permittee's premises where an air emission source is located or in which any records are required to be kept under the terms and conditions of this permit; and
- b) At reasonable times to have access to and copy any records required to be kept under the terms and conditions of this permit; to inspect any monitoring equipment or monitoring method required in this permit; and to sample any air emissions.

(Ref.: Miss. Code Ann. 49-17-21)

- 15. Permit Modification or Revocation: After notice and opportunity for a hearing, the Permit Board may modify the permit or revoke it in whole or in part for good cause shown including, but not limited to:
 - a) Persistent violation of any of the terms or conditions of this permit;
 - b) Obtaining this permit by misrepresentation or failure to disclose fully all relevant facts; or
 - c) A change in federal, state, or local laws or regulations that require either a temporary or permanent reduction or elimination of previously authorized air emission.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 2.2.C.)

16. Public Record and Confidential Information: Except for data determined to be confidential under the Mississippi Air & Water Pollution Control Law, all reports prepared in accordance with the terms of this permit shall be available for public inspection at the offices of the Mississippi Department of Environmental Quality, Office of Pollution Control.

(Ref.: Miss. Code Ann. 49-17-39)

17. Permit Transfer: This permit shall not be transferred except upon approval of the Permit Board.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 2.16.B.)

18. Severability: The provisions of this permit are severable. If any provision of the permit, or the application of any provision of the permit to any circumstances, is challenged or held invalid, the validity of the remaining permit provisions and/or portions thereof or their application to other persons or sets of circumstances, shall not be affected thereby.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 2.1.D(7).)

19. Permit Expiration: The permit to construct will expire if construction does not begin within eighteen (18) months from the date of issuance or if construction is suspended for eighteen (18) months or more.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 2.5.C(1).)

20. Certification of Construction: A new stationary source issued a Permit to Construct cannot begin operation until certification of construction by the permittee.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 2.5.D(3).)

21. Beginning Operation: Except as prohibited in Section 1, Condition 24 of this permit, after certification of construction by the permittee, the Permit to Construct shall be deemed to satisfy the requirement for a permit to operate until the date the application for issuance or modification of the Title V Permit or the application for issuance or modification of the State Permit to Operate, whichever is applicable, is due. This provision is not applicable to a source excluded from the requirement for a permit to operate as provided by 11 Miss. Admin. Code Pt. 2, R. 2.13.G.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 2.5.D(4).)

22. Application for a Permit to Operate: Except as otherwise specified in Section 1, Condition 24 of this permit, the application for issuance or modification of the State Permit to Operate or the Title V Permit, whichever is applicable, is due twelve (12) months after beginning operation or such earlier date or time as specified in the Permit to Construct. The Permit Board may specify an earlier date or time for submittal of the application. Beginning operation will be assumed to occur upon certification of construction, unless the permittee specifies differently in writing.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 2.5.D(5).)

23. Operating Under a Permit to Construct: Except as otherwise specified in Section 1, Condition 24 of this permit, upon submittal of a timely and complete application for issuance or modification of a State Permit to Operate or a Title V Permit, whichever is applicable, the applicant may continue to operate under the terms and conditions of the Permit to Construct and in compliance with the submitted application until the Permit Board issues, modifies, or denies the Permit to Operate.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 2.5.D(6).)

24. Application Requirements for a Permit to Operate for Moderate Modifications: For moderate modifications that require contemporaneous enforceable emissions reductions from more than one emission point in order to "net" out of PSD/NSR, the applicable Title V Permit to Operate or State Permit to Operate must be modified prior to beginning operation of the modified facilities.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 2.5.D(7).)

25. General Duty: All air emission equipment shall be operated as efficiently as possible to provide the maximum reduction of air contaminants.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 2.2.B(10).)

26. Deviation Reporting: Except as otherwise specified herein, the permittee shall report all deviations from permit requirements, including those attributable to upsets, the probable cause of such deviations, and any corrective actions or preventive measures taken. Said report shall be made within five (5) working days of the time the deviation began.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 2.2.B(10).)

- 27. Compliance Testing: Regarding compliance testing:
 - a) The results of any emissions sampling and analysis shall be expressed both in units consistent with the standards set forth in any Applicable Rules and Regulations or this permit and in units of mass per time.
 - b) Compliance testing will be performed at the expense of the permittee.
 - c) Each emission sampling and analysis report shall include but not be limited to the following:
 - (1) detailed description of testing procedures;
 - (2) sample calculation(s);
 - (3) results; and
 - (4) comparison of results to all Applicable Rules and Regulations and to emission limitations in the permit.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 2.6.B(3), (4), and (6).)

B. GENERAL NOTIFICATION REQUIREMENTS

1. Within fifteen (15) days of beginning actual construction, the permittee must notify DEQ in writing that construction has begun.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 2.5.C(2).)

2. The permittee must notify DEQ in writing when construction does not begin within eighteen (18) months of issuance or if construction is suspended for eighteen (18) months or more.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 2.5.C(3).)

3. Upon the completion of construction or installation of an approved stationary source or modification, and prior to commencing operation, the applicant shall notify the Permit Board that construction or installation was performed in accordance with the approved plans and specifications on file with the Permit Board.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 2.5.D(1) and (3).)

4. The Permit Board shall be promptly notified in writing of any change in construction from the previously approved plans and specifications or permit. If the Permit Board determines the changes are substantial, it may require the submission of a new application to construct with "as built" plans and specifications. Notwithstanding any provision herein to the contrary, the acceptance of an "as built" application shall not constitute a waiver of the right to seek compliance penalties pursuant to State Law.

(Ref.: 11 Miss. Admin, Code Pt. 2, R. 2.5.D(2).)

SECTION 2 EMISSION POINT DESCRIPTION

The permittee is authorized to construct and operate, upon certification of construction, air emissions equipment, as described in the following table.

Salandar Salandar	Discipling Section 1
AA-001	Two sand and gravel dyers with a combined production rate of 50 tons/hr equipped with two 20 MMBtu/hr natural gas burners and one (1) wet scrubber.
AA-002	One sand and gravel dryer with a production rate of 3 tons/hr equipped with one 2 MMBtu/hr natural gas burners and one (1) wet scrubber

SECTION 3 EMISSION LIMITATIONS AND STANDARDS

	Applicable Requirements	Condition (e g Pottin (n/2) E Pir ^a m (19 6)	Chinquagaadad
	40 CFR 60, Subpart UUU, Standards of Performance for Calciners and Dryers in Mineral Industries	3.1, 3.2	PM	0.025 grains/dry standard cubic foot for dryers
	40 CFR 60.730, 40 CFR 60.732(a)			
AA-001 and AA-002	11 Miss. Admin. Code Pt. 2, R. 1.3.D(1)(b).	3.3	PM	E = 0.8808*(I) ^{-0.1667}
	11 Miss. Admin. Code Pt. 2, R. 1.3.F(1).	3.4	PM	$E = 4.1*(p)^{0.67}$
	40 CFR 60.732(b)	3.5	Opacity	≤ 10%
	11 Miss. Admin. Code Pt. 2, R. 1.4.A(1).	3.6	SO ₂	4.8 lbs/MMBTU

3.1 For Emission Points AA-001 and AA-002, the permittee is subject to and shall comply with all applicable standards and provisions of 40 CFR 60, Subpart UUU, Standards of Performance for Calciners and Dryers in Mineral Industries.

(Ref.: 40 CFR 60.730)

3.2 For Emission Points AA-001 and AA-002, the permittee shall not allow particulate matter emissions to discharged into the atmosphere in excess of 0.025 grains/dry standard cubic foot.

(Ref.: 40 CFR 60.732(a))

3.3 For Emission Points AA-001 and AA-002, emissions from installations equal to or greater than 10 million BTU per hour heat input but less than 10,000 million BTU per hour heat input shall not exceed an emission rate as determined by the relationship

$$E = 0.8808*(I)^{-0.1667}$$

where E is the emission rate in pounds per million BTU per hour heat input and I is the heat input in millions of BTU per hour.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 1.3D(1)(b).)

For Emission Points AA-001 and AA-002, except as otherwise specified, no person shall cause, permit, or allow the emission from any manufacturing process, in any one hour from any point source, particulate matter in total quantities in excess of the amount determined by the relationship

$$E=4.1*(p)^{0.67}$$

where E is the emission rate in pounds per hour and p is the process weight input rate in tons per hour.

Conveyor discharge of coarse solid matter may be allowed if no nuisance is created beyond the property boundary where the discharge occurs.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 1.3.F(1).)

For Emission Points AA-001 and AA-002, the permittee shall not allow opacity greater than 10% as determined by EPA Reference Method 9, 40 CFR 60, Appendix A.

(Ref.: 40 CFR 60.732(b).)

3.6 For Emission Points AA-001 and AA-002, the maximum discharge of sulfur oxides from any fuel burning installation in which the fuel is burned primarily to produce heat or power by indirect heat transfer shall not exceed 4.8 pounds (measured as sulfur dioxide) per million BTU heat input.

(Ref.: 11 Miss. Admin. Code Pt. 2, R. 1.4.A(1).)

SECTION 4 MONITORING AND RECORDKEEPING REQUIREMENTS

	Tart 2 Applied ble Requirement 20			Miniminysteroalkovitagos Rajanonen 1882
AA-001 and AA-002	11 Miss. Admin. Code Pt. 2, R. 2.2.B(10).	4.1		Operation and Maintenance
	40 CFR 60.736(a), (b)(1)	4.2	PM	Stack test requirement
	40 CFR 60.736(b)(2)	4.3	Opacity	Visible Emission Observation

4.1 For Emission Points AA-001 and AA-002, the permittee shall operate the pollution control equipment at all times while the facility is in operation. In the event of a failure of the pollution control equipment, the permittee shall cease operations of the associated emission unit(s) until such time as repairs are made and the proper efficiency of the pollution control equipment is restored. The permittee shall have, at the permitted facility, equipment sufficient to repair and/or overhaul the pollution control equipment.

(11 Miss. Admin. Code Pt. 2, R. 2.2.B(10).)

4.2 For Emission Points AA-001 and AA-002, the permittee shall demonstrate initial compliance with particulate matter emission limitation set in condition 3.2 of this permit by stack testing in accordance with EPA Reference Method 5 and submittal of written report of the results within 60 days of after achieving maximum production rate but no later than 180 days after startup.

During the stack test, the sampling time and volume for each test run shall be at least 2 hours and 1.70 dscm. This information shall be submitted as part of each stack test report.

(Ref.: 40 CFR 60.736(a)., (b)(1).)

4.3 For Emission Points AA-001 and AA-002, the permittee shall demonstrate initial compliance with opacity limit set in condition 3.5 by conducting visible emission observations during stack testing required by condition 4.2 of this permit, in accordance with EPA Reference Method 9 and the procedures outlined in 40 CFR 60.11. The results of the observations shall be submitted along with the stack test report.

(Ref.: 40 CFR 60.736(b)(2))

SECTION 5 REPORTING REQUIREMENTS

k dini alog	se Vopile into Requirement 2	Mediadilon	Parents
Lightom		Petitober(s)	Reporting Requirements
AA-001 and AA- 002	40 CFR 60, Subpart A, Standards of Performance for New Stationary Sources 40 CFR 60.8 (a) 11 Miss. Admin. Code Pt. 2, R. 2.2.B.(11).)	5.1	Submit compliance reports within 60 days of being conducted

5.1 For Emission Points AA-001, the permittee shall submit written reports of all stack testing and opacity observations conducted to demonstrate compliance with the standards set forth in this permit within 60 days of after achieving maximum production rate but no later than 180 days after startup.

(Ref.: 40 CFR 60.8(a), 11 Miss. Admin. Code Pt. 2, R. 2.2.B.(11).)