



State of Mississippi



WATER POLLUTION CONTROL PERMIT

Permit to Discharge Wastewater in Accordance with National Pollutant Discharge Elimination System

THIS CERTIFIES

Huntington Ingalls Inc, Ingalls Shipbuilding Division, Pascagoula Operations
1000 Jerry Saint Pe' Highway
Pascagoula, MS
Jackson County

has been granted permission to discharge wastewater in accordance with the effluent limitations, monitoring requirements and other conditions set forth in this permit. This permit is issued in accordance with the provisions of the Mississippi Water Pollution Control Law (Section 49-17-1 et seq., Mississippi Code of 1972), and the regulations and standards adopted and promulgated thereunder, and under authority granted pursuant to Section 402(b) of the Federal Water Pollution Control Act.

Mississippi Environmental Quality Permit Board

Mississippi Department of Environmental Quality

Issued/Modified: MAY 3 1 2011

Expires: JUN 3 0 2014

Permit No. MS0003069

Agency Interest # 1670

Table of Contents

Subject Item Inventory.....	i
Facility Requirements.....	1
General Information.....	A-1
Other Relevant Documents:	

Permit to Discharge Wastewater in Accordance with National Pollutant Discharge Elimination System

Huntington Ingalls Inc, Ingalls Shipbuilding Division, Pascagoula Operations

Subject Item Inventory

Permit Number:MS0003069

Activity ID No.: PER20110001

Subject Item Inventory:

ID	Designation	Description
AI1670	1670	Shipbuilding and Ship Repair
RPNT2	MS0003069 - 039	Outfall 039 [Stormwater Runoff (East Bank) - Outfall 039 has been selected by the facility as representative of Outfalls 008, 009, 010, 011, 012, 013, 014, 016, 017, 018, 019, 020, 021, 024, 027, 028, 030, 031, 032, 038, 087, and 088.]
RPNT9	MS0003069 - 061	Outfall 061 [Stormwater Runoff (West Bank) - Outfall 061 has been selected by the facility as representative of Outfalls 040, 041, 042, 043, 044, 045, 046, 047, 048, 063, and 064.]
RPNT10	MS0003069 - 060	Outfall 060 [Stormwater Runoff (West Bank) - Outfall 060 has been selected by the facility as representative of Outfalls 049, 050, 051, 052, 053, 054, 055, 056, 057, 058, 059, 073, and 074.]
RPNT13	MS0003069 - 066	Outfall 066 [Once Through Cooling Seawater from Vessels in Floating Drydock on West Bank]
RPNT16	MS0003069 - 085	Outfall 085 [Stormwater Runoff (West Bank) - Outfall 085 has been selected by the facility as representative of Outfall 086.]
RPNT19	MS0003069 - 075	Outfall 075 [Stormwater Runoff (West Bank) - Outfall 075 has been selected by the facility as representative of Outfalls 076, 077, 078, and 079.]
RPNT20	MS0003069 - 091	Outfall 091 [Deballasting (Drydock)]

Receiving Stream Relationships:

Subject Item	Relationship	Receiving Stream
AI 1670 Shipbuilding and Ship Repair	Discharges Into	Pascagoula Bay
RPNT10 Outfall 060 [Stormwater Runoff (West Bank) - Outfall 060 has been selected by the facility as representative of Outfalls 049, 050, 051, 052, 053, 054, 055, 056, 057, 058, 059, 073, and 074.]	Discharges Into	Pascagoula Bay
RPNT13 Outfall 066 [Once Through Cooling Seawater from Vessels in Floating Drydock on West Bank]	Discharges Into	Pascagoula Bay
RPNT16 Outfall 085 [Stormwater Runoff (West Bank) - Outfall 085 has been selected by the facility as representative of Outfall 086.]	Discharges Into	Pascagoula Bay

*** Draft Permit ***

Permit to Discharge Wastewater in Accordance with National Pollutant Discharge Elimination System

Huntington Ingalls Inc, Ingalls Shipbuilding Division, Pascagoula Operations

Subject Item Inventory

Permit Number:MS0003069

Activity ID No.: PER20110001

Subject Item	Relationship	Receiving Stream
RPNT19 Outfall 075 [Stormwater Runoff (West Bank) - Outfall 075 has been selected by the facility as representative of Outfalls 076, 077, 078, and 079.]	Discharges Into	Pascagoula Bay
RPNT2 Outfall 039 [Stormwater Runoff (East Bank) - Outfall 039 has been selected by the facility as representative of Outfalls 008, 009, 010, 011, 012, 013, 014, 016, 017, 018, 019, 020, 021, 024, 027, 028, 030, 031, 032, 038, 087, and 088.]	Discharges Into	Communny Bayou
RPNT20 Outfall 091 [Deballasting (Drydock)]	Discharges Into	Pascagoula River
RPNT9 Outfall 061 [Stormwater Runoff (West Bank) - Outfall 061 has been selected by the facility as representative of Outfalls 040, 041, 042, 043, 044, 045, 046, 047, 048, 063, and 064.]	Discharges Into	Pascagoula Bay

KEY

ACT = Activity

AREA = Area

CONT = Control Device

IA = Insignificant Activity

RPNT = Release Point

AI = Agency Interest

CAFO = Concentrated Animal Feeding Operation

EQPT = Equipment

MAFO = Animal Feeding Operation

TRMT = Treatment

*** Draft Permit ***

EFFLUENT LIMITATIONS AND MONITORING REQUIREMENTS

**Subject Item: Outfall 039 [Stormwater Runoff (East Bank) - Outfall 039 has been selected by the facility as represer
 RPNT000000002: MS0003069 - 039**

Such discharges shall be limited and monitored by the permittee as specified below:

Parameter	Discharge Limitations							Monitoring Requirements		
	Quantity / Loading Average	Quantity / Loading Maximum	Quantity / Loading Units	Quality / Conc. Minimum	Quality / Conc. Average	Quality / Conc. Maximum	Quality / Conc. Units	Frequency	Sample Type	Which Months
<i>Chemical Oxygen Demand (C OD) Effluent [Phase I, Phase II]</i>	*****	*****	*****	*****	Report Quarterly Average	Report Quarterly Maximum	mg/L	Quarterly	Grab Sampling	Jan-Dec
<i>Copper (Total Recoverable) Effluent [Phase I, Phase II]</i>	*****	*****	*****	*****	Report Quarterly Average	0.0336 Quarterly Maximum	mg/L	Quarterly	Grab Sampling	Jan-Dec
<i>Flow Effluent [Phase I, Phase II]</i>	Report Quarterly Average	Report Quarterly Maximum	Million Gallons per Day	*****	*****	*****	*****	Quarterly	Estimate	Jan-Dec
<i>Oil and grease Effluent [Phase I, Phase II]</i>	*****	*****	*****	*****	Report Quarterly Average	Report Quarterly Maximum	mg/L	Quarterly	Grab Sampling	Jan-Dec
<i>pH Effluent [Phase I, Phase II]</i>	*****	*****	*****	6.0 Minimum	*****	9.0 Maximum	SU	Quarterly	Grab Sampling	Jan-Dec
<i>Zinc (Total Recoverable) Effluent [Phase I, Phase II]</i>	*****	*****	*****	*****	Report Quarterly Average	0.63 Quarterly Maximum	mg/L	Quarterly	Grab Sampling	Jan-Dec

EFFLUENT LIMITATIONS AND MONITORING REQUIREMENTS

Subject Item: Outfall 061 [Stormwater Runoff (West Bank) - Outfall 061 has been selected by the facility as repre
RPNT000000009: MS0003069 - 061

Such discharges shall be limited and monitored by the permittee as specified below:

Parameter	Discharge Limitations							Monitoring Requirements		
	Quantity / Loading Average	Quantity / Loading Maximum	Quantity / Loading Units	Quality / Conc. Minimum	Quality / Conc. Average	Quality / Conc. Maximum	Quality / Conc. Units	Frequency	Sample Type	Which Months
<i>Copper (Total Recoverable) Effluent [Phase I]</i>	*****	*****	*****	*****	Report Quarterly Average	Report Quarterly Maximum	mg/L	Quarterly	Grab Sampling	Jan-Dec
<i>Chemical Oxygen Demand (COD) Effluent [Phase I, Phase II]</i>	*****	*****	*****	*****	Report Quarterly Average	Report Quarterly Maximum	mg/L	Quarterly	Grab Sampling	Jan-Dec
<i>Flow Effluent [Phase I, Phase II]</i>	Report Quarterly Average	Report Quarterly Maximum	Million Gallons per Day	*****	*****	*****	*****	Quarterly	Estimate	Jan-Dec
<i>Oil and grease Effluent [Phase I, Phase II]</i>	*****	*****	*****	*****	Report Quarterly Average	Report Quarterly Maximum	mg/L	Quarterly	Grab Sampling	Jan-Dec
<i>pH Effluent [Phase I, Phase II]</i>	*****	*****	*****	6.0 Minimum	*****	9.0 Maximum	SU	Quarterly	Grab Sampling	Jan-Dec
<i>Zinc (Total Recoverable) Effluent [Phase I, Phase II]</i>	*****	*****	*****	*****	Report Quarterly Average	0.63 Quarterly Maximum	mg/L	Quarterly	Grab Sampling	Jan-Dec
<i>Copper (Total Recoverable) Effluent [Phase II]</i>	*****	*****	*****	*****	Report Quarterly Average	0.0336 Quarterly Maximum	mg/L	Quarterly	Grab Sampling	Jan-Dec

EFFLUENT LIMITATIONS AND MONITORING REQUIREMENTS

Subject Item: Outfall 060 [Stormwater Runoff (West Bank) - Outfall 060 has been selected by the facility as repre
RPNT000000010: MS0003069 - 060

Such discharges shall be limited and monitored by the permittee as specified below:

Parameter	Discharge Limitations							Monitoring Requirements		
	Quantity / Loading Average	Quantity / Loading Maximum	Quantity / Loading Units	Quality / Conc. Minimum	Quality / Conc. Average	Quality / Conc. Maximum	Quality / Conc. Units	Frequency	Sample Type	Which Months
<i>Copper (Total Recoverable) Effluent [Phase I]</i>	*****	*****	*****	*****	Report Quarterly Average	Report Quarterly Maximum	mg/L	Quarterly	Grab Sampling	Jan-Dec
<i>Zinc (Total Recoverable) Effluent [Phase I]</i>	*****	*****	*****	*****	Report Quarterly Average	Report Quarterly Maximum	mg/L	Quarterly	Grab Sampling	Jan-Dec
<i>Chemical Oxygen Demand (COD) Effluent [Phase I, Phase II]</i>	*****	*****	*****	*****	Report Quarterly Average	Report Quarterly Maximum	mg/L	Quarterly	Grab Sampling	Jan-Dec
<i>Flow Effluent [Phase I, Phase II]</i>	Report Quarterly Average	Report Quarterly Maximum	Million Gallons per Day	*****	*****	*****	*****	Quarterly	Estimate	Jan-Dec
<i>Oil and grease Effluent [Phase I, Phase II]</i>	*****	*****	*****	*****	Report Quarterly Average	Report Quarterly Maximum	mg/L	Quarterly	Grab Sampling	Jan-Dec
<i>pH Effluent [Phase I, Phase II]</i>	*****	*****	*****	6.0 Minimum	*****	9.0 Maximum	SU	Quarterly	Grab Sampling	Jan-Dec
<i>Copper (Total Recoverable) Effluent [Phase II]</i>	*****	*****	*****	*****	Report Quarterly Average	0.0336 Quarterly Maximum	mg/L	Quarterly	Grab Sampling	Jan-Dec
<i>Zinc (Total Recoverable) Effluent [Phase II]</i>	*****	*****	*****	*****	Report Quarterly Average	0.63 Quarterly Maximum	mg/L	Quarterly	Grab Sampling	Jan-Dec

EFFLUENT LIMITATIONS AND MONITORING REQUIREMENTS

Subject Item: Outfall 066 [Once Through Cooling Seawater from Vessels in Floating Drydock on West Bank]

RPNT000000013: MS0003069 - 066

Such discharges shall be limited and monitored by the permittee as specified below:

Parameter	Discharge Limitations							Monitoring Requirements		
	Quantity / Loading Average	Quantity / Loading Maximum	Quantity / Loading Units	Quality / Conc. Minimum	Quality / Conc. Average	Quality / Conc. Maximum	Quality / Conc. Units	Frequency	Sample Type	Which Months
<i>Chlorine, total residual Effluent [Phase I, Phase II]</i>	*****	*****	*****	*****	0.0525 Quarterly Average	0.091 Quarterly Maximum	mg/L	Monthly	Grab Sampling	Jan-Dec
<i>Flow Effluent [Phase I, Phase II]</i>	Report Quarterly Average	Report Quarterly Maximum	Million Gallons per Day	*****	*****	*****	*****	Monthly	Instantaneous Sampling	Jan-Dec
<i>pH Effluent [Phase I, Phase II]</i>	*****	*****	*****	6.0 Minimum	*****	9.0 Maximum	SU	Twice per Month	Grab Sampling	Jan-Dec
<i>Temperature (Deg. F) Effluent [Phase I, Phase II]</i>	*****	*****	*****	*****	Report Quarterly Average	90 Quarterly Maximum	degrees F	Monthly	Grab Sampling	Jan-Dec

EFFLUENT LIMITATIONS AND MONITORING REQUIREMENTS

Subject Item: Outfall 085 [Stormwater Runoff (West Bank) - Outfall 085 has been selected by the facility as repre
RPNT000000016: MS0003069 - 085

Such discharges shall be limited and monitored by the permittee as specified below:

Parameter	Discharge Limitations							Monitoring Requirements		
	Quantity / Loading Average	Quantity / Loading Maximum	Quantity / Loading Units	Quality / Conc. Minimum	Quality / Conc. Average	Quality / Conc. Maximum	Quality / Conc. Units	Frequency	Sample Type	Which Months
<i>Copper (Total Recoverable) Effluent [Phase I]</i>	*****	*****	*****	*****	Report Quarterly Average	Report Quarterly Maximum	mg/L	Quarterly	Grab Sampling	Jan-Dec
<i>Zinc (Total Recoverable) Effluent [Phase I]</i>	*****	*****	*****	*****	Report Quarterly Average	Report Quarterly Maximum	mg/L	Quarterly	Grab Sampling	Jan-Dec
<i>Chemical Oxygen Demand (COD) Effluent [Phase I, Phase II]</i>	*****	*****	*****	*****	Report Quarterly Average	Report Quarterly Maximum	mg/L	Quarterly	Grab Sampling	Jan-Dec
<i>Flow Effluent [Phase I, Phase II]</i>	Report Quarterly Average	Report Quarterly Maximum	Million Gallons per Day	*****	*****	*****	*****	Quarterly	Estimate	Jan-Dec
<i>Oil and grease Effluent [Phase I, Phase II]</i>	*****	*****	*****	*****	Report Quarterly Average	Report Quarterly Maximum	mg/L	Quarterly	Grab Sampling	Jan-Dec
<i>pH Effluent [Phase I, Phase II]</i>	*****	*****	*****	6.0 Minimum	*****	9.0 Maximum	SU	Quarterly	Grab Sampling	Jan-Dec
<i>Copper (Total Recoverable) Effluent [Phase II]</i>	*****	*****	*****	*****	Report Quarterly Average	0.0336 Quarterly Maximum	mg/L	Quarterly	Grab Sampling	Jan-Dec
<i>Zinc (Total Recoverable) Effluent [Phase II]</i>	*****	*****	*****	*****	Report Quarterly Average	0.63 Quarterly Maximum	mg/L	Quarterly	Grab Sampling	Jan-Dec

EFFLUENT LIMITATIONS AND MONITORING REQUIREMENTS

Subject Item: Outfall 075 [Stormwater Runoff (West Bank) - Outfall 075 has been selected by the facility as repre
RPNT000000019: MS0003069 - 075

Such discharges shall be limited and monitored by the permittee as specified below:

Parameter	Discharge Limitations							Monitoring Requirements		
	Quantity / Loading Average	Quantity / Loading Maximum	Quantity / Loading Units	Quality / Conc. Minimum	Quality / Conc. Average	Quality / Conc. Maximum	Quality / Conc. Units	Frequency	Sample Type	Which Months
<i>Chemical Oxygen Demand (C OD) Effluent [Phase I, Phase II]</i>	*****	*****	*****	*****	Report Quarterly Average	Report Quarterly Maximum	mg/L	Quarterly	Grab Sampling	Jan-Dec
<i>Copper (Total Recoverable) Effluent [Phase I, Phase II]</i>	*****	*****	*****	*****	Report Quarterly Average	Report Quarterly Maximum	mg/L	Quarterly	Grab Sampling	Jan-Dec
<i>Flow Effluent [Phase I, Phase II]</i>	Report Quarterly Average	Report Quarterly Maximum	Million Gallons per Day	*****	*****	*****	*****	Quarterly	Estimate	Jan-Dec
<i>Oil and grease Effluent [Phase I, Phase II]</i>	*****	*****	*****	*****	Report Quarterly Average	Report Quarterly Maximum	mg/L	Quarterly	Grab Sampling	Jan-Dec
<i>pH Effluent [Phase I, Phase II]</i>	*****	*****	*****	6.0 Minimum	*****	9.0 Maximum	SU	Quarterly	Grab Sampling	Jan-Dec
<i>Zinc (Total Recoverable) Effluent [Phase I, Phase II]</i>	*****	*****	*****	*****	Report Quarterly Average	Report Quarterly Maximum	mg/L	Quarterly	Grab Sampling	Jan-Dec

EFFLUENT LIMITATIONS AND MONITORING REQUIREMENTS

Subject Item: Outfall 091 [Deballasting (Drydock)]

RPNT000000020: MS0003069 - 091

Such discharges shall be limited and monitored by the permittee as specified below:

Parameter	Discharge Limitations							Monitoring Requirements		
	Quantity / Loading Average	Quantity / Loading Maximum	Quantity / Loading Units	Quality / Conc. Minimum	Quality / Conc. Average	Quality / Conc. Maximum	Quality / Conc. Units	Frequency	Sample Type	Which Months
<i>Copper (Total Recoverable) Effluent [Phase I]</i>	*****	*****	*****	*****	Report Quarterly Average	Report Quarterly Maximum	mg/L	Quarterly	Grab Sampling	Jan-Dec
<i>Chemical Oxygen Demand (COD) Effluent [Phase I, Phase II]</i>	*****	*****	*****	*****	Report Quarterly Average	Report Quarterly Maximum	mg/L	Quarterly	Grab Sampling	Jan-Dec
<i>Flow Effluent [Phase I, Phase II]</i>	Report Quarterly Average	Report Quarterly Maximum	Million Gallons per Day	*****	*****	*****	*****	Quarterly	Estimate	Jan-Dec
<i>Oil and grease Effluent [Phase I, Phase II]</i>	*****	*****	*****	*****	Report Quarterly Average	Report Quarterly Maximum	mg/L	Quarterly	Grab Sampling	Jan-Dec
<i>pH Effluent [Phase I, Phase II]</i>	*****	*****	*****	6.0 Minimum	*****	9.0 Maximum	SU	Quarterly	Grab Sampling	Jan-Dec
<i>Copper (Total Recoverable) Effluent [Phase II]</i>	*****	*****	*****	*****	Report Quarterly Average	0.0336 Quarterly Maximum	mg/L	Quarterly	Grab Sampling	Jan-Dec

Permit to Discharge Wastewater in Accordance with National Pollutant Discharge Elimination System

Huntington Ingalls Inc, Ingalls Shipbuilding Division, Pascagoula Operations

Facility Requirements

Permit Number:MS0003069

Activity ID No.: PER20110001

Page 1 of 25

AI0000001670 (1670) Shipbuilding and Ship Repair:

Limitation Requirements:

Condition No.	Parameter	Condition
L-1		There shall be no discharge of floating solids or visible foam in other than trace amounts. [WPC-2 Section II.2]
L-2		The discharges shall not cause the occurrence of a visible sheen on the surface of the receiving waters. [WPC-2 Section II.2]
L-3		Samples taken in compliance with the monitoring requirements specified in this permit shall be taken at the nearest accessible point after final treatment but prior to mixing with the receiving stream or as otherwise specified in this permit. [WPC-1 Chapter One Section IV.A(28)]

Monitoring Requirements:

Condition No.	Parameter	Condition
M-1		<p>Phase I Monitoring</p> <p>The facility is required to submit in writing, to the Mississippi Department of Environmental Quality, the following information:</p> <p>(a) An engineering study shall be submitted within 360 days of permit issuance. The study shall include, but is not limited to, any determination made regarding process changes, cleanup, containment, disposal, and/or treatment options for stormwater covered by this permit.</p> <p>(b) No later than 90 days after the completion of the engineering study required by (a) above, a schedule of compliance shall be submitted providing specific dates and actions to be taken to implement the results of the engineering study.</p> <p>(c) An updated storm water pollution prevention plan (SWPPP) shall be submitted within 180 days of permit issuance, detailing all best management practices (BMP's) that will ensure compliance with the established limits. The SWPPP may be modified as necessary based on the results of the engineering study required in (a) above. [WPC-1 Chapter One , IV.A]</p>
M-2		<p>Phase II Monitoring</p> <p>The facility will have three (3) years to comply with Phase I requirements, after which Phase II (water quality-based) limits will be in effect. [WPC-1 Chapter One , IV.A]</p>

*** Draft Permit ***

Permit to Discharge Wastewater in Accordance with National Pollutant Discharge Elimination System

Huntington Ingalls Inc, Ingalls Shipbuilding Division, Pascagoula Operations

Facility Requirements

Permit Number:MS0003069

Activity ID No.: PER20110001

AI0000001670 (continued):

Monitoring Requirements:

Condition No.	Parameter	Condition
M-3		<p>Monitoring required in Phase I shall include sampling of the storm water runoff after each appropriate storm event in accordance with the following:</p> <p>(a) The permittee shall have the necessary sampling equipment in place in order to collect samples for the first appropriate storm event not later than 60 days after permit issuance.</p> <p>(b) The sampling shall be performed in accordance with the instructions for the NPDES Form 2F.</p> <p>(c) For Outfalls 008, 060, 061, and 085, twelve separate storm events shall be sampled and the twelve sets of sampling data for copper and zinc shall be reported in a written sampling report.</p> <p>(d) The sampling report shall be submitted to the Permit Board within 30 days after the twelfth set of analyses is available. This data will be utilized in a new toxicity screening procedure for the storm water. The permit may be reopened and modified to revise monitoring requirements and/or permit limitations. [WPC-1 Chapter One , IV.A]</p>
M-4		<p>Best Management Practices</p> <p>(1) The permittee shall implement current Storm Water Pollution Prevention Plan(s) (SWPPPs) applicable to Northrop Grumman Ship Systems, Inc. Implementation should prevent, or minimize the potential for, the release of pollutants from ancillary activities, including material storage areas; plant site runoff; in-plant transfer; process and material handling areas; loading and unloading operations; construction activities and sludge and water disposal areas, to waters of the state through plant site runoff; spillage or leaks, sludge or waste disposal, or drainage from raw material storage.</p> <p>(2) The permittee shall maintain a copy of current applicable SWPPPs at the facility and shall make the plans available for review by the permitting authority upon request.</p> <p>(3) The permittee shall amend a SWPPP whenever there is a change in the facility or a change in the operation of the facility which materially increases the potential for the ancillary activities to result in a discharge of significant amounts of pollutants.</p> <p>(4) If the SWPPP proves to be ineffective in achieving the general objective of preventing the release of significant amounts of pollutants to surface waters, the permit and/or the SWPPP shall be subject to modification to incorporate revised requirements or practices. [WPC-1 Chapter One IV.A.28]</p>
M-5		<p>The facility is required to perform sampling of all pollutants in accordance with the NPDES Form 2F in the fourth (4th) year of the permit for all of the representative or surrogate outfalls. This shall include Outfalls 008, 060, 061, 075, and 085. [WPC-1 Chapter One , IV.A]</p>

Permit to Discharge Wastewater in Accordance with National Pollutant Discharge Elimination System

Huntington Ingalls Inc, Ingalls Shipbuilding Division, Pascagoula Operations

Facility Requirements

Permit Number:MS0003069

Activity ID No.: PER20110001

AI0000001670 (continued):

Record-Keeping Requirements:

Condition No.	Condition
R-1	Recording of Results For each measurement or sample taken pursuant to the requirements of this permit, the permittee shall maintain records of all information obtained from such monitoring including: (1) The exact place, date, and time of sampling; (2) The dates the analyses were performed; (3) The person(s) who performed the analyses; (4) The analytical techniques, procedures or methods used; and (5) The results of all required analyses. [WPC-1 Chapter One Section IV.A(29)a]

Submittal/Action Requirements:

Condition No.	Condition
S-1	Reporting Monitoring results obtained during the previous reporting period shall be summarized and reported on a Discharge Monitoring Report Form (EPA No. 3320-1) POSTMARKED NO LATER THAN THE 28TH DAY OF THE MONTH FOLLOWING THE COMPLETED REPORTING PERIOD. Copies of these, and all other reports required herein, shall be signed in accordance with Chapter One Sections II.C. and II.E. of the Mississippi Wastewater Permit Regulations, and shall be submitted to the Mississippi Environmental Quality Permit Board at the following address: Mississippi Department of Environmental Quality Office of Pollution Control P.O. Box 2261 Jackson, Mississippi 39225. [WPC-1 Chapter One Section IV.A(15)c(1)]

Permit to Discharge Wastewater in Accordance with National Pollutant Discharge Elimination System

Huntington Ingalls Inc, Ingalls Shipbuilding Division, Pascagoula Operations

Facility Requirements

Permit Number:MS0003069

Activity ID No.: PER20110001

AI0000001670 (continued):

Submittal/Action Requirements:

Condition No.	Condition
S-2	<p>Reporting Requirements - Planned Changes</p> <p>The permittee shall give notice to the Permit Board as soon as possible of any planned physical alterations or additions, including but not limited to, a change of operation to the permitted facility. Notice is required in the circumstances that follow:</p> <ul style="list-style-type: none">(1) The alteration or addition to a permitted facility may meet one of the criteria for determining whether the facility is a new source in 40 CFR 122.29(b); or(2) The alteration or addition could significantly change the nature or increase the quantity of pollutants discharged. This notification applies to pollutants which are not subject to either effluent limitations in the permit or notification requirements under 40 CFR 122.42(a)(1).(3) The alteration or addition results in a significant change in the permittee's sludge use or disposal practices, and such alteration, addition, or change may justify the application of permit conditions that are different from or absent in the existing permit, including notification of additional use or disposal sites not reported during the permit application process or not reported pursuant to an approved land application plan; [WPC-1 Chapter One Section IV.A(15)a]
S-3	<p>Reporting Requirements - Anticipated Noncompliance</p> <p>The permittee shall give advance notice to the Permit Board of any planned changes in the permitted facility or activity which may result in noncompliance with permit requirements. [WPC-1 Chapter One Section IV.A(15)b]</p>
S-4	<p>Noncompliance Notification - Twenty-Four Hour Reporting</p> <p>(1) The permittee shall report any noncompliance which may endanger health or the environment. Any information shall be provided orally within 24 hours from the time the permittee becomes aware of the circumstances. A written submission shall also be provided within 5 days of the time the permittee becomes aware of the circumstances. The written submission shall contain a description of the noncompliance and its cause; the period of noncompliance, including exact dates and times, and if the noncompliance has not been corrected, the anticipated time it is expected to continue; and steps taken or planned to reduce, eliminate, and/or prevent recurrence of the noncompliance.</p> <p>(2) The following shall be included as information which must be reported within 24 hours under this paragraph.</p> <ul style="list-style-type: none">(i) Any unanticipated bypass which exceeds any effluent limitation in the permit.(ii) Any upset which exceeds any effluent limitation in the permit.(iii) Violation of a maximum daily discharge limitation for any of the pollutants listed by the Permit Board in the permit to be reported within 24 hours.(iv) The Executive Director may waive the written report on a case-by-case basis for reports under paragraph (1) of this section if the oral report has been received within 24 hours. [WPC-1 Chapter One Section IV.A(29)e]

Permit to Discharge Wastewater in Accordance with National Pollutant Discharge Elimination System

Huntington Ingalls Inc, Ingalls Shipbuilding Division, Pascagoula Operations

Facility Requirements

Permit Number:MS0003069

Activity ID No.: PER20110001

AI0000001670 (continued):

Submittal/Action Requirements:

Condition No.	Condition
S-5	<p>Noncompliance Notification - Other Noncompliance</p> <p>The permittee shall report all instances of noncompliance not reported under the twenty-four hour reporting requirements, at the time monitoring reports are submitted or within 30 days from the end of the month in which the noncompliance occurs. The reports shall contain the same information as is required under the twenty-four hour reporting requirements contained in this permit. [WPC-1 Chapter One Section IV.A(29)f]</p>
S-6	<p>Noncompliance Notification - Other Information</p> <p>Where the permittee becomes aware that it failed to submit any relevant facts in a permit application, or submitted incorrect information in a permit application or in any report to the Permit Board, it shall promptly submit such facts or information. [WPC-1 Chapter One Section IV.A(29)g]</p>
S-7	<p>Expiration of Permit</p> <p>At least 180 days prior to the expiration date of this permit pursuant to the State law and regulation, the permittee who wishes to continue to operate under this permit shall submit an application to the Permit Board for reissuance. The Permit Board may grant permission to submit an application later than this, but no later than the expiration date of the permit. [WPC-1 Chapter One Section V.B(1)]</p>
S-8	<p>Requirements Regarding Cooling and Boiler Water Additives</p> <p>Notification shall be made to the permitting authority in writing not later than sixty (60) days prior to initiating the addition of any chemical product to the cooling water and/or boiler water which is subject to discharge, other than those previously approved and/or used. Such notification should include, but not be limited to:</p> <ol style="list-style-type: none">(1) Name and composition of the proposed additive,(2) Proposed discharge concentration,(3) Dosage addition rates,(4) Frequency of use,(5) EPA registration, if applicable, and(6) Aquatic species toxicological data. <p>Written approval must be received from the permitting authority prior to initiating use. [WPC-1 Chapter One Section IV.A(14)]</p>

Permit to Discharge Wastewater in Accordance with National Pollutant Discharge Elimination System

Huntington Ingalls Inc, Ingalls Shipbuilding Division, Pascagoula Operations

Facility Requirements

Permit Number:MS0003069

Activity ID No.: PER20110001

AI0000001670 (continued):

Narrative Requirements:

Definitions:

Condition No.	Condition
T-1	Definitions: General The permittee shall refer to WPC-1, Chapter 1, Section I.A for definitions of any permit term not specified in this permit. [WPC-1 Chapter One Section I.A]
T-2	Definitions: Monthly Average "Monthly Average" means the average of "daily discharges" over a calendar month, calculated as the sum of all "daily discharges" measured during a calendar month divided by the number of "daily discharges" measured during the month. The monthly average for fecal coliform bacteria is the geometric mean of "daily discharges" measured during the calendar month. In computing the geometric mean for fecal coliform bacteria, the value one (1) shall be substituted for sample results of zero. [WPC-1 Chapter One Section I.A(40)]
T-3	Definitions: Daily Discharge "Daily discharge" means the "discharge of a pollutant" measured during a calendar day or any 24-hour period that reasonably represents the calendar day for purposes of sampling. For pollutants with limitations expressed in units of mass, the "daily discharge" is calculated as the total mass of the pollutant discharged over the day. For pollutants with limitations expressed in other units of measurements, the "daily average" is calculated as the average measurement of the discharge of the pollutant over the day. [WPC-1 Chapter One Section I.A(14)]
T-4	Definitions: Daily Maximum "Daily maximum" means the highest "daily discharge" over a calendar month. [WPC-1 Chapter One Section I.A(15)]
T-5	Definitions: Toxic Pollutants "Toxic pollutants" means any pollutant listed as toxic under Section 307(a)(1) or, in the case of "sludge use or disposal practices", any pollutant identified in regulations implementing Section 405(d) of the Clean Water Act. [WPC-1 Chapter One Section I.A]
T-6	Definitions: Hazardous Substances "Hazardous substances" are defined in 40 CFR 116.4. [40 CFR 116.4]

Permit to Discharge Wastewater in Accordance with National Pollutant Discharge Elimination System

Huntington Ingalls Inc, Ingalls Shipbuilding Division, Pascagoula Operations

Facility Requirements

Permit Number:MS0003069

Activity ID No.: PER20110001

AI0000001670 (continued):

Narrative Requirements:

Definitions:

Condition No.	Condition
T-7	<p>Definitions: Weekly Average</p> <p>"Weekly average" means the average of "daily discharges" over a calendar week, calculated as the sum of all "daily discharges" measured during a calendar week divided by the number of "daily discharges" measured during that week. The weekly average for fecal coliform bacteria is the geometric mean of all "daily discharges" measured in a calendar week. In computing the geometric mean for fecal coliform bacteria, one (1) shall be substituted for sample results of zero. For self-monitoring purposes, the value to be reported is the single highest weekly average computed during a calendar month. [WPC-1 Chapter One Section I.A(76)]</p>
T-8	<p>Definitions: Quarterly Average</p> <p>"Quarterly Average" means the average of "daily discharges" over a three month period, calculated as the sum of all "daily discharges" measured during the quarter divided by the number of "daily discharges" measured during the quarter. The quarterly average for fecal coliform bacteria is the geometric mean of "daily discharges" measured during the quarter. In computing the geometric mean for fecal coliform bacteria, the value one (1) shall be substituted for sample results of zero. [WPC-1 Chapter One Section I.A(26)]</p>
T-9	<p>Definitions: Maximum Monthly Average</p> <p>Maximum Monthly Average means the highest "monthly average" over a monitoring period. [40 CFR 122]</p>
T-10	<p>Definitions: Quarterly Maximum</p> <p>"Quarterly Maximum" means the highest "daily discharge" measured over a three-month period. [WPC-1 Chapter One Section I.A(57)]</p>
T-11	<p>Definitions: Yearly Average</p> <p>"Yearly Average" means the average of "daily discharges" over a calendar year, calculated as the sum of all "daily discharges" measured during the calendar year divided by the number of "daily discharges" measured during the calendar year. The yearly average for fecal coliform bacteria is the geometric mean of "daily discharges" during the calendar year. In computing the geometric mean for fecal coliform bacteria, the value one (1) shall be substituted for sample results of zero. [WPC-1 Chapter One Section I.A(77)]</p>
T-12	<p>Definitions: Yearly Maximum</p> <p>"Yearly Maximum" means the highest "daily discharge" measured over a calendar year. [WPC-1 Chapter One Section I.A(78)]</p>

Permit to Discharge Wastewater in Accordance with National Pollutant Discharge Elimination System

Huntington Ingalls Inc, Ingalls Shipbuilding Division, Pascagoula Operations

Facility Requirements

Permit Number:MS0003069

Activity ID No.: PER20110001

AI0000001670 (continued):

Narrative Requirements:

Condition No.	Condition
T-13	The permittee shall achieve compliance with the effluent limitations specified for discharge in accordance with the following schedule: Upon Permit Issuance. [WPC-1 Chapter One Section IV.A(9)]
T-14	Within 14 days after either an interim or final date of compliance specified by this permit, the permittee shall provide the Permit Board with written notice of his compliance or noncompliance with the requirements or conditions specified to be completed by that date. [WPC-1 Chapter One Section IV.A(10)]
T-15	Representative Sampling Samples and measurements taken as required herein shall be representative of the volume and nature of the monitored wastewater. [WPC-1 Chapter One Section IV.A(28)e]
T-16	Reporting If the results for a given sample analysis are such that any parameter (other than fecal coliform) is not detected at or above the minimum level for the test method used, a value of zero will be used for that sample in calculating an arithmetic mean value for the parameter. If the resulting calculated arithmetic mean value for that reporting period is zero, the permittee shall report "NODI = B" on the DMR. For fecal coliform, a value of 1.0 shall be used in calculating the geometric mean. If the resulting fecal coliform mean value is 1.0, the permittee shall report "NODI = B" on the DMR. For each quantitative sample value that is not detectable, the test method used and the minimum level for that method for that parameter shall be attached to and submitted with the DMR. The permittee shall then be considered in compliance with the appropriate effluent limitation and/or reporting requirement. [WPC-1 Chapter One Section II.G]
T-17	Reporting If the permittee monitors any pollutant as prescribed in the permit more frequently than required by the permit using test procedures approved under 40 CFR Part 136 or, in the case of sludge use or disposal, approved under 40 CFR Part 136 unless otherwise specified in 40 CFR Part 503, or as specified in the permit, the results of this monitoring shall be included in the calculation and reporting of the data submitted in the DMR or sludge reporting form specified by the Permit Board. [WPC-1 Chapter One Section IV.A(15)c(2)]
T-18	Reporting Calculations for all limitations which require averaging of measurements shall utilize an arithmetic mean unless otherwise specified by the Permit Board in the permit. [WPC-1 Chapter One Section IV.A(15)c(3)]

Permit to Discharge Wastewater in Accordance with National Pollutant Discharge Elimination System

Huntington Ingalls Inc, Ingalls Shipbuilding Division, Pascagoula Operations

Facility Requirements

Permit Number:MS0003069

Activity ID No.: PER20110001

AI0000001670 (continued):

Narrative Requirements:

Condition No.	Condition
T-19	<p>Test Procedures</p> <p>Test procedures for the analysis of pollutants shall include those set forth in 40 CFR 136 or alternative procedures approved and/or promulgated by EPA. [WPC-1 Chapter One Section IV.A(30)]</p>
T-20	<p>Records Retention</p> <p>All records and results of monitoring activities required by this permit, including calibration and maintenance records, shall be retained by the permittee for a minimum of three (3) years, unless otherwise required or extended by the Permit Board, copies of which shall be furnished to the Department upon request. [WPC-1 Chapter One Section IV.A(29)a]</p>
T-21	<p>Falsifying Reports</p> <p>Any permittee who falsifies, tampers with, or knowingly renders inaccurate any monitoring device or method required by the Permit Board to be maintained as a condition in a permit, or who alters or falsifies the results obtained by such devices or methods and/or any written report required by or in response to a permit condition, shall be deemed to have violated a permit condition and shall be subject to the penalties provided for a violation of a permit condition pursuant to Section 49-17-43 of the Code. [WPC-1 Chapter One Section IV.A(29)d]</p>
T-22	<p>Facility Expansion and/or Modification</p> <p>Any facility expansion, production increases, process modifications, changes in discharge volume or location or other changes in operations or conditions of the permittee which may result in a new or increased discharge of waste, shall be reported to the Permit Board by submission of a new application for a permit pursuant to Section II.A. of the Mississippi Wastewater Regulations, or if the discharge does not violate effluent limitations specified in the permit, by submitting to the Permit Board a notice of a new or increased discharge. [WPC-1 Chapter One Section IV.A(14)]</p>
T-23	<p>Duty to Comply</p> <p>The permittee must comply with all conditions of this permit. Any permit noncompliance constitutes a violation of the Clean Water Act and is grounds for enforcement action; for permit termination, revocation and reissuance, or modification; or denial of a permit renewal application. [WPC-1 Chapter One Section IV.A(2)]</p>

Permit to Discharge Wastewater in Accordance with National Pollutant Discharge Elimination System

Huntington Ingalls Inc, Ingalls Shipbuilding Division, Pascagoula Operations

Facility Requirements

Permit Number:MS0003069

Activity ID No.: PER20110001

AI0000001670 (continued):

Narrative Requirements:

Condition No.	Condition
T-24	<p>Proper Operation, Maintenance and Replacement</p> <p>The permittee shall at all times properly operate, maintain, and when necessary, promptly replace all facilities and systems of collection, treatment and control (and related appurtenances) which are installed or used by the permittee to achieve compliance with the conditions of this permit. Proper operation and maintenance includes adequate laboratory controls and appropriate quality assurance procedures. Proper replacement includes maintaining an adequate inventory of replacement equipment and parts for prompt replacement when necessary to maintain continuous collection and treatment of wastewater. This provision requires the operation of back-up or auxiliary facilities or similar systems that are installed by a permittee only when the operation is necessary to achieve compliance with the conditions of the permit. [WPC-1 Chapter One Section IV.A(18)]</p>
T-25	<p>Duty to Mitigate</p> <p>The permittee shall take all reasonable steps to minimize or prevent any discharge or sludge use or disposal in violation of the permit that has a reasonable likelihood of adversely affecting human health or the environment. [WPC-1 Chapter One Section IV.A(19)]</p>
T-26	<p>Bypassing</p> <p>The permittee shall comply with the terms and conditions regarding bypass found in 40 CFR 122.41(m). [40 CFR 122.41(m)]</p>
T-27	<p>Bypassing - Definitions</p> <p>"Bypass" means the intentional diversion of waste streams from any portion of a treatment facility.</p> <p>"Severe property damage" means substantial physical damage to property, damage to the treatment facilities which causes them to become inoperable, or substantial and permanent loss of natural resources which can reasonably be expected to occur in the absence of a bypass. Severe property damage does not mean economic loss caused by delays in production. [40 CFR 122.41(m)]</p>
T-28	<p>Bypassing - Bypass not exceeding limitations</p> <p>The permittee may allow any bypass to occur which does not cause effluent limitations to be exceeded, but only if it also is for essential maintenance to assure efficient operation. These bypasses are not subject to the notice and prohibition provisions of the bypass requirements in this permit. [40 CFR 122.41(m)]</p>

Permit to Discharge Wastewater in Accordance with National Pollutant Discharge Elimination System

Huntington Ingalls Inc, Ingalls Shipbuilding Division, Pascagoula Operations

Facility Requirements

Permit Number:MS0003069

Activity ID No.: PER20110001

AI0000001670 (continued):

Narrative Requirements:

Condition No.	Condition
T-29	<p>Bypassing -Notice</p> <p>Anticipated bypass- If the permittee knows in advance of the need for a bypass, it shall submit prior notice, if possible at least ten days before the date of the bypass.</p> <p>Unanticipated bypass- The permittee shall submit notice of an unanticipated bypass as required by the twenty-four hour reporting requirements set forth in this permit. [40 CFR 122.41(m)]</p>
T-30	<p>Bypassing- Prohibition of Bypass</p> <p>(1) Bypass is prohibited, and the Commission may take enforcement action against a permittee unless: (i) Bypass was unavoidable to prevent loss of life, personal injury, or sever property damage. (ii) There was no feasible alternatives to the bypass, such as the use of auxiliary treatment facilities, retention of untreated wastes, or maintenance during normal periods of equipment downtime. This condition is not satisfied if adequate back-up equipment should have been installed in the exercise of reasonable engineering judgement to prevent a bypass which occurred during normal periods of equipment downtime or preventative maintenance; and (iii) The permittee submitted notices as required under the Twenty-Four Hour reporting requirements set forth in this permit.</p> <p>(2) The Commission may approve an anticipated bypass, after considering its adverse affects, if the Commission determines that it will meet the three conditions listed above in paragraph (1) of this permit condition. [40 CFR 122.41(m)]</p>
T-31	<p>Upsets</p> <p>The permittee shall meet the conditions of 40 CFR 122.41(n) regarding "Upsets" and as in the upset requirements of this permit. [WPC-1 Chapter One Section IV.A(27)]</p>
T-32	<p>Upsets- Definition</p> <p>"Upset" means an exceptional incident in which there is unintentional and temporary noncompliance with technology based permit effluent limitations because of factors beyond the reasonable control of the permittee. An upset does not include noncompliance to the extent caused by operational error, improperly designed treatment facilities, inadequate treatment facilities, lack of preventive maintenance, or careless or improper operation. [WPC-1 Chapter One Section IV.A(27)]</p>

Permit to Discharge Wastewater in Accordance with National Pollutant Discharge Elimination System

Huntington Ingalls Inc, Ingalls Shipbuilding Division, Pascagoula Operations

Facility Requirements

Permit Number:MS0003069

Activity ID No.: PER20110001

AI0000001670 (continued):

Narrative Requirements:

Condition No.	Condition
T-33	<p>Upsets - Effect of an Upset</p> <p>An upset constitutes an affirmative defense to an action brought for noncompliance with such technology based permit effluent limitations if the "conditions necessary for demonstration of upset" requirements of this permit are met. Any determination made during administrative review of claims that noncompliance was caused by upset, and before an action for noncompliance, shall not constitute final administrative action subject to judicial review. [WPC-1 Chapter One Section IV.A(27)]</p>
T-34	<p>Upsets - Conditions necessary for demonstration of upset</p> <p>A permittee who wishes to establish the affirmative defense of upset shall demonstrate, through properly signed contemporaneous operating logs, or other relevant evidence that:</p> <ol style="list-style-type: none">(1) An upset occurred and that the permittee can identify the cause(s) of the upset;(2) The permitted facility was at the time being properly operated;(3) The permittee submitted notice of the upset as required in 40 CFR 122.41(L)(6)(ii)(B)(24-hour notice of noncompliance); and(4) The permittee complied with any remedial measures required under 40 CFR 122.41(d) (Duty to Mitigate). [WPC-1 Chapter One Section IV.A(27)]
T-35	<p>Upsets - Burden of proof</p> <p>In any enforcement proceeding the permittee seeking to establish the occurrence of an upset has the burden of proof. [WPC-1 Chapter One Section IV.A(27)]</p>
T-36	<p>Removed Substances</p> <p>Solids, sludges, filter backwash, or other residuals removed in the course of treatment or control of wastewater shall be disposed of in a manner such as to prevent such materials from entering State waters and in a manner consistent with the Mississippi Solid Waste Disposal Act, the Federal Resource Conservation and Recovery Act, and the Mississippi Water Pollution Control Act. [WPC-1 Chapter One Section IV.A(21)]</p>

Permit to Discharge Wastewater in Accordance with National Pollutant Discharge Elimination System

Huntington Ingalls Inc, Ingalls Shipbuilding Division, Pascagoula Operations

Facility Requirements

Permit Number:MS0003069

Activity ID No.: PER20110001

AI0000001670 (continued):

Narrative Requirements:

Condition No.	Condition
T-37	<p>Power Failures</p> <p>If electric power is required, in order to maintain compliance with the conditions and prohibitions of the permit, the permittee shall either:</p> <p>(1) Provide an alternative power source to operate the wastewater control facilities; or, if such alternative power source is not in existence, and no date for its implementation appears in the permit,</p> <p>(2) Halt, reduce, or otherwise control production and/or all wastewater flows upon reduction, loss, or failure of the primary source of power to the wastewater control facilities. [WPC-1 Chapter One Section IV.A(22)]</p>
T-38	<p>Inspection and Entry</p> <p>The permittee shall allow any authorized Commission representative to enter the permittee's premises at any reasonable time, to have access to and copy any applicable records, to inspect process facilities, treatment works, monitoring methods or equipment or to take samples, as authorized by Section 49-17-21 of the Code. In the event of investigation during an emergency response action, a reasonable time shall be any time of the day or night. Follow-up investigations subsequent to the conclusion of the emergency event shall be conducted at reasonable times. [WPC-1 Chapter One Section IV.A(17)]</p>
T-39	<p>Transfer of Ownership or Control</p> <p>This permit is not transferable to any person without proper modification of this permit following procedures found in WPC-1, Chapter 1, Section V.C. [WPC-1 Chapter One Section V.C]</p>
T-40	<p>Signatory Requirements</p> <p>All applications, reports, or information submitted to the Permit Board shall be signed and certified. [WPC-1 Chapter One Section II.C]</p>

Permit to Discharge Wastewater in Accordance with National Pollutant Discharge Elimination System

Huntington Ingalls Inc, Ingalls Shipbuilding Division, Pascagoula Operations

Facility Requirements

Permit Number:MS0003069

Activity ID No.: PER20110001

AI0000001670 (continued):

Narrative Requirements:

Condition

No. Condition

T-41 Signatory Requirements - Application Signatures

All permit applications shall be signed as follows:

(1) For a corporation: by a responsible corporate officer. For the purpose of this Section, a responsible corporate officer means: (i) a president, secretary, treasurer or vice president of the corporation in charge of a principal business function, or any other person who performs similar policy - or decision-making function for the corporation, or (ii) the manager of one or more manufacturing, production, or operating facilities provided, the manager is authorized to make management decisions which govern the operation of the regulated facility including having the explicit or implicit duty of making major capital investment recommendations, and initiating and directing other comprehensive measures to assure long term environmental compliance with environmental laws and regulations; the manager can ensure that the necessary systems are established or actions taken to gather complete and accurate information for permit application requirements; and where authority to sign documents has been assigned or delegated to the manager in accordance with corporate procedures.

(2) For a partnership or sole proprietorship: by a general partner or the proprietor, respectively; or

(3) For a municipality, State, Federal, or other public agency: by either a principal executive officer or ranking elected official. [WPC-1 Chapter One Section II.C]

T-42 Signatory Requirements -Reports and Other Information

All reports required by the permit and other information requested by the Permit Board shall be signed by a person described by the application signature requirements in this permit or by a duly authorized representative of that person. A person is a duly authorized representative only if:

(1) The authorization is made in writing by a person described by the application signature requirements;

(2) The authorization specifies either an individual or a position having responsibility for the overall operation of the regulated facility or activity, such as the position of plant manager, operator of a well or a well field, superintendent, position having overall responsibility for environmental matters for the company. (A duly authorized representative may thus be either a named individual or any individual occupying a named position.); and

(3) The written authorization is submitted to the Permit Board. [WPC-1 Chapter One Section II.C]

Permit to Discharge Wastewater in Accordance with National Pollutant Discharge Elimination System

Huntington Ingalls Inc, Ingalls Shipbuilding Division, Pascagoula Operations

Facility Requirements

Permit Number:MS0003069

Activity ID No.: PER20110001

AI0000001670 (continued):

Narrative Requirements:

Condition No.	Condition
T-43	<p>Signatory Requirements - Changes to Authorization</p> <p>If an authorization under the signatory requirements of this permit is no longer accurate because a different individual or position has responsibility for the overall operation of the facility, a new authorization satisfying the signatory requirements of this permit must be submitted to the Permit Board prior to or together with any reports, information, or applications. [WPC-1 Chapter One Section II.C]</p>
T-44	<p>Signatory Requirements - Certification</p> <p>Any person signing a document under the signatory requirements stated in this permit shall make the following certification:</p> <p>"I certify under penalty of law that this document and all attachments were prepared under the direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations." [WPC-1 Chapter One Section II.C]</p>
T-45	<p>Availability of Records</p> <p>Except for information deemed to be confidential under the Mississippi Code Ann. 49-17-39 and 40 CFR 123.41, file information relating to this permit shall be made available for public inspection and copying during normal business hours at the office of the Department of Environmental Quality in Jackson, Mississippi. Written request must be provided in accordance with policies developed by the Commission and must state, specifically, records proposed for review, date proposed for review and copying requirements. [WPC-1 Chapter One Section III.E]</p>
T-46	<p>Duty to Provide Information</p> <p>The permittee shall furnish to the Permit Board within a reasonable time any relevant information which the Permit Board may request to determine whether cause exists for modifying, revoking and reissuing, or terminating the permit, or to determine compliance with the permit. The permittee shall also furnish to the Permit Board upon request, copies of records required to be kept by the permit. [WPC-1 Chapter One Section IV.A(16)]</p>

Permit to Discharge Wastewater in Accordance with National Pollutant Discharge Elimination System

Huntington Ingalls Inc, Ingalls Shipbuilding Division, Pascagoula Operations

Facility Requirements

Permit Number:MS0003069

Activity ID No.: PER20110001

AI0000001670 (continued):

Narrative Requirements:

Condition No.	Condition
T-47	<p>Toxic Pollutants</p> <p>The permittee shall comply with any toxic effluent standard or prohibition (including any schedule of compliance specified in such effluent standard or prohibition) established under Section 307(a) of the Federal Water Pollution Control Act. [WPC-1 Chapter One Section IV.A(26)]</p>
T-48	<p>Toxic Pollutants Notification Requirements</p> <p>The permittee shall comply with the applicable provisions of 40 CFR 122.42. [WPC-1 Chapter One Section IV.A(26)]</p>
T-49	<p>Civil and Criminal Liability</p> <p>(1) Any person who violates a term, condition or schedule of compliance contained within this permit or the Mississippi Water Pollution Control Law is subject to the actions defined by law. (2) Except as provided in permit conditions on "Bypassing" and "Upsets", nothing in this permit shall be construed to relieve the permittee from civil or criminal penalties for noncompliance. (3) It shall not be the defense of the permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of this permit. [WPC-1 Chapter One Section IV.A(24)]</p>
T-50	<p>Oil and Hazardous Substance Liability</p> <p>Nothing in this permit shall be construed to preclude the institution of any legal action or relieve the permittee from any responsibilities, liabilities, or penalties to which the permittee is or may be subject to under Section 311 of the Federal Water Pollution Control Act and applicable provisions under Mississippi Law pertaining to transportation, storage, treatment, or spillage of oil or hazardous substances. [WPC-1 Chapter One Section IV.A(23)]</p>
T-51	<p>Property Rights</p> <p>The issuance of this permit does not convey any property rights in either real or personal property, or any exclusive privileges, nor does it authorize any injury to private property or any invasion of personal rights, nor any infringement of Federal, State, or local laws or regulations. [WPC-1 Chapter One Section V.E]</p>

Permit to Discharge Wastewater in Accordance with National Pollutant Discharge Elimination System

Huntington Ingalls Inc, Ingalls Shipbuilding Division, Pascagoula Operations

Facility Requirements

Permit Number:MS0003069

Activity ID No.: PER20110001

Page 17 of 25

AI0000001670 (continued):

Narrative Requirements:

Condition No.	Condition
T-52	<p>Severability</p> <p>The provisions of this permit are severable. If any provision of this permit, or the application of any provision of this permit to any circumstances, is challenged or held invalid, the validity of the remaining permit provisions and/or portions thereof or their application to other persons or sets of circumstances, shall not be affected thereby. [WPC-1 Chapter One Section IV.A(25)]</p>
T-53	<p>Protection of Confidential Information</p> <p>(1) Pursuant to Miss. Code Ann. ' 49-17-39 and 40 CFR 123.41, the Permit Board shall make available to the public all information contained on any form and all public comments on such information. Effluent data and information concerning air or water quality shall also be made available to the public. Information that is determined by the Commission to be trade secrets shall not be disclosed to the public without prior consent of the source of such information. When a claim of confidentiality is made by a person in accordance with the provisions of Miss. Code Ann. ' 49-17-39, a recommendation on the questions of confidentiality shall be made by the Commission and forwarded to the Regional Administrator (or his/her designee) of EPA for his concurrence in such determination of confidentiality. [WPC-1 Chapter One Section III.F]</p>
T-54	<p>Protection of Confidential Information- continued</p> <p>(2) A copy of a State, UIC, or NPDES permit application, public notice, fact sheet, draft permit and other forms relating thereto, including written public comment and other reports, files and information relating to the application not classified as confidential information by the Commission pursuant to part (1) of this requirement, shall be available for public inspection and copying during normal business hours at the office of the Department in Jackson, Mississippi. [WPC-1 Chapter One Section III.F]</p>
T-55	<p>Protection of Confidential Information- continued</p> <p>(3) Upon determination by the Commission that information submitted by a permit applicant is entitled to protection against disclosure as trade secrets, the information shall be so labeled and otherwise handled as confidential. Copies of the information and a notice of the Commission's action shall be forwarded to the Regional Administrator (or his/her designee). In making its determination of entitlement to protection as a trade secret, the Commission shall follow the procedure set forth in Miss. Code Ann. ' 49-17-39. In the event the Commission denies the claim of confidentiality, the applicant shall have, upon notification thereof, the right to appeal the Commission's determination in the same manner provided for other orders of the Commission. No disclosure, except to EPA, shall be allowed until any appeal from the determination of the Commission is completed. [WPC-1 Chapter One Section III.F]</p>

Permit to Discharge Wastewater in Accordance with National Pollutant Discharge Elimination System

Huntington Ingalls Inc, Ingalls Shipbuilding Division, Pascagoula Operations

Facility Requirements

Permit Number:MS0003069

Activity ID No.: PER20110001

Page 18 of 25

AI0000001670 (continued):

Narrative Requirements:

Condition No.	Condition
T-56	<p>Spill Prevention and Best Management Plans</p> <p>Any permittee which has above ground bulk storage capacity, of more than 1320 gallons or any single container with a capacity greater than 660 gallons, of materials and/or liquids (including but not limited to, all raw, finished and/or waste material) with chronic or acute potential for pollution impact on waters of the State and not subject to Mississippi Hazardous Waste Management Regulations or 40 CFR 112 (Oil Pollution Prevention) regulations shall provide secondary containment as found in 40 CFR 112 or equivalent protective measures such as trenches or waterways which would conduct any tank releases to a permitted treatment system or sufficient equalization or treatment capacity needed to prevent chronic/acute pollution impact. [WPC-1 Chapter One Section IV.A(12)a]</p>
T-57	<p>Reopener Clause</p> <p>This permit shall be modified, or alternately, revoked and reissued, to comply with any applicable effluent standard, limitation or storm water regulation issued or approved under Section 301(b)(2)(C), and (D), 304(b)(2), 307(a)(2) and 402(p) of the Federal Water Pollution Control Act if the effluent standard, limitation or regulation so issued or approved:</p> <ol style="list-style-type: none">1. Contains different conditions or is otherwise more stringent than any effluent limitation in the permit; or2. Controls any pollutant not limited in the permit. [WPC-1 Chapter One Section IV.F(1)]
T-58	<p>Closure Requirements</p> <p>Should the permittee decide to permanently close and abandon the premises upon which it operates, it shall provide a Closure Plan to the Permit Board no later than 90 days prior to doing so. This Closure Plan shall address how and when all manufactured products, by-products, raw materials, stored chemicals, and solid and liquid waste and residues will be removed from the premises or permanently disposed of on site such that no potential environmental hazard to the waters of the State will be presented. Closure plan(s) submitted to and approved by Mississippi Department of Environmental Quality for compliance with other environmental regulations will satisfy the closure requirements for those items specifically addressed in the closure plan(s) as long as the closure does not present a potential for environmental hazard to waters of the State. [WPC-1 Chapter One Section IV.A(11)]</p>
T-59	<p>Permit Actions</p> <p>The permit may be modified, revoked and reissued, or terminated for cause. The filing of a request by the permittee for a permit modification, revocation and reissuance, or termination, or a modification of planned changes or anticipated noncompliance, does not stay any permit condition. [WPC-1 Chapter One Section V.C(5)]</p>

*** Draft Permit ***

Permit to Discharge Wastewater in Accordance with National Pollutant Discharge Elimination System

Huntington Ingalls Inc, Ingalls Shipbuilding Division, Pascagoula Operations

Facility Requirements

Permit Number:MS0003069

Activity ID No.: PER20110001

RPNT0000000002 (MS0003069 - 039) Outfall 039 [Stormwater Runoff (East Bank) - Outfall 039 has been selected by the facility as representative of Outfalls 008, 009, 010, 011, 012, 013, 014, 016, 017, 018, 019, 020, 021, 024, 027, 028, 030, 031, 032, 038, 087, and 088.]:

Submittal/Action Requirements:

Condition No.	Condition
S-1	The Permittee shall submit analytical results on a quarterly Discharge Monitoring Report (DMR): Due quarterly, by the 28th of Jan, April, July, and Oct. [WPC-1 Chapter One , IV.A.15(c)]

Permit to Discharge Wastewater in Accordance with National Pollutant Discharge Elimination System

Huntington Ingalls Inc, Ingalls Shipbuilding Division, Pascagoula Operations

Facility Requirements

Permit Number:MS0003069

Activity ID No.: PER20110001

RPNT0000000009 (MS0003069 - 061) Outfall 061 [Stormwater Runoff (West Bank) - Outfall 061 has been selected by the facility as representative of Outfalls 040, 041, 042, 043, 044, 045, 046, 047, 048, 063, and 064.]:

Submittal/Action Requirements:

Condition No.	Condition
S-1	The Permittee shall submit analytical results on a quarterly Discharge Monitoring Report (DMR): Due quarterly, by the 28th of Jan, April, July, and Oct. [WPC-1 Chapter One , IV.A.15(c)]

Permit to Discharge Wastewater in Accordance with National Pollutant Discharge Elimination System

Huntington Ingalls Inc, Ingalls Shipbuilding Division, Pascagoula Operations

Facility Requirements

Permit Number:MS0003069

Activity ID No.: PER20110001

RPNT0000000010 (MS0003069 - 060) Outfall 060 [Stormwater Runoff (West Bank) - Outfall 060 has been selected by the facility as representative of Outfalls 049, 050, 051, 052, 053, 054, 055, 056, 057, 058, 059, 073, and 074.]:

Submittal/Action Requirements:

Condition No.	Condition
S-1	The Permittee shall submit analytical results on a quarterly Discharge Monitoring Report (DMR): Due quarterly, by the 28th of Jan, April, July, and Oct. [WPC-1 Chapter One , IV.A.15(c)]

Permit to Discharge Wastewater in Accordance with National Pollutant Discharge Elimination System

Huntington Ingalls Inc, Ingalls Shipbuilding Division, Pascagoula Operations

Facility Requirements

Permit Number:MS0003069

Activity ID No.: PER20110001

RPNT0000000013 (MS0003069 - 066) Outfall 066 [Once Through Cooling Seawater from Vessels in Floating Drydock on West Bank]:

Monitoring Requirements:

Condition No.	Parameter	Condition
M-1		For Outfall 066, Total Residual Chlorine shall be limited and monitored only during times any material containing this constituent is added to the cooling water and is subject to discharge. [WPC-1 Chapter One , IV.A]

Submittal/Action Requirements:

Condition No.	Condition
S-1	The Permittee shall submit analytical results on a quarterly Discharge Monitoring Report (DMR): Due quarterly, by the 28th of Jan, April, July, and Oct. [WPC-1 Chapter One , IV.A.15(c)]

Permit to Discharge Wastewater in Accordance with National Pollutant Discharge Elimination System

Huntington Ingalls Inc, Ingalls Shipbuilding Division, Pascagoula Operations

Facility Requirements

Permit Number:MS0003069

Activity ID No.: PER20110001

RPNT0000000016 (MS0003069 - 085) Outfall 085 [Stormwater Runoff (West Bank) - Outfall 085 has been selected by the facility as representative of Outfall 086.]:

Submittal/Action Requirements:

Condition No.	Condition
S-1	The Permittee shall submit analytical results on a quarterly Discharge Monitoring Report (DMR): Due quarterly, by the 28th of Jan, April, July, and Oct. [WPC-1 Chapter One , IV.A.15(c)]

Permit to Discharge Wastewater in Accordance with National Pollutant Discharge Elimination System

Huntington Ingalls Inc, Ingalls Shipbuilding Division, Pascagoula Operations

Facility Requirements

Permit Number:MS0003069

Activity ID No.: PER20110001

RPNT0000000019 (MS0003069 - 075) Outfall 075 [Stormwater Runoff (West Bank) - Outfall 075 has been selected by the facility as representative of Outfalls 076, 077, 078, and 079.]:

Submittal/Action Requirements:

Condition No.	Condition
S-1	The Permittee shall submit analytical results on a quarterly Discharge Monitoring Report (DMR): Due quarterly, by the 28th of Jan, April, July, and Oct. [WPC-1 Chapter One , IV.A.15(c)]

Permit to Discharge Wastewater in Accordance with National Pollutant Discharge Elimination System

Huntington Ingalls Inc, Ingalls Shipbuilding Division, Pascagoula Operations

Facility Requirements

Permit Number:MS0003069

Activity ID No.: PER20110001

RPNT0000000020 (MS0003069 - 091) Outfall 091 [Deballasting (Drydock)]:

Submittal/Action Requirements:

Condition

No. Condition

S-1 The Permittee shall submit analytical results on a quarterly Discharge Monitoring Report (DMR): Due quarterly, by the 28th of Jan, April, July, and Oct. [WPC-1 Chapter One , IV.A.15(c)]

GENERAL INFORMATION

Huntington Ingalls Inc, Ingalls Shipbuilding Division, Pascagoula Operations
 1000 Jerry Saint Pe' Highway
 Pascagoula, MS
 Jackson County

Alternate/Historic Identifiers

ID	Alternate/Historic Name	User Group	Start Date	End Date
1670	Huntington Ingall Inc. Ingalls Shipbuilding Division, Pascagoula Operations	Official Site Name	5/26/2011	
2805900041	Northrop Grumman Ship Systems Inc	Air-AIRS AFS (MDEQ USE ONLY)	10/12/2000	5/17/2002
MSD098590615	Ingalls Shipbuilding East Bank	Hazardous Waste-EPA ID	6/8/1998	8/30/2002
128000041	Ingalls Shipbuilding, Inc.	Air-Construction	8/18/1998	
128000041	Ingalls Shipbuilding, Inc.	Air-Construction	4/15/1999	
128000041	Ingalls Shipbuilding, Inc.	Air-Construction	6/17/1999	
128000041	Ingalls Shipbuilding, Inc.	Air-Title V Operating	10/8/1999	10/1/2004
MSR100426	Ingalls Shipbuilding, Inc.	GP-Construction	12/7/1994	12/18/1996
MS0003069	Ingalls Shipbuilding, Inc.	Water - NPDES	4/23/1991	4/22/1996
MSP090036	Ingalls Shipbuilding, Inc.	Water - Pretreatment	8/11/1992	8/10/1997
MSR101726	Ingalls Shipbuilding, Inc.	GP-Construction	5/11/2001	12/15/2002
MS0003069	Ingalls Shipbuilding, Inc., East and West Bank	Water - NPDES	5/8/2002	12/15/2002
MSR102148	Northrop Grumman Ship Systems, Avondale Operations Gulfport Facility	GP-Construction	4/1/2002	4/3/2002
1670	Ingalls Shipbuilding, Inc.	Historic Site Name	4/30/1976	5/17/2002
MSD050648757	Ingalls Shipbuilding West Bank	Hazardous Waste-EPA ID	6/8/1998	8/30/2002
MSD050648757	Northrop Grumman Ship Systems West Bank	Hazardous Waste-EPA ID	8/30/2002	
MSD098590615	Northrop Grumman Ship Systems East Bank	Hazardous Waste-EPA ID	8/30/2002	
MS0003069	Northrop Grumman Ship Systems, Inc.	Water - NPDES	12/16/2002	4/30/2007
MSR101726	Northrop Grumman Ship Systems, Inc.	GP-Construction	12/16/2002	10/13/2005
2805900041	Huntington Ingall Inc. Ingalls Shipbuilding Division, Pascagoula Operations	Air-AIRS AFS	5/17/2002	
MSR102433	Northrop Grumman Ship Systems, Inc.	GP-Construction	2/13/2003	7/21/2005
128000033	Ingalls Shipbuilding, Inc.	Air-State Operating	4/23/1985	5/1/1988
128000041	Northrup Grumman Ship Systems, Inc. (Ingalls Operations)	Air-Construction	6/26/2003	

*** Draft Permit ***

GENERAL INFORMATION

ID	Alternate/Historic Name	User Group	Start Date	End Date
MSP091957	Northrop Grumman Ship Systems Inc, (Ingalls Operations)	Water - Pretreatment	9/12/2003	4/10/2007
MSR102433	Northrop Grumman Ship Systems, Inc.	GP-Construction	7/22/2005	2/19/2009
MSR102959	Northrop Grumman Ship Systems, Inc.	GP-Construction	2/5/2004	8/8/2005
MSR102959	Northrop Grumman Ship Systems, Inc.	GP-Construction	8/9/2005	2/12/2009
128000041	Northrop Grumman Ship Systems, Inc., (Ingalls Operations)	Air-Title V Operating	2/17/2006	2/12/2009
128000041	Huntington Ingall Inc. Ingalls Shipbuilding Division, Pascagoula Operations	Air-Title V Fee Customer	10/8/1999	
MSP091957	Northrop Grumman Ship Systems Inc	Water - Pretreatment	4/10/2007	2/11/2009
1670 001	Ingalls Shipbuilding West Bank Expansion	GARD	11/14/1997	
1670 002	Northrop-Grumman, Ingalls Ave. Site	GARD	7/21/1985	
1670 003	Ingalls Shipbuilding East Bank	GARD	5/6/1992	
1670 004	Ingalls Shipbuilding West Bank	GARD	3/31/1982	
1670	Northrop Grumman Ship Systems, Inc.	Historic Site Name	5/17/2002	2/6/2009
WQC2003114	Northrop Grumman Ship Systems, Proposed Dreding	WQC Number	2/11/2009	
MS0402628L	Northrop Grumman Ship Systems, Proposed Dreding	COE Public Notice/ Permit Number	2/13/2009	3/6/2009
128000041	Northrop Grumman Shipbuilding, Inc.	Air-Title V Operating	2/12/2009	1/31/2011
MSP091957	Northrop Grumman Shipbuilding Inc	Water - Pretreatment	2/12/2009	5/31/2011
MSR102433	Northrop Grumman Shipbuilding Inc	GP-Construction	2/12/2009	12/6/2010
MSR102959	Northrop Grumman Shipbuilding Inc	GP-Construction	2/12/2009	6/21/2010
MS0003069	Northrop Grumman Shipbuilding Inc	Water - NPDES	7/14/2009	5/31/2011
WQC2003024	Northrop Grumman Shipbuilding Inc	WQC Number	3/7/2003	
MS0300003L	Northrop Grumman Shipbuilding Inc	COE Public Notice/ Permit Number	3/7/2003	4/7/2003
MS0303805L	Northrop Grumman Shipbuilding Inc	COE Public Notice/ Permit Number	12/3/2003	1/2/2004
WQC2003114	Northrop Grumman Shipbuilding Inc	WQC Number	12/3/2003	
1670	Northrop Grumman Shipbuilding	Air-Notification	2/18/2010	
1670	Old Sewage Plant	Air-Notification	3/4/2010	
1670	Northrup Grumman East Bank Facility	Air-Notification	3/16/2010	
WQC1986076	Northrop Grumman Shipbuilding Inc, Expansion of Pit, Berth Areas and Disposal	WQC Number	4/20/1987	
MS8600185L	Northrop Grumman Shipbuilding Inc, Expansion of Pit, Berth Areas and Disposal	COE Public Notice/ Permit Number	4/15/1987	5/15/1987
WQC1991042	Northrop Grumman Shipbuilding Inc, Warehouse and Storage Area	WQC Number	7/18/1991	
MS9100616O	Northrop Grumman Shipbuilding Inc, Warehouse and Storage Area	COE Public Notice/ Permit Number	7/18/1991	8/19/1991
WQC1991094	Northrop Grumman Shipbuilding Inc, Expansion of Disposal Area and Maintenance	WQC Number	7/18/1991	
MS9100352O	Northrop Grumman Shipbuilding Inc, Expansion of Disposal Area and Maintenance	COE Public Notice/ Permit Number	7/18/1991	8/19/1991

*** Draft Permit ***

GENERAL INFORMATION

ID	Alternate/Historic Name	User Group	Start Date	End Date
WQC2002078	Northrop Grumman Shipbuilding Inc, Dredging for Shipyard Expansion	WQC Number	8/19/2002	
MS9704689LMOD	Northrop Grumman Shipbuilding Inc, Dredging for Shipyard Expansion	COE Public Notice/ Permit Number	8/19/2002	9/3/2002
WQC2000041	Northrop Grumman Shipbuilding Inc, Dredging for Barge Slip	WQC Number	4/18/2000	
MS0001084L	Northrop Grumman Shipbuilding Inc, Dredging for Barge Slip	COE Public Notice/ Permit Number	4/18/2000	5/18/2000
WQC2000110	Northrop Grumman Shipbuilding Inc, Ship Fabrication and Assembly Area	WQC Number	10/6/2000	
MS0003120L	Northrop Grumman Shipbuilding Inc, Ship Fabrication and Assembly Area	COE Public Notice/ Permit Number	10/6/2000	11/6/2000
WQC1998039	Northrop Grumman Shipbuilding Inc, New Vessel Launch Area and Dredging	WQC Number	2/20/1998	
MS9704689L	Northrop Grumman Shipbuilding Inc, New Vessel Launch Area and Dredging	COE Public Notice/ Permit Number	2/20/1998	3/22/1998
128000041	Northrop Grumman Shipbuilding, Inc.	Air-Title V Operating	2/14/2011	5/31/2011
1670	Northrop Grumman Shipbuilding, Inc.	Historic Site Name	2/6/2009	5/26/2011
128000041	Huntington Ingall, Inc., Ingalls Shipbuilding Division, Pascagoula Operations	Air-Title V Operating	5/31/2011	1/31/2016
MS0003069	Huntington Ingall Inc. Ingalls Shipbuilding Division, Pascagoula Operations	Water - NPDES	5/31/2011	6/30/2014
MSP091957	Huntington Ingall Inc. Ingalls Shipbuilding Division, Pascagoula Operations	Water - Pretreatment	5/31/2011	3/31/2012

Basin: Pascagoula River Basin

Latitude: 30° 21' 21" 2 tenths

Longitude: 88° 34' 24" 7 tenths

Location Description:PG- Plant Entrance (General). Data collected by Diane Gledhill. Elevation -27.7 feet. *Accuracy 20.5. Site is visually not far above sea level.

*** Draft Permit ***