State of Mississippi
Surface Mining and Reclamation
PERMIT

TO CONDUCT SURFACE MINING OPERATIONS
IN ACCORDANCE WITH THE
MISSISSIPPI SURFACE MINING AND RECLAMATION LAW
MISS. CODE ANN. § 53-7-1 ET SEQ.

THIS CERTIFIES THAT

Eutaw Construction Company Inc.

has been granted permission to
conduct surface mining operations in accordance with the requirements and conditions
set forth herein in the operation of the

Crook Mine
Monroe County, Mississippi.

This permit is issued in accordance with the provisions of the Mississippi Surface Mining and Reclamation Law, Miss. Code Ann. § 53-7-1 et seq., and the regulations and standards adopted and promulgated thereunder.

MISSISSIPPI ENVIRONMENTAL QUALITY PERMIT BOARD

Michael B E. Bograd
AUTHORIZED SIGNATURE

MISSISSIPPI DEPARTMENT OF ENVIRONMENTAL QUALITY

Issued: May 22, 2013
Expires: Five years from date of issuance

Permit No. P13-011
Application No. A1862
AI No. 63637

A. General Provisions

1. The definitions and provisions contained in the Mississippi Surface Mining and Reclamation Act ("the Act") and the Mississippi Surface Mining and Reclamation Rules and Regulations ("the Regulations") shall be applied in interpreting any provision of this permit.

2. The permittee shall conduct all surface mining and reclamation operations as described in the complete application and any additional operational or reclamation plans submitted to and approved by the Mississippi Department of Environmental Quality ("MDEQ"), while complying with the Act and the Regulations, unless otherwise provided as a variance in the following provisions. The complete application and any additional operational or reclamation plans submitted to and approved by MDEQ currently or in the future are incorporated herein by reference. The provisions and conditions of this permit enforce the provisions of the Act and the Regulations, and no provision of this permit is intended to exempt the permittee from, or to modify, any provision of the Act, the Regulations, or any other Mississippi or federal law or regulation unless the provision is listed in section E of this permit regarding Variances.

3. The permittee shall allow any authorized representatives of MDEQ, without advance notice or a search warrant, and without delay, to have the rights of entry provided in the Regulations.

4. The permittee shall conduct surface mining and reclamation operations:

   A. Only on those lands specifically designated on the maps submitted and approved in the complete application;

   B. Only within the effective dates of the permit; and

   C. Only on those lands which are subject to the performance bonds or other equivalent guarantee in effect at the time of mining pursuant to the Regulations.

5. The provisions of this permit are severable. If any provision of this permit is held invalid, or if any statutory or regulatory provision upon which such permit provision is based is held invalid or suspended, repealed or amended, such permit provision shall be null, void and ineffective for all purposes, but the remainder of this permit shall not be affected thereby.

6. This permit does not convey any property rights in either real or personal property, or any exclusive privileges, nor does it authorize any injury to private property or any invasion of personal rights, nor any infringement of federal, state, or local laws or regulations.

7. The permittee shall comply with all conditions of this permit.

8. The filing of a request by MDEQ or the permittee for a permit modification, revocation and reissuance, transfer, or termination or the notification of planned changes or anticipated noncompliance on the part of the permittee does not stay the applicability or enforceability of any permit condition.

9. This permit is not transferable to any person except after notice to and by approval of the Permit Board.

10. The term of this permit is five (5) years from the date issued. Upon expiration, this permit grants no further authority to the permittee to conduct surface mining operations at this site.

11. No officer, agent, employee or other person in any way associated with the permittee shall, except as permitted by law, willfully resist, prevent, impede, or interfere with MDEQ or any of its employees in the performance of duties pursuant to the Act or the Regulations.

12. No blasting operations are approved for this permit.

13. The permittee shall obtain, prior to commencing mining operations, all other required permits from all other local, state and federal agencies.

B. Duties and Requirements

1. Duty to Comply. The permittee shall comply with all conditions of this permit. Any permit noncompliance constitutes a violation of the Act and the Regulations and is grounds for enforcement action, permit termination, revocation and reissuance, modification, or for denial of a permit renewal application.

2. The permittee shall comply with the permittee's surface mining plan, reclamation plan and the standards specified in Miss. Code Ann. § 53-7-37 (Rev. 2003).

3. Duty to reapply. If the permittee wishes to continue an activity allowed by this permit after the expiration date of this permit, the permittee must submit a complete application for renewal of the permit at least 60 days before this permit expires.

4. Duty to mitigate. The permittee shall take all reasonable steps to minimize or correct any adverse impact on the environment resulting from noncompliance with this permit.

5. Proper Operation and Maintenance. The permittee shall at all times properly operate and maintain all equipment and systems which are installed or used by the permittee to achieve compliance with the conditions of this permit and the application as submitted to MDEQ and approved by the Mississippi Environmental Quality Permit Board.

6. Duty to provide information. The permittee shall furnish to MDEQ, within a reasonable time, any relevant information which MDEQ may request to determine whether cause exists for modifying, revoking and reissuing, or terminating this permit, or to determine compliance with this permit.

C. Site-Specific Operating Conditions

1. The permittee is authorized to open pit mine 38 acres for borrow material in Section 12, Township 13 South, Range 19 West and Section 7, Township 13 South, Range 18 West, Monroe County.

2. This is the initial permit for this site.

3. Buffer Zones. Also see Part E, Variances and Waivers

   The Regulations prohibit mining within 100 feet of the outside right-of-way of any public road, except where mine access roads or haul roads join such right-of-way line; within 300 feet of any occupied dwelling, public building, school, church, community or institutional building; within 100 feet of a cemetery; or, when a highwall will be created and the excavation exceeds thirty feet in depth, within twenty-five feet plus one and one half times the depth of the excavation from a permit boundary. If the excavation is less than thirty feet in depth and a highwall will be created, the distance from the permit boundary shall follow the distance chart in the Regulations at §400(d)(4). The Permit Board may modify these buffer zones, and allow mining within them, upon receipt of written permission from the governmental entity having authority over the subject road, or the owner or occupant of the subject dwelling.

   A. Mining will not take place within 100 feet of the outside right-of-way of a public road.

   B. Mining will not take place within 100 feet of a cemetery.

   C. Mining will not take place within 300 feet of an occupied dwelling.

   D. Mining will not take place within 50 feet of the permit boundary.

4. Permit boundaries shall be marked and durable posts shall be placed at the corners of the permit area. The posts shall be painted or flagged to be readily visible during the life of the operation.

5. This permit may be mined to a maximum depth of 15 feet.

6. Dust shall be controlled by water sprayed on the haul roads.

7. Terraced slopes, brush barriers, silt fence, and any other Best Management Practices required will be used for sediment control.

8. Reclamation Schedule. Concurrent reclamation is required by the Act and the Regulations.

   A. Begin clearing: Done.

   B. Begin mining: after May, 2013,and upon permit issuance.

   C. Complete mining: November, 2013.

   D. Reclamation will be concurrent with completion of mining of any segment of the permit

   E. Complete reclamation: November, 2013.

9. Explosives will not be used.

10. The permittee must obtain any necessary permits through the MDEQ Office of Pollution Control to discharge impacted stormwater or processed water into a specific Water(s) of the State and must do so in accordance with effluent limitations, monitoring requirements, and other conditions set forth in a State of Mississippi Waste Pollution Control Permit to Discharge Wastewater in Accordance with the National Pollutant Discharge Elimination System.

11. Reclamation Plan

   A. The topsoil shall be segregated and stored in stockpiles which will be protected with grass cover adequate to prevent erosion. The use of the topsoil during reclamation will be to respread it over areas requiring vegetative cover.

   B. The site shall be reclaimed with grass cover and a pond to prevent erosion.

   C. All highwalls shall be eliminated and all areas of the permit shall be graded to a slope no steeper than three horizontal feet to one vertical foot.

   D. The permit area shall be graded and planted with grass cover to prevent erosion. Bahia is to be planted by broadcast seeding at the rate of 25 pounds per acre. Bermuda is to be planted at the rate of 20 pounds per acre. Fescue is to be planted at the rate of 30 pounds per acre. All species will be planted through the Spring and Fall planting seasons.

E. Fertilizer (13-13-13 type), for initial planting, shall be applied at the rate of 350 pounds per acre and lime shall be applied at the rate of 2 tons per acre, and be applied by broadcasting. Fertilizer (13-13-13 type) shall be applied at the rate of 250 pounds per acre, April through September, each successive year prior to final bond release.

F. Vegetation will be maintained until final bond release by mowing each year in September. Eroded areas shall be re-graded and re-planted as needed, but in no case less frequently than annually.

G. Gullies shall be repaired as necessary to prevent erosion and shall follow all applicable National Pollutant Discharge Elimination System (NPDES) permit requirements.

H. Debris shall be disposed of by burying and burning, as permitted by state and local ordinance.

12. The performance bond instrument submitted is Bond No. 105907194 from Travelers Casualty and Surety Company of America, Hartford, CT, as Surety, executed by Eutaw Construction Co., Inc. as Principal, in the amount of $38,000.00, on March 29, 2013, which is $1,000.00 per acre.

13. The facility shall be constructed, operated, and monitored in such a manner as to ensure Mississippi Groundwater Quality Standards are not exceeded by any activity of this facility.

14. The facility shall be constructed, operated, and monitored in such a manner as to prevent a discharge of pollutants into waters of the State, including wetlands, that violates any requirements of the Clean Water Act or the Mississippi Air And Water Pollution Control Act, including, but not limited to, the National Pollutant Discharge Elimination System (NPDES) requirements.

15. Based on the Wastewater Regulations for National Pollutant Discharge Elimination System (NPDES) Permits, Underground Injection Control (UIC) Permits, State Permits, Water Quality Based Effluent Limitations and Water Quality Certification (Regulation WPC-1), Chapter 3, Section IV, part 3, the following buffer zones shall be established between all mining activity and any existing stream, and maintained for the life of the permit:

A. 50-foot buffer zone for intermittent streams (generally shown as a broken blue line on the latest version of the U. S. Geological Survey topographic quadrangle map)

B. 100-foot buffer zone for perennial streams (generally shown as a solid blue line on the latest version of the U. S. Geological Survey topographic quadrangle map)

C. 300-foot buffer zone for navigable waterways (as defined by the U. S. Army Corps of Engineers)

16. No dam may be constructed on the permitted site without first obtaining prior written authorization for the dam in accordance with Dam Safety Regulation LW-4.

D. Wildlife, Threatened and Endangered Species and Unique Biological Communities

1. The permittee shall promptly report to the Mississippi Department of Wildlife, Fisheries, and Parks and MDEQ any State of Mississippi or federally-listed endangered or threatened species within the permit area of which the permittee becomes aware.

2. The permittee shall promptly report to the Mississippi Department of Wildlife, Fisheries, and Parks and MDEQ any unique biological communities within the permit area of which the permittee becomes aware.

E. Variances and Waivers

There are no variances or waivers.

END OF PERMIT

Permit No. P13-011 STATE OF MISSISSIPPI Application No. A1862

SURFACE MINING PERMIT APPLICATION AI#63637

MISSISSIPPI DEPARTMENT OF ENVIRONMENTAL QUALITY
OFFICE OF GEOLOGY / MINING & RECLAMATION DIVISION
P. O. Box 2279
Jackson, Mississippi 39225-2279
(601) 961-5515
Fax (601) 961-5521

For Office use only

Other permits required:	Y/N	Date
NPDES	___	___
State Operating Permit	___	___
Corps of Engineers	___	___
_____	___	___
_____	___	___

City/County approval
Required Yes ___ No ___
Received Date: _____
County _____
City _____

RECEIVED
APR 2 2013
OFFICE OF GEOLOGY
DEPT. OF ENVIRONMENTAL QUALITY

A. GENERAL INFORMATION

1. Name of Applicant: Eutaw Construction Company, Inc.
   Mailing Address: PO Box 36 Aberdeen, MS 39730
   E-mail Address: mpepper@eutaw.us
   Phone No. 601-855-7474 Fax No. 601-855-7787
   Authorized Representative Robert T. Elmore
2. Engineering Firm, Consultant, etc.: N/A
   Mailing Address: _____
   E-mail Address: _____
   Phone No. _____ Fax No. _____
3. Name of Mine: Crook Mine Mine Supervisor: Randy Edwards
   Phone No. 662-369-8868 Fax No. 662-369-7770
4. Location of Operation (to nearest quarter-quarter section):

NE 1/4	12	13S	19W	Monroe
	Section	Township	Range	County

   NW/4 Sec 7 T13S, R19W
5. Physical address of mine or nearest named road Old Golf Course Road

6. Method of Operation ☒ Open Pit ☐ Strip ☐ Dredge ☐ Wash Operation, if so Water Source _____
   Wash System Type ☐ Closed system ☐ Open system

7. **Number of Acres to be Permitted:**

Excavation	38
Haul roads, plant site, ponds, storage piles, etc.	N/A
TOTAL PERMITTED AREA	38

8. Is the Permit Area located:

	Yes	No
a. within 100 feet of a public road?	___	X
b. within 100 feet of a cemetery?	___	X
c. within 300 feet of an occupied building?	___	X

If YES to a, b, or c, a letter must be filed with the Office giving permission from the owner or maintaining authority to mine within these distances to the subject property.

9. Materials to be Mined: Borrow Dirt

10. Has the applicant applied for, or have, any other permits or licenses that pertain to this or any other mining operation? Yes X No ___

If "YES," list them in the space provided on page 5, or attach separate pages, and give the current status of each, including any violations or penalties.

B. MINING PROCEDURE AND ENVIRONMENTAL ANALYSIS

1. Description of materials:

Thickness of overburden (Topsoil **MUST** be stockpiled for use during reclamation)	1.0	ft.
Thickness of useable material	15	ft.
Total depth of excavation	15	ft.
Estimated annual production	N/A	tons

2. Anticipated Schedule (month/year)

Begin clearing	May / 2013
Begin mining	May / 2013
Complete mining	Nov / 2013
Begin reclamation	Nov / 2013
Complete reclamation	Nov / 2013

3. Depth to ground water: N/A ft.

4. How will dust be controlled?

☒ Water on haul roads

☐ _____

5. Types of erosion control structures that will be utilized.

☐ Settling ponds ☐ Drainage ditches

☐ Diversion berms ☐ Terraced slopes

☒ Silt Fence & Hay Bales

6. Describe the land to be affected by mining as it presently exists:

a. Land use Timber b. Predominant vegetation 4" to 6" Pines

7. Will explosives be used? ___ Yes X No

8. Is test-boring data available? ___ Yes X No

9. Are toxic materials likely to be encountered at any time? ___ Yes X No

10. Will there be any discharge to local streams or other bodies of water? ___ Yes X No

If any of questions 7-10 are answered "YES," provide additional information on page 5, or attach separate pages.

C. RECLAMATION PLAN

NOTE: It is suggested that the county NRCS office be consulted for specific recommendations on the following items.

1. Describe the soil handling technique for the reclamation phase of the operation:

☒ Topsoil segregated ☐ Mixed strata ☐ _____

2. Describe the protection method for the stockpiled topsoil.

☐ berm around the storage pile

☒ grass cover on the pile (recommended)

☐ stored under a cover

☐ _____

3. How will highwalls, standing faces, and banks be reduced to minimize erosion? (All highwalls must be sloped, minimum 3 horizontal to 1 vertical.)

☐ slopes will be terraced

☒ sloped to a gradient of 3 to 1

☒ blended with surrounding contours

☐ _____

4. What is the general plan for reclamation?

☐ reforestation
☒ establish grass cover
☒ pond or lake
☐ _____

5. What planting method will be used?

☒ broadcast seed ☐ mechanical seeding
☐ seeding by manual labor
☐ _____

6. How will fertilizer and lime be applied and incorporated?

☐ harrowing ☒ broadcasting ☒ disking

7. Quantity of lime and fertilizer to be applied?

a. For initial planting

lime: 2 tons per acre

fertilizer: 13 - 13 - 13 (type) 350 pounds per acre

b. For successive years prior to 100% release

fertilizer: 13 - 13 - 13 (type) 250 pounds per acre

when: April Thru September (month)

RECEIVED
APR 2 2013
OFFICE OF GEOLOGY
DEPT. OF ENVIRONMENTAL QUALITY

8. Describe the planting schedule:

Tree or Seed Species	Tree spacing or lbs./acre	Planting Season
Bermuda	20	April Thru October
Bahia	25	April Thru October
Fescue	30	April Thru October

9. Will the area be mulched? X Yes ___ No If yes, rate per acre Slopes Only (1 Ton Per Ac)

Method of holding in place: ☒ crimped ☐ _____

10. How will the vegetation be maintained until the final bond release?

☐ watering
☐ mowing
times per year _____
approximate month(s) _____, _____, _____
☒ repairing gullies
☒ replanting eroded areas
☐ _____

11. How will debris be disposed of when the mine is finally closed?

☒ burying ☒ burning ☐ hauling away

12. Will a soil analysis be submitted for this site? ___ Yes X No
NOTE: available from the Cooperative Extension Service through the applicant's County Agent

13. Estimated cost per acre for reclamation of this site: $1,000.00 (minimum of $1,000 per acre)

D. NAMES AND ADDRESSES OF PERSONS AFFECTED BY THIS OPERATION

1. Landowner(s) of area to be mined/leased

Name:	Eutaw Construction Co, Inc.	Name:	
Address:	PO 136	Address:	
	Aberdeen, MS 39730		
Phone:	662-369-8868	Phone:	

2. Landowner(s) within 500 feet of the area

Name:	Eva B Crook	Name:	C K Parchman
Address:	PO Box 163	Address:	60037 Parchman Rd
	Amory, Ms 38821		Amory, Ms 38821
Phone:	662-256-5582	Phone:	662-256-2720
Name:	Patricia McDivitt	Name:	
Address:	15 Annabelle Cove	Address:	
	Amory, Ms 38821		
Phone:	662-256-7753	Phone:	

3. Person(s) living on permit area

Name:	None	Name:	
Address:		Address:	
Phone:		Phone:	

RECEIVED
APR 2 2013
GEOLOGY
ENVIRONMENTAL QUALITY

I declare that I have knowledge of the facts presented in the preceding pages and in all of the items attached to this application; furthermore, I certify that they are true to the best of my knowledge.

4/1/13
date

signature

Robert T. Elmore
printed name

VP
title

E. ADDITIONAL COMMENTS

Item Number	Space for detailed answers to any of the previous items. Indicate item number to which the answers apply.
10.	See Below!!!!!!



If more space is required, use full sheets of paper the same size as this page. Attach all sheets to this application.

STATUS OF MINING PITS
APPLICATIONS & PERMITS

28-Mar-13 F:\PITS\123\LONGLIST

ROBERT TATE

NAME OF PIT	COUNTY	ACRES	DEQ'S APP. NUMBER	PERMIT NUMBER	ANNIV. DATE	BOND AMOUNT	REQUEST FOR BOND RELEASE	BOND % REQUESTED	BOND % APPROVED	AMOUNT OF BOND RELEASED	AMOUNT OF BOND REMAINING
WAGGONER/HODGES	LEE	32	A1711	P09-004	03/11/09	32000	NO ACTIVITY				
BETHANEY PIT	LEE	30	A1330	P01-008	03/26/06	15000	N/A	40%	50%	7500	7500
HOLLOWAY PIT	MONROE	10	OLD	P95-090T	01/31/99	5000	08/10/05	80%	60%	3500	1500
HOLLOWAY EXTENSION	MONROE	+66	TRANSFER	P98-025	01/31/99	33000	ACTIVE	0			
JJ PRYOR - ALPHA	MONROE	7.2	A1077	P97-018T	EXTENSION	3600	ACTIVE	0			
JJ PRYOR - BRAVO	MONROE	32	A983	P96-002T	OF P93-001T	16000	ACTIVE	0			
JJ PRYOR - CHARLIE	MONROE	30	A618	P93-050T	GRAVEL/PIT	15000	ACTIVE				
PATTERSON PIT	GREENE	4AC	EXEMPT	N/A							
WHITTENTON PIT	ITAWAMBA	4	EXEMPT	N/A							
FORD	ITAWAMBA	4	EXEMPT	N/A	10/15/07						
LIVINGSTON PIT (ED&S)	MADISON	48		PI0-009	04/21/10	48000					
EDWARDS PIT	HINDS	4	EXEMPT		03/03/11						
PARKS PIT	PONTOTOC	59	A55687	P11-021	07/12/12	59000	03/19/12	90%	90%		
PRICHARD PIT	PONTOTOC	75	A55751	P11-022	07/12/12	75000		50%	70%		
PEAR TREE ROAD	PONTOTOC	25	A1833	P12-017	07/24/12	25000					
NEELY PIT	PONTOTOC	69	A1807	P11-026	08/26/11	69000	RELEASED	DID NOT USE			
HWY 43	RANKIN	20	A1638	P12-020	09/06/12	20000					
RITTER ROAD PIT	MONROE	17.8	A1850	P12-026	12/05/12	17800					
RITTER ROAD PIT	MONROE	4AC	EXEMPT								
PARCHMAN PIT	MONROE	26	A1847	P12-025	12/05/12	27000					
EMILY YDUNG	MONROE	18	A1851			18000					
ED STANFORD	MONROE	7	A1849	P12-027	12/05/12	7000					
OALRYMPLE	MONROE	21.8	A1852			21600	06/26/00				
ALBERSON MINE	MARSHALL	102	A1839	P12-021	10/12/12	10200					
POGUE #1	MARSHALL	165	A1841	P12-024	10/12/12	165000	CANCELLED				
POGUE#2	MARSHALL	143	A1842	P12-023	10/12/12	143000	CANCELLED				
LILLY CREEK	PONTOTOC										




SMITHVILLE
ABERDEEN
PRAIRIE
LOCATION
SCALE
MONROE COUNTY
MISSISSIPPI


Gumpore Hospital
Radio Tower
St Matthews Ch
Gregory's Chapel
North
Route To Nearest Public Rd
Eutaw Construction Company
4-1-13
Amory Topo
No Water Wells
At Completion The Area Will Be a Lake
Weaver
Creek
Becker
BM 237
BM 235
88°30'
88°29'30"
88°29'
88°28'30"
88°28'
88°27'30"
3 62 000
3 63 000
3 64 000
3 65 000
37 61 000
37 60 000
37 59 000
37 58 000
37 57 000
37 56 000
33°58'30"
33°58'
33°57'30"
33°57'
33°56'30"
33°56'



RECEIVED
APR 2 2013
DIVISION OF GEOLOGY
AND ENVIRONMENTAL QUALITY

Eutaw Construction
4-1-13
1" = 200'
25' Boundries at Property Lines
General Site Plan



Eutaw Construction
4-1-13
1" = 200'
25' Boundries at Property Lines
Yearly Mining Plan



RECEIVED
APR 2 2013
DIV. OF GEOLOGY
DEPT. OF ENVIRONMENTAL QUALITY

Eutaw Construction
4-1-13
1" = 200'
25' Boundries at Property Lines
Yearly Reclamation Plan

EUTAW
CONSTRUCTION COMPANY, INC.

Project _____ Date _____

_____ Drawn By _____

_____ Sheet _____ Of _____

RECEIVED
APR 2 2013
DEPT OF ENVIRONMENTAL QUALITY
OFFICE OF GEOLOGY

W

E

Eutaw Const.
4/1/13
Profile (Res. & End)
1"=20'
25' Boundary @ Prop. Lines

EUTAW
CONSTRUCTION COMPANY, INC.

Project _____ Date _____

_____ Drawn By _____

_____ Sheet _____ Of _____

RECEIVED
APR 2 2013
DEPT. OF ENVIRONMENTAL QUALITY
DIV. OF GEOLOGY



Eutaw Coast
4/1/13
Profile (Beg. end)
1" = 300'
25' Boundary @ Prop. Line



RECEIVED
APR 2 2013
OFFICE OF GEOLOGY
DEPT OF ENVIRONMENTAL QUALITY

Eutaw Construction
4-1-13
1" = 200'
25' Boundries at Property Lines
Post Mining Rec Plan