
AI#67962 GNP20150001





FOR COVERAGE UNDER THE LARGE CONSTRUCTION STORM WATER GENERAL NPDES PERMIT MSR10 6926

INSTRUCTIONS

The Large Construction Notice of Intent (LCNOI) is for coverage under the Large Construction General Permit for land disturbing activities of five (5) acres or greater; or for land disturbing activities, which are part of a larger common plan of development or sale that are initially less than five (5) acres but will ultimately disturb five (5) or more acres. Applicant must be the owner or operator. For construction activities, the operator is typically the prime contractor. The owner(s) of the property and the prime contractor associated with regulated construction activity on the property have joint and several responsibility for compliance with the Large Construction Storm. Water General Permit MSR10.

Completed LCNOIs should be filed at least thirty (30) days prior to the commencement of construction. Discharge of storm water from inree construction activities without written notification of coverage is a violation of state law.

Submittais with this LCNOI must include

- · A suc-specific Storm Water Pollution Prevention Plan (SWPPP) developed in accordance with ACTS of the General Permit
- · A detailed site-specific scaled drawing showing the property layout and the features outlined in ACTS of the General Permit
- A United States Geological Survey (USGS) quadrangle map or photocopy, extending at least one-half mile beyond the facility property boundaries with the suc location and outfalls outlined or highlighted. The name of the quadrangle map must be shown on all copies.
 Quadrangle maps can be obtained from the MDEQ, Office of Geology at 601-961-5523.

Additional submittals may include the following, if applicable:

- * Appropriate Section 404 documentation from U.S. Army Corps of Engineers
- . Appropriate documentation concerning future disposal of sanitary sewage and sewage collection system construction
- Appropriate documentation from the MDEO Office of Land & Water concerning dam construction and low flow requirements
- . Approval from County Utility Authority in Hancock, Harrison, Jackson, Pearl River and Stone Counties

All QUESTIONS MUST BE ANSWERED (Answer "NA" if the question is not applicable)

APPLICANT IS THE:	✓ OWNER	☐ PRIME CONTRACTOR	(Must check one or both)				
OWNER INFORMATION							
OWNER CONTACT PERSON	George Mullen						
OWNER COMPANY NAME:	Mullen Properties	, Inc.					
OWNER STREET OR P.O. BO	X: 7138 Siwell R	oad					
OWNER CITY: Byram		STATE: Ms	ZIP: 39272				
OWNER PHONE # (INCLUDE	AREA CODE):						
	PRIME CO	NTRACTOR INFORMATION					
PRIME CONTRACTOR CONT	FACT PERSON: sa	me as owner					
PRIME CONTRACTOR COM	PANY:						
PRIME CONTRACTOR STRE	ET OR P.O. BOX:						
PRIME CONTRACTOR CITY	•	STATE:	ZIP:				
PRIME CONTRACTOR PHO	VE # (INCLUDE AR	EA CODE):					

PROJECT INFORMATION

F YES, NAME OF LARGER COMMON PLAN OF DEVELOPMENT: AND PERMIT COVERAGE NUMBER: DESCRIPTION OF CONSTRUCTION ACTIVITY: Construction of streets, storm drainage, sanitary sewer, water system and houses PROPOSED DESCRIPTION OF PROPERTY USE AFTER CONSTRUCTION HAS BEEN COMPLETED (include tandard industrial classification code (SIC) if known): Residential Subdivision SIC Code PHYSICAL SITE ADDRESS (If the physical address is not available indicate the nearest named road. For linear projects, indicate the beginning of the project and identify all counties the project traverses.) STREET: Cleary Road COUNTY: Rankin ZIP: Ms ATITUDE: 32 degrees 12 minutes 04 seconds LONGITUDE: 90 degrees 09 minutes 52 seconds AT & LONG DATA SOURCE (GPS (Please GPS Project Entrance/Start Point) or Map Interpolation): GPS WEAREST NAMED RECEIVING STREAM: Howard Creek S RECEIVING STREAM ON MISSISSIPPTS 303(d) LIST OF IMPAIRED WATER S RECEIVING STREAM ON MISSISSIPPTS 303(d) LIST OF IMPAIRED WATER S RECEIVING STREAM ON MISSISSIPPTS 303(d) LIST OF IMPAIRED WATER S RECEIVING STREAM ON MISSISSIPPTS 303(d) LIST OF IMPAIRED WATER S RECEIVING STREAM ON MISSISSIPPTS 303(d) LIST OF IMPAIRED WATER S RECEIVING STREAM ON MISSISSIPPTS 303(d) LIST OF IMPAIRED WATER S RECEIVING STREAM ON MISSISSIPPTS 303(d) LIST OF IMPAIRED WATER S RECEIVING STREAM ON MISSISSIPPTS 303(d) LIST OF IMPAIRED WATER S RECEIVING STREAM ON MISSISSIPPTS 303(d) LIST OF IMPAIRED WATER S RECEIVING STREAM ON MISSISSIPPTS 303(d) LIST OF IMPAIRED WATER S RECEIVING STREAM ON MISSISSIPPTS 303(d) LIST OF IMPAIRED WATER S RECEIVING STREAM ON MISSISSIPPTS 303(d) LIST OF IMPAIRED WATER S RECEIVING STREAM ON MISSISSIPPTS 303(d) LIST OF IMPAIRED WATER S RECEIVING STREAM ON MISSISSIPPTS 303(d) LIST OF IMPAIRED WATER S RECEIVING STREAM ON MISSISSIPPTS 303(d) LIST OF IMPAIRED WATER S RECEIVING STREAM ON MISSISSIPPTS 303(d) LIST OF IMPAIRED WATER S RECEIVING STREAM ON MISSISSIPPTS 303(d) LIST OF IMPAIRED WATER S RECEIVING STREAM ON MISSISSIPPTS 303(d) LIST OF IMPAIRED WATER			
F YES, NAME OF LARGER COMMON PLAN OF DEVELOPMENT: AND PERMIT COVERAGE NUMBER: DESCRIPTION OF CONSTRUCTION ACTIVITY: Construction of streets, storm drainage, sanitary sewer, water system and houses PROPOSED DESCRIPTION OF PROPERTY USE AFTER CONSTRUCTION HAS BEEN COMPLETED (include tandard industrial classification code (SIC) if known): Residential Subdivision SIC Code PHYSICAL SITE ADDRESS (If the physical address is not available indicate the nearest named road. For linear projects, addicate the beginning of the project and identify all counties the project traverses.) TREET: Cleary Road COUNTY: Rankin ZIP: Ms ATITUDE: 32 degrees 12 minutes 94 seconds LONGITUDE: 90 degrees 99 minutes 52 seconds AT & LONG DATA SOURCE (GPS (Please GPS Project Entrance/Start Point) or Map interpolation): GPS WEAREST NAMED RECEIVING STREAM: Howard Creek SRECEIVING STREAM ON MISSISSIPPS 303(d) LIST OF IMPAIRED WATER YES VINO RODIES? (The 303(d) list of linguired waters and TMDL stream segments may be found on MDEQ's web site: ttp://www.dcq.state.ma.en/MDEQ.unf/page/TWE_Total_Maximum_Daby_Lond_Section) HAS A TMDL BEEN ESTABLISHED FOR THE RECEIVING STREAM SEGMENT? YES NO WITHIN V, MILE DOWNSTREAM OF PROJECT BOUNDRY THAT MAY BE WILL FLOCCULANTS BE USED TO TREAT TURBIDITY IN STORM WATER? VES. WILL FLOCCULANTS BE USED TO TREAT TURBIDITY IN STORM WATER? YES NO FYES, INDICATE THE TYPE OF FLOCCULANT. ANIONIC POLYACRYLIMIDE (PAM)	TOTAL ACREAGE THAT WILL BE DISTURBED 1: 27.3		
AND PERMIT COVERAGE NUMBER: DESCRIPTION OF CONSTRUCTION ACTIVITY: Construction of streets, storm drainage, sanitary sewer, water system and houses PROPOSED DESCRIPTION OF PROPERTY USE AFTER CONSTRUCTION HAS BEEN COMPLETED (include tandard industrial classification code (SIC) if known): Residential Subdivision SIC Code PHYSICAL SITE ADDRESS (If the physical address is not available indicate the nearest named road. For linear projects, indicate the beginning of the project and identify all counties the project traverses.) TREET: Cleary Road COUNTY: Rankin ZIP: Ms AATITUDE: 32 degrees 12 minutes 04 seconds LONGITUDE: 90 degrees 09 minutes 52 seconds AAT & LONG DATA SOURCE (GPS (Please GPS Project Entrance/Stort Point) or Map Interpolation): GPS WEAREST NAMED RECEIVING STREAM: Howard Creek S RECEIVING STREAM ON MISSISSIPPT'S 303(d) LIST OF IMPAIRED WATER S RECEIVING STREAM ON MISSISSIPPT'S 303(d) LIST OF IMPAIRED WATER S RECEIVING STREAM ON MISSISSIPPT'S 303(d) LIST OF IMPAIRED WATER S RECEIVING STREAM ON MISSISSIPPT'S 303(d) LIST OF IMPAIRED WATER S RECEIVING STREAM ON MISSISSIPPT'S 303(d) LIST OF IMPAIRED WATER S RECEIVING STREAM ON MISSISSIPPT'S 303(d) LIST OF IMPAIRED WATER S RECEIVING STREAM ON MISSISSIPPT'S 303(d) LIST OF IMPAIRED WATER S RECEIVING STREAM ON MISSISSIPPT'S 303(d) LIST OF IMPAIRED WATER S RECEIVING STREAM ON MISSISSIPPT'S 303(d) LIST OF IMPAIRED WATER S RECEIVING STREAM ON MISSISSIPPT'S 303(d) LIST OF IMPAIRED WATER S RECEIVING STREAM ON MISSISSIPPT'S 303(d) LIST OF IMPAIRED WATER S RECEIVING STREAM ON MISSISSIPPT'S 303(d) LIST OF IMPAIRED WATER S RECEIVING STREAM ON MISSISSIPPT'S 303(d) LIST OF IMPAIRED WATER S RECEIVING STREAM ON MISSISSIPPT'S 303(d) LIST OF IMPAIRED WATER S RECEIVING STREAM ON MISSISSIPPT'S 303(d) LIST OF IMPAIRED WATER S RECEIVING STREAM ON MISSISSIPPT'S 303(d) LIST OF IMPAIRED WATER S RECEIVING STREAM ON MISSISSIPPT'S 303(d) LIST OF IMPAIRED WATER S RECEIVING STREAM ON MISSISSIPPT'S 1000 AND ADDRESS PRODUCT ON ADDRESS PRODUCT ON ADDRESS PRODUCT	IS THIS PART OF A LARGER COMMON PLAN OF DEVELOPMENT?	YES	✓ NO
PROPOSED DESCRIPTION OF PROPERTY USE AFTER CONSTRUCTION HAS BEEN COMPLETED (include tandard industrial classification code (SIC) if known): Residential Subdivision SIC Code PHYSICAL SITE ADDRESS (If the physical address is not available indicate the nearest named road. For linear projects, indicate the beginning of the project and identify all counties the project traverses.) TREET: Cleary Road TTY: Richland COUNTY: Rankin ZIP: Ms ATITUDE: 32 degrees 12 minutes 04 seconds LONGITUDE: 90 degrees 09 minutes 52 seconds AT & LONG DATA SOURCE (GPS (Please GPS Project Entrance/Start Point) or Map Interpolation): GPS WEAREST NAMED RECEIVING STREAM: Howard Creek S RECEIVING STREAM ON MISSISSIPPT'S 303(d) LIST OF IMPAIRED WATER SOUDIES? (The 303(d) his of timpaired waters and TMDL stream segments may be found on MDEQ's web site: thy/lwww.deg.laut.mas.w/MDC_out/spage/TWB_Total_Maximum_DaBy_Load_Section) HAS A TMDL BEEN ESTABLISHED FOR THE RECEIVING STREAM SEGMENT? YES NO ARE THERE RECREATIONAL STREAMS, PRIVATE/PUBLIC PONDS OR LAKES WITHIN ½ MILE DOWNSTREAM OF PROJECT BOUNDRY THAT MAY BE MYACTED BY THE CONSTRUCTION ACTIVITY: EXISTING DATA DESCRIBING THE SOIL (for linear projects please describe in SWPPP): See SWPPP WILL FLOCCULANTS BE USED TO TREAT TURBIDITY IN STORM WATER? YES, INDICATE THE TYPE OF FLOCCULANT. ANIONIC POLYACRYLIMIDE (PAM) OTHER	IF YES, NAME OF LARGER COMMON PLAN OF DEVELOPMENT:		
PROPOSED DESCRIPTION OF PROPERTY USE AFTER CONSTRUCTION HAS BEEN COMPLETED (include tandard industrial classification code (SIC) if known): Residential Subdivision SIC Code PHYSICAL SITE ADDRESS (If the physical address is not available indicate the nearest named road. For linear projects, indicate the beginning of the project and identify all counties the project traverses.) TREET: Cleary Road COUNTY: Rankin ZIP: Ms ATTTUDE: 32 degrees 12 minutes 04 seconds LONGITUDE: 90 degrees 09 minutes 52 seconds AT & LONG DATA SOURCE (GFS (Please GFS Project Entrance/Start Point) or Map Interpolation): GPS REAREST NAMED RECEIVING STREAM: Howard Croek S RECEIVING STREAM ON MISSISSIPPI'S 303(d) LIST OF IMPAIRED WATER S RECEIVING STREAM ON MISSISSIPPI'S 303(d) LIST OF IMPAIRED WATER S RECEIVING STREAM ON MISSISSIPPI'S 303(d) LIST OF IMPAIRED WATER S RECEIVING STREAM ON MISSISSIPPI'S 303(d) LIST OF IMPAIRED WATER S RECEIVING STREAM ON MISSISSIPPI'S 303(d) LIST OF IMPAIRED WATER S RECEIVING STREAM ON MISSISSIPPI'S 303(d) LIST OF IMPAIRED WATER S RECEIVING STREAM ON MISSISSIPPI'S 303(d) LIST OF IMPAIRED WATER S RECEIVING STREAM ON MISSISSIPPI'S 303(d) LIST OF IMPAIRED WATER S RECEIVING STREAM ON MISSISSIPPI'S 303(d) LIST OF IMPAIRED WATER S RECEIVING STREAM ON MISSISSIPPI'S 303(d) LIST OF IMPAIRED WATER S RECEIVING STREAM ON MISSISSIPPI'S 303(d) LIST OF IMPAIRED WATER S RECEIVING STREAM ON MISSISSIPPI'S 303(d) LIST OF IMPAIRED WATER S RECEIVING STREAM ON MISSISSIPPI'S 303(d) LIST OF IMPAIRED WATER S RECEIVING STREAM ON MISSISSIPPI'S 303(d) LIST OF IMPAIRED WATER S RECEIVING STREAM ON MISSISSIPPI'S 303(d) LIST OF IMPAIRED WATER S RECEIVING STREAM ON MISSISSIPPI'S 303(d) LIST OF IMPAIRED WATER S RECEIVING STREAM ON MISSISSIPPI'S 303(d) LIST OF IMPAIRED WATER S RECEIVING STREAM ON MISSISSIPPI'S 303(d) LIST OF IMPAIRED WATER S RECEIVING STREAM ON MISSISSIPPI'S 303(d) LIST OF IMPAIRED WATER S RECEIVING STREAM ON MISSISSIPPI'S 303(d) LIST OF IMPAIRED WATER S RECEIVING STREAM ON MISSISSIPPI'S 303(d) LIST	AND PERMIT COVERAGE NUMBER	k:	
PROPOSED DESCRIPTION OF PROPERTY USE AFTER CONSTRUCTION HAS BEEN COMPLETED (include tandard industrial classification code (SIC) if known): Residential Subdivision SIC Code PHYSICAL SITE ADDRESS (If the physical address is not available indicate the nearest named road. For linear projects, indicate the beginning of the project and identify all counties the project traverses.) TREET: Cleary Road COUNTY: Rankin ZIP: Ms ATTTUDE: 32 degrees 12 minutes 04 seconds LONGITUDE: 90 degrees 09 minutes 52 seconds AT & LONG DATA SOURCE (GFS (Please GFS Project Entrance/Start Point) or Map Interpolation): GPS REAREST NAMED RECEIVING STREAM: Howard Croek S RECEIVING STREAM ON MISSISSIPPI'S 303(d) LIST OF IMPAIRED WATER S RECEIVING STREAM ON MISSISSIPPI'S 303(d) LIST OF IMPAIRED WATER S RECEIVING STREAM ON MISSISSIPPI'S 303(d) LIST OF IMPAIRED WATER S RECEIVING STREAM ON MISSISSIPPI'S 303(d) LIST OF IMPAIRED WATER S RECEIVING STREAM ON MISSISSIPPI'S 303(d) LIST OF IMPAIRED WATER S RECEIVING STREAM ON MISSISSIPPI'S 303(d) LIST OF IMPAIRED WATER S RECEIVING STREAM ON MISSISSIPPI'S 303(d) LIST OF IMPAIRED WATER S RECEIVING STREAM ON MISSISSIPPI'S 303(d) LIST OF IMPAIRED WATER S RECEIVING STREAM ON MISSISSIPPI'S 303(d) LIST OF IMPAIRED WATER S RECEIVING STREAM ON MISSISSIPPI'S 303(d) LIST OF IMPAIRED WATER S RECEIVING STREAM ON MISSISSIPPI'S 303(d) LIST OF IMPAIRED WATER S RECEIVING STREAM ON MISSISSIPPI'S 303(d) LIST OF IMPAIRED WATER S RECEIVING STREAM ON MISSISSIPPI'S 303(d) LIST OF IMPAIRED WATER S RECEIVING STREAM ON MISSISSIPPI'S 303(d) LIST OF IMPAIRED WATER S RECEIVING STREAM ON MISSISSIPPI'S 303(d) LIST OF IMPAIRED WATER S RECEIVING STREAM ON MISSISSIPPI'S 303(d) LIST OF IMPAIRED WATER S RECEIVING STREAM ON MISSISSIPPI'S 303(d) LIST OF IMPAIRED WATER S RECEIVING STREAM ON MISSISSIPPI'S 303(d) LIST OF IMPAIRED WATER S RECEIVING STREAM ON MISSISSIPPI'S 303(d) LIST OF IMPAIRED WATER S RECEIVING STREAM ON MISSISSIPPI'S 303(d) LIST OF IMPAIRED WATER S RECEIVING STREAM ON MISSISSIPPI'S 303(d) LIST	DESCRIPTION OF CONSTRUCTION ACTIVITIES CONSTRUCTION OF AN ACTIVITIES OF A CONSTRUCTION OF A CONSTRUCTI		
PROPOSED DESCRIPTION OF PROPERTY USE AFTER CONSTRUCTION HAS BEEN COMPLETED (include tandard industrial classification code (SIC) if known): Residential Subdivision SIC Code PHYSICAL SITE ADDRESS (If the physical address is not available indicate the nearest named road. For linear projects, addicate the beginning of the project and identify all counties the project traverses.) STREET: Cleary Road COUNTY: Rankin ZIP: MS ATTITUDE: 32 degrees 12 minutes 04 seconds LONGITUDE: 90 degrees 09 minutes 52 seconds AT & LONG DATA SOURCE (GPS (Please GPS Project Entrance/Start Point) or Map Interpolation): GPS REAREST NAMED RECEIVING STREAM: Howard Croek SRECCEIVING STREAM ON MISSISSIPP'S 303(d) LIST OF IMPAIRED WATER WODDES? (The 303(d) list of impaired waters and TMDL stream segments may be found on MDEQ's web site: http://www.dcq.state.ms.as/MDEQ.ast/page/TWB_Total_Maximum_Daily_Loud_Section) HAS A TMDL BEEN ESTABLISHED FOR THE RECEIVING STREAM SEGMENT? WISH DOWNSTREAM OF PROJECT BOUNDRY THAT MAY BE MPACTED BY THE CONSTRUCTION ACTIVITY? EXISTING DATA DESCRIBING THE SOIL (for linear projects please describe in SWPPP): see SWPPP WILL FLOCCULANTS BE USED TO TREAT TURBIDITY IN STORM WATER? YES NO F YES, INDICATE THE TYPE OF FLOCCULANT. ANIONIC POLYACRYLIMIDE (PAM) OTHER		nage, sanitary	sewer,
SIC Code PHYSICAL SITE ADDRESS (If the physical address is not available indicate the nearest named road. For linear projects, addicate the beginning of the project and identify all counties the project traverses.) STREET: Cleary Road CITY: Richland COUNTY: Rankin ZIP: Ms ATITUDE: 32 degrees 12 minutes 04 seconds LONGITUDE: 90 degrees 09 minutes 52 seconds AT & LONG DATA SOURCE (GPS (Please GPS Project EntranceStart Point) or Map Interpolation): GPS NEAREST NAMED RECEIVING STREAM: Howard Creek SRECEIVING STREAM ON MISSISSIPP'S 303(d) LIST OF IMPAIRED WATER ODDIES? (The 303(d) list of impaired waters and TMDL stream segments may be found on MDEQ's web site: the//www.deq.state.ma.m/MDEQ.nsf/page/TWB_TOTAL Maximum_Daily_Lond_Section) ALS A TMDL BEEN ESTABLISHED FOR THE RECEIVING STREAM SEGMENT? YES NO WITHIN 1/2 MILE DOWNSTREAM OF PROJECT BOUNDRY THAT MAY BE MPACTED BY THE CONSTRUCTION ACTIVITY? EXISTING DATA DESCRIBING THE SOIL (for linear projects please describe in SWPPP): See SWPPP WILL FLOCCULANTS BE USED TO TREAT TURBIDITY IN STORM WATER? YES NO FYES, INDICATE THE TYPE OF FLOCCULANT. ANIONIC POLYACRYLIMIDE (PAM) OTHER	water system and houses		
PHYSICAL SITE ADDRESS (If the physical address is not available indicate the nearest named road. For linear projects, adicate the beginning of the project and identify all counties the project traverses.) TREET: Cleary Road COUNTY: Rankin ZIP: Ms ATITUDE: 32 degrees 12 minutes 04 seconds LONGITUDE; 90 degrees 09 minutes 52 seconds AT & LONG DATA SOURCE (GPS (Please GPS Project EntranceStart Point) or Map Interpolation): GPS NEAREST NAMED RECEIVING STREAM: Howard Creek S RECEIVING STREAM ON MISSISSIPPI'S 303(d) LIST OF IMPAIRED WATER YES VOUDLES? (The 303(d) list of impaired waters and TMDL stream segments may be found on MDEQ's web site: thy//www.degrate.ms.us/MDEQ.us/pags/TWB Total Maximum Daily Load Sections HAS A TMDL BEEN ESTABLISHED FOR THE RECEIVING STREAM SEGMENT? YES NO ARE THERE RECREATIONAL STREAMS, PRIVATE/PUBLIC PONDS OR LAKES YES NO WITHIN ½ MILE DOWNSTREAM OF PROJECT BOUNDRY THAT MAY BE MPACTED BY THE CONSTRUCTION ACTIVITY? EXISTING DATA DESCRIBING THE SOIL (for linear projects please describe in SWPPP): See SWPPP WILL FLOCCULANTS BE USED TO TREAT TURBIDITY IN STORM WATER? YES NO F YES, INDICATE THE TYPE OF FLOCCULANT. ANIONIC POLYACRYLIMIDE (PAM) OTHER	PROPOSED DESCRIPTION OF PROPERTY USE AFTER CONSTRUCTION HAS BEEN standard industrial classification code (SIC) if known):	COMPLETED	(include
PHYSICAL SITE ADDRESS (If the physical address is not available indicate the nearest named road. For linear projects, adicate the beginning of the project and identify all counties the project traverses.) STREET: Cleary Road COUNTY: Rankin ZIP: Ms ATITUDE: 32 degrees 12 minutes 04 seconds LONGITUDE: 90 degrees 09 minutes 52 seconds AT & LONG DATA SOURCE (GPS (Please GPS Project Entrance/Start Point) or Map Interpolation): GPS NEAREST NAMED RECEIVING STREAM: Howard Croek SRECEIVING STREAM ON MISSISSIPPI'S 303(d) LIST OF IMPAIRED WATER GODIES? (The 303(d) list of impaired waters and TMDL stream segments may be found on MDEQ's web site: ttp://www.deq.state.ms.us/MDEQ.ns/page/TWE_Total Maximum_Daby_Load_Section) HAS A TMDL BEEN ESTABLISHED FOR THE RECEIVING STREAM SEGMENT? WAS A THERE RECREATIONAL STREAMS, PRIVATE/PUBLIC PONDS OR LAKES WITHIN V, MILE DOWNSTREAM OF PROJECT BOUNDRY THAT MAY BE MPACTED BY THE CONSTRUCTION ACTIVITY? EXISTING DATA DESCRIBING THE SOIL (for linear projects please describe in SWPPP): See SWPPP WILL FLOCCULANTS BE USED TO TREAT TURBIDITY IN STORM WATER? YES NO FYES, INDICATE THE TYPE OF FLOCCULANT. ANIONIC POLYACRYLIMIDE (PAM)	Residential Subdivision		
TREET: Cleary Road COUNTY: Rankin ZIP: Ms ATTTUDE: 32 degrees 12 minutes 04 seconds LONGITUDE; 90 degrees 09 minutes 52 seconds AT & LONG DATA SOURCE (GPS (Please GPS Project Entrance/Start Point) or Map Interpolation): GPS NEAREST NAMED RECEIVING STREAM: Howard Creek SRECEIVING STREAM ON MISSISSIPPI'S 303(d) LIST OF IMPAIRED WATER ODDIES? (The 303(d) list of impaired waters and TMDL stream segments may be found on MDEQ's web site: ttp://www.decstate.ms.us/MDEQ.astryage/TWB_Total Maximum Daily_Load Section) HAS A TMDL BEEN ESTABLISHED FOR THE RECEIVING STREAM SEGMENT? YES NO ARE THERE RECREATIONAL STREAMS, PRIVATE/PUBLIC PONDS OR LAKES WITHIN ½. MILE DOWNSTREAM OF PROJECT BOUNDRY THAT MAY BE MPACTED BY THE CONSTRUCTION ACTIVITY? EXISTING DATA DESCRIBING THE SOIL (for linear projects please describe in SWPPP): See SWPPP WILL FLOCCULANTS BE USED TO TREAT TURBIDITY IN STORM WATER? YES NO TYPES, INDICATE THE TYPE OF FLOCCULANT. ANIONIC POLYACRYLIMIDE (PAM) OTHER		SIC Code	
COUNTY: Rankin ZIP: Ms ATTTUDE: 32 degrees 12 minutes 04 seconds LONGITUDE: 90 degrees 09 minutes 52 seconds AT & LONG DATA SOURCE (GPS (Please GPS Project Entrance/Start Point) or Map Interpolation): GPS NEAREST NAMED RECEIVING STREAM: Howard Creek SRECEIVING STREAM ON MISSISSIPPI'S 303(d) LIST OF IMPAIRED WATER GODIES? (The 303(d) list of impaired waters and TMDL stream segments may be found on MDEQ's web site: ttp://www.deq.state.ms.us/MDEQ.usf/page/TWB_Total_Maximum_Daily_Lond_Section) HAS A TMDL BEEN ESTABLISHED FOR THE RECEIVING STREAM SEGMENT? YES NO ARE THERE RECREATIONAL STREAMS, PRIVATE/PUBLIC PONDS OR LAKES YES NO WITHIN '% MILE DOWNSTREAM OF PROJECT BOUNDRY THAT MAY BE MPACTED BY THE CONSTRUCTION ACTIVITY? EXISTING DATA DESCRIBING THE SOIL (for linear projects please describe in SWPPP): See SWPPP WILL FLOCCULANTS BE USED TO TREAT TURBIDITY IN STORM WATER? YES NO FYES, INDICATE THE TYPE OF FLOCCULANT. ANIONIC POLYACRYLIMIDE (PAM) OTHER	indicate the beginning of the project and identify all counties the project traverses.)	med road. For l	inear projects,
ATTTUDE: 32 degrees 12 minutes 04 seconds LONGITUDE: 90 degrees 09 minutes 52 seconds AT & LONG DATA SOURCE (GPS (Please GPS Project Entrance/Start Point) or Map Interpolation): GPS NEAREST NAMED RECEIVING STREAM: Howard Creek SRECEIVING STREAM ON MISSISSIPPI'S 303(d) LIST OF IMPAIRED WATER			
NEAREST NAMED RECEIVING STREAM: Howard Creek SRECEIVING STREAM ON MISSISSIPPI'S 303(d) LIST OF IMPAIRED WATER SODIES? (The 303(d) list of impaired waters and TMDL stream segments may be found on MDEQ's web site: ttp://www.deq.state.ms.us/MDEQ.nst/page/TWB_Total_Maximum_Daily_Load_Section) HAS A TMDL BEEN ESTABLISHED FOR THE RECEIVING STREAM SEGMENT?	CTTV: Richland COUNTY: Rankin	ZIP: Ms	
S RECEIVING STREAM ON MISSISSIPPI'S 303(d) LIST OF IMPAIRED WATER BODIES? (The 303(d) list of impaired waters and TMDL stream segments may be found on MDEQ's web site: ttp://www.deq.state.ms.us/MDEQ.ust/page/TWB_Total_Maximum_Daily_Load_Section) HAS A TMDL BEEN ESTABLISHED FOR THE RECEIVING STREAM SEGMENT? WILL THERE RECREATIONAL STREAMS, PRIVATE/PUBLIC PONDS OR LAKES WITHIN 1/2 MILLE DOWNSTREAM OF PROJECT BOUNDRY THAT MAY BE MPACTED BY THE CONSTRUCTION ACTIVITY? EXISTING DATA DESCRIBING THE SOIL (for linear projects please describe in SWPPP): See SWPPP WILL FLOCCULANTS BE USED TO TREAT TURBIDITY IN STORM WATER? YES NO F YES, INDICATE THE TYPE OF FLOCCULANT. ANIONIC POLYACRYLIMIDE (PAM) OTHER	CITT. Idolland	ZIP:	Ms
S RECEIVING STREAM ON MISSISSIPPI'S 303(d) LIST OF IMPAIRED WATER BODIES? (The 303(d) list of impaired waters and TMDL stream segments may be found on MDEQ's web site: ttp://www.deq.state.ms.us/MDEQ.nss/page/TWB_Total_Maximum_Daily_Load_Section) HAS A TMDL BEEN ESTABLISHED FOR THE RECEIVING STREAM SEGMENT? WES NO ARE THERE RECREATIONAL STREAMS, PRIVATE/PUBLIC PONDS OR LAKES WITHIN ½ MILE DOWNSTREAM OF PROJECT BOUNDRY THAT MAY BE MPACTED BY THE CONSTRUCTION ACTIVITY? EXISTING DATA DESCRIBING THE SOIL (for linear projects please describe in SWPPP): See SWPPP WILL FLOCCULANTS BE USED TO TREAT TURBIDITY IN STORM WATER? WES NO F YES, INDICATE THE TYPE OF FLOCCULANT. ANIONIC POLYACRYLIMIDE (PAM) OTHER			
BODIES? (The 303(d) list of impaired waters and TMDL stream segments may be found on MDEQ's web site: ttp://www.deq.state.ms.us/MDEQ.nsf/page/TWB_Total_Maximum_Daily_Load_Section) HAS A TMDL BEEN ESTABLISHED FOR THE RECEIVING STREAM SEGMENT?	LATITUDE: 32 degrees 12 minutes 04 seconds LONGITUDE: 90 degrees 09	minutes 52 se	
ARE THERE RECREATIONAL STREAMS, PRIVATE/PUBLIC PONDS OR LAKES WITHIN 1/2 MILE DOWNSTREAM OF PROJECT BOUNDRY THAT MAY BE MPACTED BY THE CONSTRUCTION ACTIVITY? EXISTING DATA DESCRIBING THE SOIL (for linear projects please describe in SWPPP): see SWPPP WILL FLOCCULANTS BE USED TO TREAT TURBIDITY IN STORM WATER? YES NO YES NO OTHER OTHER	LATITUDE: 32 degrees 12 minutes 04 seconds LONGITUDE: 90 degrees 09 LAT & LONG DATA SOURCE (GPS (Please GPS Project Entrance/Start Point) or Map Interpolation): G	minutes 52 se	conds
WITHIN 1/2 MILE DOWNSTREAM OF PROJECT BOUNDRY THAT MAY BE MPACTED BY THE CONSTRUCTION ACTIVITY? EXISTING DATA DESCRIBING THE SOIL (for linear projects please describe in SWPPP): see SWPPP WILL FLOCCULANTS BE USED TO TREAT TURBIDITY IN STORM WATER? YES NO F YES, INDICATE THE TYPE OF FLOCCULANT. ANIONIC POLYACRYLIMIDE (PAM) OTHER	LATITUDE: 32 degrees 12 minutes 04 seconds LONGITUDE: 90 degrees 09 LAT & LONG DATA SOURCE (GPS (Please GPS Project Entrance/Start Point) or Map Interpolation): G	minutes 52 se	cconds
WILL FLOCCULANTS BE USED TO TREAT TURBIDITY IN STORM WATER? YES NO F YES, INDICATE THE TYPE OF FLOCCULANT. ANIONIC POLYACRYLIMIDE (PAM) OTHER	LATITUDE: 32 degrees 12 minutes 04 seconds LONGITUDE: 90 degrees 09 LAT & LONG DATA SOURCE (GPS (Please GPS Project Entrance/Start Point) or Map Interpolation): G NEAREST NAMED RECEIVING STREAM: Howard Crock IS RECEIVING STREAM ON MISSISSIPPI'S 303(d) LIST OF IMPAIRED WATER BODIES? (The 303(d) list of impaired waters and TMDL stream segments may be found on MDEO's web site:	minutes 52 se	conds NO
WILL FLOCCULANTS BE USED TO TREAT TURBIDITY IN STORM WATER? YES NO F YES, INDICATE THE TYPE OF FLOCCULANT. ANIONIC POLYACRYLIMIDE (PAM) OTHER	LATITUDE: 32 degrees 12 minutes 04 seconds LONGITUDE: 90 degrees 09 LAT & LONG DATA SOURCE (GPS (Please GPS Project Entrance/Start Point) or Map Interpolation): G NEAREST NAMED RECEIVING STREAM: Howard Creek IS RECEIVING STREAM ON MISSISSIPPI'S 303(d) LIST OF IMPAIRED WATER BODIES? (The 303(d) list of impaired waters and TMDL stream segments may be found on MDEQ's web site: http://www.deq.state.ms.us/MDEQ.nst/page/TWB_Total_Maximum_Dally_Load_Section)	minutes 52 se	Z NO □ NO
F YES, INDICATE THE TYPE OF FLOCCULANT. ANIONIC POLYACRYLIMIDE (PAM) OTHER	LATITUDE: 32 degrees 12 minutes 04 seconds LONGITUDE: 90 degrees 09 LAT & LONG DATA SOURCE (GPS (Please GPS Project Entrance/Start Point) or Map Interpolation): G NEAREST NAMED RECEIVING STREAM: Howard Crock IS RECEIVING STREAM ON MISSISSIPPI'S 303(d) LIST OF IMPAIRED WATER BODIES? (The 303(d) list of impaired waters and TMDL stream segments may be found on MDEQ's web site: http://www.deq.state.ms.un/MDEQ.nsf/page/TWB_Total_Maximum_Daily_Lond_Section) HAS A TMDL BEEN ESTABLISHED FOR THE RECEIVING STREAM SEGMENT? ARE THERE RECREATIONAL STREAMS, PRIVATE/PUBLIC PONDS OR LAKES WITHIN ½ MILE DOWNSTREAM OF PROJECT BOUNDRY THAT MAY BE IMPACTED BY THE CONSTRUCTION ACTIVITY?	minutes 52 see	Z NO □ NO
OTHER	LATITUDE: 32 degrees 12 minutes 04 seconds LONGITUDE: 90 degrees 09 LAT & LONG DATA SOURCE (GPS (Please GPS Project Entrance/Start Point) or Map Interpolation): G NEAREST NAMED RECEIVING STREAM: Howard Crock IS RECEIVING STREAM ON MISSISSIPPI'S 303(d) LIST OF IMPAIRED WATER BODIES? (The 303(d) list of impaired waters and TMDL stream segments may be found on MDEQ's web site: http://www.deq.state.ms.un/MDEQ.nsf/page/TWB_Total_Maximum_Daily_Lond_Section) HAS A TMDL BEEN ESTABLISHED FOR THE RECEIVING STREAM SEGMENT? ARE THERE RECREATIONAL STREAMS, PRIVATE/PUBLIC PONDS OR LAKES WITHIN ½ MILE DOWNSTREAM OF PROJECT BOUNDRY THAT MAY BE IMPACTED BY THE CONSTRUCTION ACTIVITY?	minutes 52 see	Z NO □ NO
	LATITUDE: 32 degrees 12 minutes 04 seconds LONGITUDE: 90 degrees 09 LAT & LONG DATA SOURCE (GPS (Please GPS Project Entrance/Start Point) or Map Interpolation): G NEAREST NAMED RECEIVING STREAM: Howard Crock IS RECEIVING STREAM ON MISSISSIPPI'S 303(d) LIST OF IMPAIRED WATER BODIES? (The 303(d) list of impaired waters and TMDL stream segments may be found on MDEQ's web site: http://www.deq.state.ms.un/MDEQ.nsf/page/TWB_Total_Maximum_Daily_Lond_Section) HAS A TMDL BEEN ESTABLISHED FOR THE RECEIVING STREAM SEGMENT? ARE THERE RECREATIONAL STREAMS, PRIVATE/PUBLIC PONDS OR LAKES WITHIN ½ MILE DOWNSTREAM OF PROJECT BOUNDRY THAT MAY BE IMPACTED BY THE CONSTRUCTION ACTIVITY?	minutes 52 seePS YES YES See SWPPP	© NO □ NO □ NO
F YES, DOES THE SWPPP DESCRIBE THE METHOD OF INTRODUCTION, THE LOCATION OF INTRODUCTIO	LATITUDE: 32 degrees 12 minutes 04 seconds LONGITUDE: 90 degrees 09 LAT & LONG DATA SOURCE (GPS (Please GPS Project Entrance/Start Point) or Map Interpolation): G NEAREST NAMED RECEIVING STREAM: Howard Creek IS RECEIVING STREAM ON MISSISSIPPI'S 303(d) LIST OF IMPAIRED WATER BODIES? (The 303(d) list of impaired waters and TMDL stream segments may be found on MDEQ's web site: http://www.deq.state.ms.us/MDEQ.nsf/page/TWB_Total_Maximum_Daily_Load_Section) HAS A TMDL BEEN ESTABLISHED FOR THE RECEIVING STREAM SEGMENT? ARE THERE RECREATIONAL STREAMS, PRIVATE/PUBLIC PONDS OR LAKES WITHIN ½ MILE DOWNSTREAM OF PROJECT BOUNDRY THAT MAY BE IMPACTED BY THE CONSTRUCTION ACTIVITY? EXISTING DATA DESCRIBING THE SOIL (for linear projects please describe in SWPPP) WILL FLOCCULANTS BE USED TO TREAT TURBIDITY IN STORM WATER?	minutes 52 see PS YES YES YES See SWPPP	vonds ✓ NO □ NO □ NO
	LATITUDE: 32 degrees 12 minutes 04 seconds LONGITUDE: 90 degrees 09 LAT & LONG DATA SOURCE (GPS (Please GPS Project Entrance/Start Point) or Map Interpolation): G NEAREST NAMED RECEIVING STREAM: Howard Creek IS RECEIVING STREAM ON MISSISSIPPI'S 303(d) LIST OF IMPAIRED WATER BODIES? (The 303(d) list of impaired waters and TMDL stream segments may be found on MDEQ's web site: http://www.deq.state.ms.us/MDEQ.nst/page/TWB_Total_Maximum_Daily_Load_Section) HAS A TMDL BEEN ESTABLISHED FOR THE RECEIVING STREAM SEGMENT? ARE THERE RECREATIONAL STREAMS, PRIVATE/PUBLIC PONDS OR LAKES WITHIN ½ MILE DOWNSTREAM OF PROJECT BOUNDRY THAT MAY BE IMPACTED BY THE CONSTRUCTION ACTIVITY? EXISTING DATA DESCRIBING THE SOIL (for linear projects please describe in SWPPP) WILL FLOCCULANTS BE USED TO TREAT TURBIDITY IN STORM WATER? IF YES, INDICATE THE TYPE OF FLOCCULANT. ANIONIC POLYACRYLI	minutes 52 see PS YES YES YES See SWPPP YES MIDE (PAM)	vonds ✓ NO □ NO □ NO □ NO
AND THE LOCATION OF WHERE FLOCCULATED MATERIAL WILL SETTLE?	LATITUDE: 32 degrees 12 minutes 04 seconds LONGITUDE: 90 degrees 09 LAT & LONG DATA SOURCE (GPS (Please GPS Project Entrance/Start Point) or Map Interpolation): G NEAREST NAMED RECEIVING STREAM: Howard Creek IS RECEIVING STREAM ON MISSISSIPPI'S 303(d) LIST OF IMPAIRED WATER BODIES? (The 303(d) list of impaired waters and TMDL stream segments may be found on MDEQ's web site: http://www.deq.state.ms.us/MDEQ.nsf/page/TWB_Total_Maximum_Daily_Lond_Section) HAS A TMDL BEEN ESTABLISHED FOR THE RECEIVING STREAM SEGMENT? ARE THERE RECREATIONAL STREAMS, PRIVATE/PUBLIC PONDS OR LAKES WITHIN ½ MILE DOWNSTREAM OF PROJECT BOUNDRY THAT MAY BE IMPACTED BY THE CONSTRUCTION ACTIVITY? EXISTING DATA DESCRIBING THE SOIL (for linear projects please describe in SWPPP) WILL FLOCCULANTS BE USED TO TREAT TURBIDITY IN STORM WATER? IF YES, INDICATE THE TYPE OF FLOCCULANT. ANIONIC POLYACRYLIC OTHER	minutes 52 seePS YES YES YES YES YES YES YES MIDE (PAM)	vonds ✓ NO □ NO □ NO □ NO

¹Acreage for subdivision development includes areas disturbed by construction of roads, utilities and drainage. Additionally, a housesite of at least 10,000 ft² per lot (entire lot, if smaller) shall be included in calculating acreage disturbed.

DOCUMENTATION OF COMPLIANCE WITH OTHER REGULATIONS/REQUIREMENTS

COVERAGE UNDER THIS PERMIT WILL NOT BE GRANTED UNTIL ALL OTHER REQUIRED MDEQ PERMITS AND APPROVALS ARE SATISFACTORILY ADDRESSED

IS LCNOI FOR A FACILITY THAT WILL REQUIRE OTHER PERMITS?	YES	✓ NO			
IF YES, CHECK ALL THAT APPLY: AIR HAZARDOUS WASTE	PRETREAT	IMENT			
■ WATER STATE OPERATING ■ INDIVIDUAL NPDES	OTHER:				
IS THE PROJECT REROUTING, FILLING OR CROSSING A WATER CONVEYAND OF ANY KIND? (If yes, contact the U.S. Army Corps of Engineers' Regulatory Branch & permitting requirements.)		✓ NO			
IF THE PROJECT REQUIRES A CORPS OF ENGINEER SECTION 404 PERMIT, PRODOCUMENTATION THAT:	OVIDE APPROP	RIATE			
 The project has been approved by individual permit, or 					
 The work will be covered by a nationwide permit and NO NOTIFICATION to the 	Corps is required.	, or			
The work will be covered by a nationwide or general permit and NOTIFICATION	to the Corps is re	quired			
IS A LAKE REQUIRING THE CONSTRUCTION OF A DAM BEING PROPOSED? (If yes, provide appropriate approval documentation from MDEQ Office of Land and Water, Dam Safety.)	☐ YES	✓ NO			
IF THE PROJECT IS A SUBDIVISION OR A COMMERCIAL DEVELOPMENT, HOW BE DISPOSED? Check one of the following and attach the pertinent documents.	W WILL SANITA	RY SEWAGE			
Existing Municipal or Commercial System. Please attach plans and specifications in associated "Information Regarding Proposed Wastewater Projects" form or appropriate that the five and Stone Counties. If the plans and specification of LCNOI submittal, MDEQ will accept written acknowledgement from official(s) is collection and treatment that the flows generated from the proposed project can an properly. The letter must include the estimated flow.	val from County U ons can not be pro- responsible for wa	tility Authority in ovided at the time stewater			
Collection and Treatment System will be Constructed. Please attach a copy of the cover of the NPDES discharge permit from MDEQ or indicate the date the application was submitted to MDEQ (Date:)					
Individual Onsite Wastewater Disposal Systems for Subdivisions Less than 35 Lots. Please attach a copy of the Letter of General Acceptance from the Mississippi State Department of Health or certification from a registered professional engineer that the platted lots should support individual onsite wastewater disposal systems.					
Individual Onsite Wastewate: Disposal Systems for Subdivisious Greater tran 35 L feasibility of installing a central sewage collection and treatment system must be made response from MDEQ concerning the feasibility study must be attached. If a central so to feasible, then please attach a copy of the Letter of General Acceptance from the certification from a registered professional engineer that the platted lots should supposal systems.	ide by MDEQ. A al collection and w he State Departm	copy of the vastewater system ent of Health or			
INDICATE ANY LOCAL STORM WATER ORDINANCE WITH WHICH THE PROJECTION OF THE PROJECTION	ECT MUST COM	PLY:			
City of Richland, Ms	· · · · · · · · · · · · · · · · · · ·				

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Signature of Applicant' (owner or prime contractor)

2 - 18 - 15 Date Signed

Printed Name

President

¹This application shall be signed as follows:

- For a corporation, by a responsible corporate officer.
- For a partnership, by a general partner.
- For a sole proprietorship, by the proprietor.
- For a municipal, state or other public facility, by principal executive officer, mayor, or ranking elected official.

Please submit the LCNOI form to:

Chief, Environmental Permits Division MS Department of Environmental Quality, Office of Pollution Control P.O. Box 2261 Jackson, Mississippi 39225