



WIDEO

LARGE CONSTRUCTION NOTICE OF INTENT (LCNOI) FOR COVERAGE UNDER THE LARGE CONSTRUCTION STORM WATER GENERAL NPDES PERMIT MSR10 6 9 5 5

(NUMBER TO BE ASSIGNED BY STATE)

INSTRUCTIONS

The Large Construction Notice of Intent (LCNOI) is for coverage under the Large Construction General Permit for land disturbing activities of five (5) acres or greater; or for land disturbing activities, which are part of a larger common plan of development or sale that are initially less than five (5) acres but will ultimately disturb five (5) or more acres. Applicant must be the owner or operator. For construction activities, the operator is typically the prime contractor. The owner(s) of the property and the prime contractor associated with regulated construction activity on the property have joint and several responsibility for compliance with the Large Construction Storm Water General Permit MSR10.

Completed LCNOIs should be filed at least thirty (30) days prior to the commencement of construction. Discharge of storm water from large construction activities without written notification of coverage is a violation of state law.

Submittals with this LCNOI must include:

- · A site-specific Storm Water Pollution Prevention Plan (SWPPP) developed in accordance with ACT5 of the General Permit
- · A detailed site-specific scaled drawing showing the property layout and the features outlined in ACT5 of the General Permit
- A United States Geological Survey (USGS) quadrangle map or photocopy, extending at least one-half mile beyond the facility property
 boundaries with the site location and outfalls outlined or highlighted. The name of the quadrangle map must be shown on all copies.
 Quadrangle maps can be obtained from the MDEQ, Office of Geology at 601-961-5523.

Additional submittals may include the following, if applicable:

- Appropriate Section 404 documentation from U.S. Army Corps of Engineers
- · Appropriate documentation concerning future disposal of sanitary sewage and sewage collection system construction
- · Appropriate documentation from the MDEQ Office of Land & Water concerning dam construction and low flow requirements
- · Approval from County Utility Authority in Hancock, Harrison, Jackson, Pearl River and Stone Counties

All QUESTIONS MUST BE ANSWERED (Answer "NA" if the question is not applicable)

APPLICANT IS THE:	☑ OWNER	☑ PRIME CONTRACTOR	(Must check one or both)			
OWNER INFORMATION						
OWNER CONTACT PERSON	: Joe H. Campbell					
OWNER COMPANY NAME:	Delta Constructor	s, Inc.				
OWNER STREET OR P.O. BO	X: 1977 Flowood	Dr.				
OWNER CITY: Flowood		STATE: Ms	ZIP: 39232			
OWNER PHONE # (INCLUDI	E AREA CODE):					
	PRIME CO	NTRACTOR INFORMATION				
PRIME CONTRACTOR CON	TACT PERSON: Sa	ame as Owner				
PRIME CONTRACTOR COM	IPANY:					
PRIME CONTRACTOR STRI	EET OR P.O. BOX:					
		STATE:				
		EA CODE):				

PROJECT INFORMATION

PROJECT NAME: Fill Disposal Areas for Delta Constructors, Inc.		
FOTAL ACREAGE THAT WILL BE DISTURBED 1: 5.0		
S THIS PART OF A LARGER COMMON PLAN OF DEVELOPMENT? F YES, NAME OF LARGER COMMON PLAN OF DEVELOPMENT: N/A	YES	✓ NO
AND PERMIT COVERAGE NUMBER	R:	
DESCRIPTION OF CONSTRUCTION ACTIVITY: Fill to establish auxiliary equipment area PROPOSED DESCRIPTION OF PROPERTY USE AFTER CONSTRUCTION HAS BEEN		
tandard industrial classification code (SIC) if known):		
	SIC Code	
PHYSICAL SITE ADDRESS (If the physical address is not available indicate the nearest nandicate the beginning of the project and identify all counties the project traverses.) STREET: 1977 Flowood Drive	med road. For l	linear project
CITY: Flowood COUNTY: Rankin	710	20222
LATITUDE: 32 degrees 19 minutes 09 seconds LONGITUDE: 90 degrees 07 LAT & LONG DATA SOURCE (GPS (Please GPS Project Entrance/Start Point) or Map Interpolation):	minutes 49 se	econds
LATITUDE: 32 degrees 19 minutes 09 seconds LONGITUDE: 90 degrees 07 LAT & LONG DATA SOURCE (GPS (Please GPS Project Entrance/Start Point) or Map Interpolation): 1 NEAREST NAMED RECEIVING STREAM: Pearl River S RECEIVING STREAM ON MISSISSIPPI'S 303(d) LIST OF IMPAIRED WATER BODIES? (The 303(d) list of impaired waters and TMDL stream segments may be found on MDEQ's web site:	minutes 49 se	econds
ATITUDE: 32 degrees 19 minutes 09 seconds LONGITUDE: 90 degrees 07 LAT & LONG DATA SOURCE (GPS (Please GPS Project Entrance/Start Point) or Map Interpolation): 1 NEAREST NAMED RECEIVING STREAM: Pearl River S RECEIVING STREAM ON MISSISSIPPI'S 303(d) LIST OF IMPAIRED WATER BODIES? (The 303(d) list of impaired waters and TMDL stream segments may be found on MDEQ's web site: ttp://www.deq.state.ms.us/MDEQ.nsf/page/TWB_Total_Maximum_Daily_Load_Section)	minutes 49 se	econds
LATITUDE: 32 degrees 19 minutes 09 seconds LONGITUDE: 90 degrees 07 LAT & LONG DATA SOURCE (GPS (Please GPS Project Entrance/Start Point) or Map Interpolation): 1 NEAREST NAMED RECEIVING STREAM: Pearl River S RECEIVING STREAM ON MISSISSIPPI'S 303(d) LIST OF IMPAIRED WATER BODIES? (The 303(d) list of impaired waters and TMDL stream segments may be found on MDEQ's web site: http://www.deq.state.ms.us/MDEQ.nst/page/TWB_Total_Maximum_Daily_Load_Section) HAS A TMDL BEEN ESTABLISHED FOR THE RECEIVING STREAM SEGMENT? ARE THERE RECREATIONAL STREAMS, PRIVATE/PUBLIC PONDS OR LAKES WITHIN 1/2 MILE DOWNSTREAM OF PROJECT BOUNDRY THAT MAY BE	minutes 49 se	econds ion
LATITUDE: 32 degrees 19 minutes 09 seconds LONGITUDE: 90 degrees 07 LAT & LONG DATA SOURCE (GPS (Please GPS Project Entrance/Start Point) or Map Interpolation): 1 NEAREST NAMED RECEIVING STREAM: Pearl River S RECEIVING STREAM ON MISSISSIPPI'S 303(d) LIST OF IMPAIRED WATER BODIES? (The 303(d) list of impaired waters and TMDL stream segments may be found on MDEQ's web site: http://www.deq.state.ms.us/MDEQ.nsf/page/TWB_Total_Maximum_Daily_Load_Section) HAS A TMDL BEEN ESTABLISHED FOR THE RECEIVING STREAM SEGMENT? ARE THERE RECREATIONAL STREAMS, PRIVATE/PUBLIC PONDS OR LAKES WITHIN 1/2 MILE DOWNSTREAM OF PROJECT BOUNDRY THAT MAY BE MPACTED BY THE CONSTRUCTION ACTIVITY?	minutes 49 so Map Interpolati YES YES YES YES	econds ion NO NO
LATITUDE: 32 degrees 19 minutes 09 seconds LONGITUDE: 90 degrees 07 LAT & LONG DATA SOURCE (GPS (Please GPS Project Entrance/Start Point) or Map Interpolation): 1 NEAREST NAMED RECEIVING STREAM: Pearl River S RECEIVING STREAM ON MISSISSIPPI'S 303(d) LIST OF IMPAIRED WATER BODIES? (The 303(d) list of impaired waters and TMDL stream segments may be found on MDEQ's web site: ttp://www.deq.state.ms.us/MDEQ.nsf/page/TWB_Total_Maximum_Daily_Load_Section) HAS A TMDL BEEN ESTABLISHED FOR THE RECEIVING STREAM SEGMENT? ARE THERE RECREATIONAL STREAMS, PRIVATE/PUBLIC PONDS OR LAKES WITHIN ½ MILE DOWNSTREAM OF PROJECT BOUNDRY THAT MAY BE MPACTED BY THE CONSTRUCTION ACTIVITY? EXISTING DATA DESCRIBING THE SOIL (for linear projects please describe in SWPPF)	minutes 49 so Map Interpolati YES YES YES YES	econds ion NO NO
LATITUDE: 32 degrees 19 minutes 09 seconds LONGITUDE: 90 degrees 07 LAT & LONG DATA SOURCE (GPS (Please GPS Project Entrance/Start Point) or Map Interpolation): 1 NEAREST NAMED RECEIVING STREAM: Pearl River S RECEIVING STREAM ON MISSISSIPPI'S 303(d) LIST OF IMPAIRED WATER BODIES? (The 303(d) list of impaired waters and TMDL stream segments may be found on MDEQ's web site: http://www.deq.state.ms.us/MDEQ.nsf/page/TWB_Total_Maximum_Daily_Load_Section) HAS A TMDL BEEN ESTABLISHED FOR THE RECEIVING STREAM SEGMENT? ARE THERE RECREATIONAL STREAMS, PRIVATE/PUBLIC PONDS OR LAKES WITHIN ½ MILE DOWNSTREAM OF PROJECT BOUNDRY THAT MAY BE MPACTED BY THE CONSTRUCTION ACTIVITY? EXISTING DATA DESCRIBING THE SOIL (for linear projects please describe in SWPPF WILL FLOCCULANTS BE USED TO TREAT TURBIDITY IN STORM WATER?	minutes 49 so Map Interpolati YES YES YES YES YES YES WHEAVY Clay YES	econds On NO NO NO NO
LATITUDE: 32 degrees 19 minutes 09 seconds LONGITUDE: 90 degrees 07 LAT & LONG DATA SOURCE (GPS (Please GPS Project Entrance/Start Point) or Map Interpolation): 1 NEAREST NAMED RECEIVING STREAM: Pearl River (S RECEIVING STREAM ON MISSISSIPPI'S 303(d) LIST OF IMPAIRED WATER BODIES? (The 303(d) list of impaired waters and TMDL stream segments may be found on MDEQ's web site: http://www.deq.state.ms.us/MDEQ.nst/page/TWB_Total_Maximum_Daily_Load_Section) HAS A TMDL BEEN ESTABLISHED FOR THE RECEIVING STREAM SEGMENT? ARE THERE RECREATIONAL STREAMS, PRIVATE/PUBLIC PONDS OR LAKES WITHIN ½ MILE DOWNSTREAM OF PROJECT BOUNDRY THAT MAY BE IMPACTED BY THE CONSTRUCTION ACTIVITY? EXISTING DATA DESCRIBING THE SOIL (for linear projects please describe in SWPPF WILL FLOCCULANTS BE USED TO TREAT TURBIDITY IN STORM WATER? IF YES, INDICATE THE TYPE OF FLOCCULANT. ANIONIC POLYACRYL	minutes 49 so Map Interpolati YES YES YES YES YES YES WHEAVY Clay YES IMIDE (PAM)	econds ion NO NO NO NO
LATITUDE: 32 degrees 19 minutes 09 seconds LONGITUDE: 90 degrees 07 LAT & LONG DATA SOURCE (GPS (Please GPS Project Entrance/Start Point) or Map Interpolation): 1 NEAREST NAMED RECEIVING STREAM: Pearl River S RECEIVING STREAM ON MISSISSIPPI'S 303(d) LIST OF IMPAIRED WATER BODIES? (The 303(d) list of impaired waters and TMDL stream segments may be found on MDEQ's web site: http://www.deq.state.ms.us/MDEQ.nsf/page/TWB_Total_Maximum_Daily_Load_Section) HAS A TMDL BEEN ESTABLISHED FOR THE RECEIVING STREAM SEGMENT? ARE THERE RECREATIONAL STREAMS, PRIVATE/PUBLIC PONDS OR LAKES WITHIN ½ MILE DOWNSTREAM OF PROJECT BOUNDRY THAT MAY BE IMPACTED BY THE CONSTRUCTION ACTIVITY? EXISTING DATA DESCRIBING THE SOIL (for linear projects please describe in SWPPF WILL FLOCCULANTS BE USED TO TREAT TURBIDITY IN STORM WATER? IF YES, INDICATE THE TYPE OF FLOCCULANT. ANIONIC POLYACRYL OTHER	minutes 49 so Map Interpolati YES YES YES YES YES YES WHEAVY Clay YES IMIDE (PAM)	econds ion NO NO NO NO

Acreage for subdivision development includes areas disturbed by construction of roads, utilities and drainage. Additionally, a housesite of at least 10,000 ft² per lot (entire lot, if smaller) shall be included in calculating acreage disturbed.

DOCUMENTATION OF COMPLIANCE WITH OTHER REGULATIONS/REQUIREMENTS

COVERAGE UNDER THIS PERMIT WILL NOT BE GRANTED UNTIL ALL OTHER REQUIRED MDEQ PERMITS AND APPROVALS ARE SATISFACTORILY ADDRESSED

IS LCNOI FOR A FACILITY THAT WILL REQUIRE OTHER PERMITS?	YES	✓ NO
IF YES, CHECK ALL THAT APPLY: AIR HAZARDOUS WASTE	PRETREAT	MENT
■ WATER STATE OPERATING ■ INDIVIDUAL NPDES	OTHER:	
IS THE PROJECT REROUTING, FILLING OR CROSSING A WATER CONVEYANCE OF ANY KIND? (If yes, contact the U.S. Army Corps of Engineers' Regulatory Branch for permitting requirements.)		✓ NO
IF THE PROJECT REQUIRES A CORPS OF ENGINEER SECTION 404 PERMIT, PRODOCUMENTATION THAT:	VIDE APPROP	RIATE
• The project has been approved by individual permit, or		
The work will be covered by a nationwide permit and NO NOTIFICATION to the Co	orps is required,	or
The work will be covered by a nationwide or general permit and NOTIFICATION to	the Corps is req	uired
IS A LAKE REQUIRING THE CONSTRUCTION OF A DAM BEING PROPOSED? (If yes, provide appropriate approval documentation from MDEQ Office of Land and Water, Dam Safety.)	☐ YES	✓ NO
IF THE PROJECT IS A SUBDIVISION OR A COMMERCIAL DEVELOPMENT, HOW BE DISPOSED? Check one of the following and attach the pertinent documents.		
Existing Municipal or Commercial System. Please attach plans and specifications for associated "Information Regarding Proposed Wastewater Projects" form or approva Hancock, Harrison, Jackson, Pearl River and Stone Counties. If the plans and specification of LCNOI submittal, MDEQ will accept written acknowledgement from official(s) recollection and treatment that the flows generated from the proposed project can and properly. The letter must include the estimated flow.	l from County Ut is can not be pro sponsible for was	ility Authority in wided at the time stewater
Collection and Treatment System will be Constructed. Please attach a copy of the covpermit from MDEQ or indicate the date the application was submitted to MDEQ (Date of the constructed).	er of the NPDES	discharge)
Individual Onsite Wastewater Disposal Systems for Subdivisions Less than 35 Lots. For General Acceptance from the Mississippi State Department of Health or certificati engineer that the platted lots should support individual onsite wastewater disposal sy	on from a registe	ppy of the Letter ered professional
Individual Onsite Wastewater Disposal Systems for Subdivisions Greater than 35 Lo feasibility of installing a central sewage collection and treatment system must be mad response from MDEQ concerning the feasibility study must be attached. If a central is not feasible, then please attach a copy of the Letter of General Acceptance from the certification from a registered professional engineer that the platted lots should supp disposal systems.	e by MDEQ. A collection and we State Department	copy of the astewater system ent of Health or
INDICATE ANY LOCAL STORM WATER ORDINANCE WITH WHICH THE PROJECT	T MUST COM	PLY:
City of Flowood, Mississippi		-

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Signature of Applicant¹ (owner or prime contractor)

1-11-15 Date Signed

Joe H. Campbell

Printed Name

President Title

¹This application shall be signed as follows:

- For a corporation, by a responsible corporate officer.
- For a partnership, by a general partner.
- For a sole proprietorship, by the proprietor.
- For a municipal, state or other public facility, by principal executive officer, mayor, or ranking elected official.

Please submit the LCNOI form to:

Chief, Environmental Permits Division

MS Department of Environmental Quality, Office of Pollution Control

P.O. Box 2261

Jackson, Mississippi 39225