

AI #3826

Scott



MISSISSIPPI DEPARTMENT OF  
ENVIRONMENTAL QUALITY

RECEIVED  
SEP 20 2016

MDEQ

# BASELINE STORM WATER GENERAL PERMIT RE-COVERAGE FORM

FOR COVERAGE UNDER MISSISSIPPI'S REISSUED  
BASELINE GENERAL PERMIT MSR00  
GENERAL NPDES COVERAGE NO. MSR00 0 7 6 1

## INSTRUCTIONS

The submittal of this form is required to receive coverage under the reissued Baseline General Permit. This form must be completed and returned to the address printed at the bottom of page 2 within 45 days of the date of the Letter of Instruction for Re-Coverage.

The signatory of this form must be the owner or operator who is the current coverage recipient (i.e., not the environmental consultant). The coverage recipient is responsible for permit compliance.

Re-submittal of the Storm Water Pollution Prevention Plan (SWPPP) is not required, even if amendments must be added to meet new permit conditions. However, amendments to the SWPPP must be submitted with the "Re-Coverage Form" if there has been a change in design, construction, operation, or maintenance of the facility, which may increase the discharge of pollutants to waters of the State or the SWPPP proves to be ineffective in controlling storm water pollutants.

If the facility is out of business or no longer a regulated facility, please request termination of coverage by completing the Request for Termination (RFT) Form found in the Baseline Forms Package. Facilities that continue to discharge wastewater without applicable permit coverage are in violation of state law.

Do not submit this form if submitting a "Request for Termination" (RFT).

Do not submit this form if submitting a "No Exposure Certification."

**ALL FORM BLANKS MUST BE COMPLETED** (enter "NA" if not applicable).

The Certificate of Coverage should be mailed to: ☒ owner/operator ☐ facility (please check one)

## COVERAGE RECIPIENT INFORMATION

CONTACT NAME & POSITION: George Donald, Vice President

COMPANY NAME: Charles Donald Pulpwood, Inc.

STREET OR P.O. BOX: P.O. Drawer 398

CITY: Port Gibson

STATE: MS

ZIP: 39150

PHONE NUMBER (601) 940-3466

EMAIL: donald20bellsouth.net

## FACILITY INFORMATION

FACILITY NAME: Charles Donald Pulpwood Inc., Russum Woodyard (AI# 3826)

CONTACT NAME & POSITION: George Donald, Vice President

CONTACT PHONE NUMBER (601) 940-3466 EMAIL: donald20@bellsouth.net

PRIMARY STANDARD INDUSTRIAL CLASSIFICATION (SIC) CODE & DESCRIPTION OF INDUSTRIAL ACTIVITY:

2 4 1 1 Logging

PHYSICAL SITE ADDRESS: STREET: 1024 Noble Street

CITY: Russum (Port Gibson) COUNTY: Claiborne ZIP: 39150

PROVIDE THE COORDINATES OF THE PLANT ENTRANCE:

LATITUDE: 31 degrees 52 minutes 32.5 seconds LONGITUDE: -91 degrees 0 minutes 38.2 seconds

NEAREST NAMED RECEIVING STREAM FOR STORM WATER LEAVING THE SITE: Baker's Creek

IS RECEIVING STREAM ON MDEQ's 303(d) LIST? ☐ YES ☒ NO

HAS A TMDL BEEN ESTABLISHED FOR THE RECEIVING STREAM SEGMENT? ☐ YES ☒ NO

## STORM WATER POLLUTION PREVENTION PLAN (SWPPP)

1. IS A COPY OF THE SWPPP AT THE PERMITTED SITE? ☒ YES ☐ NO

2. IS THE SWPPP UP-TO-DATE AND EFFECTIVE IN CONTROLLING STORM WATER POLLUTANTS? ☒ YES ☐ NO  
IF NO, PLEASE ATTACH REQUIRED SWPPP AMENDMENTS (see Instructions on front page).

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

I further certify that I understand when coverage is terminated the facility is no longer authorized to discharge storm water associated with industrial activity under this general permit. I understand that discharging pollutants in storm water associated with industrial activity to waters of the state without NPDES coverage is in violation of state law.

  
Signature<sup>1</sup>

9/19/16  
Date

George Donald  
Printed Name<sup>1</sup>

Vice President  
Title

<sup>1</sup>This form shall be signed according to ACT14, T-9 of the General Permit, as follows:

- For a corporation, by a responsible corporate officer.
- For a partnership, by a general partner.
- For a sole proprietorship, by the proprietor.
- For a municipal, state or other public facility, by principal executive officer, mayor, or ranking elected official.

After signing please mail to: Chief, Environmental Permits Division,  
MS Department of Environmental Quality, Office of Pollution Control  
P.O. Box 2261  
Jackson, Mississippi 39225



September 19, 2016

Mr. Scott Hodges, P.E.  
Environmental Permits Division  
MS Dept. of Environmental Quality  
P.O. Box 2261  
Jackson, MS 39225

RECEIVED  
SEP 20 2016  
Dept. of Environmental Quality

**RE: Baseline Storm Water General Permit Re-Coverage Form  
Charles Donald Pulpwood, Inc., Russum Woodyard (AI# 3826)  
General NPDES Coverage No. MSR000761  
Russum, Mississippi**

Dear Scott:

Enclosed you will find a Baseline Storm Water General Permit Re-Coverage Form, signed by my client, Mr. George Donald, Vice-President of Charles Donald Pulpwood, Inc. for the woodyard in Russum, Mississippi.

PPM Consultants, Inc. is working with Charles Donald Pulpwood, Inc. to evaluate current operations at all of their woodyards to ensure compliance with applicable rules and regulations and to determine cost-effective environmental strategies for their business.

If you have any questions or need additional information, please contact me at 601.953.2564.

Sincerely,  
PPM Consultants, Inc.

Jere (Trey) Hess, P.E.

cc: George Donald, Charles Donald Pulpwood, Inc.

Enclosure