

AI #970

RECOVERY

Audra



RECEIVED
APR - 6 2017

Dept. of Environmental Quality

BASELINE NOTICE OF INTENT (BNOI)
FOR COVERAGE UNDER THE BASELINE STORM WATER
GENERAL NPDES PERMIT MSR00 1524
(NUMBER TO BE ASSIGNED BY STATE)

INSTRUCTIONS

Applicant must be the owner or operator (i.e., legal entity that controls the facility's operation, or the plant/site manager, not the environmental consultant). The owner or operator that receives coverage is responsible for permit compliance. File at least 60 days prior to the commencement of the regulated industrial activity.

Submittals with this BNOI must include a Storm Water Pollution Prevention Plan (SWPPP) with the minimum components found in ACTs 5 and 6 of the Baseline Storm Water General Permit. In addition, a United States Geological Survey (USGS) quadrangle map (or a copy) showing site location and extending at least 1/2 mile beyond the site's property boundary is required. If a copy is submitted, provide the name of the quadrangle map that is found in the upper right hand corner. Maps can be obtained from the MDEQ, Office of Geology at 601-961-5523.

ALL FORM BLANKS MUST BE COMPLETED (enter "NA" if not applicable)

THE APPLICANT IS: OWNER OPERATOR (PLEASE CHECK ONE OR BOTH)

OWNER INFORMATION

Owner Contact Name: MIKE MCCARDLE Position: PLANT MANAGER

Owner Company Name: AXIALL, A WESTLAKE COMPANY

Owner Street (P.O. Box): 210 INDUSTRIAL DRIVE

Owner City: MADISON State: MS Zip: 39110

Owner Phone Number: (601) 206-3222 Owner Email: MIKE.MCCARDLE@AXIALL.COM

OPERATOR INFORMATION (if different than owner)

Operator Contact Name: _____ Position: _____

Operator Company Name: _____

Operator Street (P.O. Box): _____

Operator City: _____ State: _____ Zip: _____

Operator Phone Number: (____) _____ Operator Email: _____

FACILITY INFORMATION

Facility Name: AXIALL - MADISON

Nature of Business (Include 4-digit Standard Industrial Classification Code (SIC) and description):

SIC Code: 3 0 8 7 Custom Compounding of Purchased Plastics Resins

Receiving Stream: BEAR CREEK

Is receiving stream on MDEQ's 303(d) List?

Yes No

Has a TMDL been established for the receiving stream segment?

Yes No

Physical Site Address:

Street: 210 INDUSTRIAL PARK City: MADISON

County: MADISON Zip: 39077

Latitude: 32 degrees 31 minutes 16 seconds Longitude: 90 degrees 5 minutes 36 seconds

Method Used to Determine Lat & Long (GPS of plant entrance) or Map Interpolation): GPS

Attach a copy of any existing laboratory data for each storm water outfall. If multiple sampling has been performed, provide a summary for each parameter, including sampling dates and the minimum, average and maximum values.

Is this a SARA Title III, Section 313 facility utilizing water priority chemicals at threshold amounts? Yes No
If yes, please attach a list of water priority chemicals present at the facility.

**DOCUMENTATION OF COMPLIANCE WITH OTHER
REGULATIONS/REQUIREMENTS**

Is this notice for a facility that will require other permits? Yes No

If yes, check which one(s): Air, Hazardous Waste, Pretreatment, Water State Operating,
 Individual NPDES, or list Other(s):

MSR000100305

How will sanitary sewage be collected and treated? LOCAL SANITARY SEWER SYSTEM

Indicate any local storm water ordinance with which the facility must comply and submit any documentation of approval.


N/A

Is treatment of storm water provided at any outfall? Yes No

If yes, please describe: N/A

CERTIFICATION

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.


Signature (Must be signed by operator when different than owner)

4/4/17
Date Signed

JAMES M MCCARDLE
Printed Name¹

MANAGER - UNIT II
Title

¹This application shall be signed according to the General Permit, ACT 14, T-9, as follows:

- For a corporation, by a responsible corporate officer.
- For a partnership, by a general partner.
- For a sole proprietorship, by the proprietor.
- For a municipal, state or other public facility, by principal executive officer, the mayor, or ranking elected official.

After signing please mail to:

Chief, Environmental Permits Division
MS Department of Environmental Quality, Office of Pollution Control
P.O. Box 2261
Jackson, MS 39225



715 Highway 25 South, P. O. Box 91
Aberdeen, MS 39730

April 5, 2017

Mr. Samar Patel
EPD/Chemical Branch
Mississippi Department of Environmental Quality
PO Box 2261
Jackson, MS 39225

RECEIVED
APR - 6 2017
Dept. of Environmental Quality

RE: BNOI Recoverage Forms
Axiall, A Westlake Company
AI 970 & 16314

Per our discussion, please find enclosed the BNOI for recoverage under the Baseline General Stormwater Permit for the two above referenced Axiall locations.

If you require additional information or if there are any questions or concerns please contact me at (662) 369-3590.

Sincerely,

A handwritten signature in black ink, appearing to read "D. Scott Mills".

D. Scott Mills, P.E., BCEE
Environmental Engineer
Axiall, A Westlake Company

Attachments: AI 970 – GALLMAN BNOI
AI 16314 – MADISON BNOI