

AI # 73261
GMP 20180001



MISSISSIPPI DEPARTMENT OF ENVIRONMENTAL QUALITY

RECEIVED
FEB 22 2018
Dept. of Environmental Quality

WET DECK LOG SPRAY WITH RECIRCULATION NOTICE OF INTENT

FOR COVERAGE UNDER WET DECK LOG SPRAY WITH RE-CIRCULATION

GENERAL NPDES PERMIT MSG17 0108

(NUMBER TO BE ASSIGNED BY STATE)

FILE AT LEAST 30 DAYS PRIOR TO THE COMMENCEMENT OF THE REGULATED INDUSTRIAL ACTIVITY

INSTRUCTIONS

Submittals with this Notice of Intent (NOI) must include an United States Geological Survey (USGS) quadrangle map (or a copy) showing site location and extending at least 1/2 mile beyond the site's property boundary and a drawing showing the dimensions of the wet deck recirculation pond(s) and the timber wet storage area(s). Maps can be obtained from the MDEQ, Office of Geology at 601-961-5523.

For new or expanding facilities, detailed plans and specifications must be submitted for the wet deck log spray recirculation pond(s) by a registered Professional Engineer. Also, contiguous landowner notification forms, the proof of publication in a local newspaper, and the acceptance letter from a local library must also be provided as outlined in Activity 4, Conditions S-2 and S-3 of the general permit.

As part of this NOI, if applicable, all previously approved boiler chemical additive approval notifications must be submitted. At a minimum, the exact name of the chemical, the date of the facility's notification submittal, and MDEQ's approval letter must be provided.

If the company seeking permit coverage is a corporation, a limited liability company, a partnership, or a business trust, then attach proof of its registration with the Mississippi Secretary of State and/or its Certificate of Good Standing. This registration or Certificate of Good Standing must be dated within twelve (12) months of the date of this submittal. Coverage will be issued to the company name as it is registered with the Mississippi Secretary of State.

ALL INFORMATION REQUESTS MUST BE ANSWERED (answer "NA" if not applicable)

THE APPLICANT IS OWNER OR OPERATOR? (CHECK ONE OR BOTH)

OWNER INFORMATION

Owner Contact Name & Position: George A. Bowman
Owner Company Name: Bowman Timber
Owner Street or (P.O. Box): 4062 Louisville Road
Owner City: Sturgis State: MS Zip: 39769
Owner Phone Number (Include Area Code): office 662-465-8879
cell 662-285-8166

OPERATOR INFORMATION (if different than owner)

Operator Contact Name & Position: _____

Operator Company: _____

Operator Street (P.O. Box): _____

Operator City: _____ State: _____ Zip: _____

Operator Phone Number (Include Area Code): _____

FACILITY INFORMATION

Facility Name: Bowman Timber Wood Yard

Nature of Business (Include 4 - digit Standard Industrial Classification Code (SIC) and description):

SIC Code: 2448

Physical Site Address (if not available indicate the nearest named road):

Street: 150 EAST WYNT Road City: ACKERMANN

County: Choctaw Zip: 39735

Geographic Position:

Latitude: degrees minutes seconds 33.335

Longitude: degrees minutes seconds 89.121

EXHIBIT A

Land

COMMENCING AT THE NORTHEAST CORNER OF THE NORTHEAST 1/4 OF THE SOUTHEAST 1/4 OF SECTION 15, TOWNSHIP 17 NORTH, RANGE 11 EAST, CHOCTAW COUNTY, MISSISSIPPI, RUN SOUTH 00° - 07' EAST ALONG THE EAST LINE OF SECTION 15, 122.40 FEET TO A POINT ON THE SOUTH RIGHT-OF-WAY LINE OF THE MID-SOUTH RAILROAD AND THE POINT OF BEGINNING, THENCE RUN NORTH 57° - 28' - 10" WEST ALONG THE SOUTH RIGHT-OF-WAY LINE OF SAID RAILROAD, 889.35 FEET TO THE POINT OF CURVATURE OF A CURVE TO THE LEFT, THENCE RUN WESTWARDLY ALONG THE ARC OF THE CURVE, SAID CURVE HAVING A DELTA ANGEL OF 26° - 43' - 30" AND A RADIUS OF 1866.38 FEET, A DISTANCE OF 870.47 FEET TO THE POINT OF TANGENCY OF SAID RAILROAD, THENCE RUN NORTH 84° - 11' - 20" WEST ALONG THE SOUTH RIGHT-OF-WAY LINE OF SAID RAILROAD, 298.5 FEET TO A POINT IN THE CENTERLINE OF A CREEK, THENCE RUN SOUTHWARDLY AND EASTWARDLY ALONG THE CENTERLINE OF SAID CREEK, 3218 FEET, MORE OR LESS, TO A POINT WHERE THE CENTERLINE OF SAID CREEK INTERSECTS THE EAST LINE OF SECTION 15, THENCE RUN NORTH 00° - 07' WEST ALONG THE EAST LINE OF SAID SECTION 15, A DISTANCE OF 1061 FEET, MORE OR LESS, TO THE POINT OF BEGINNING AND CONTAINING 52.1 ACRES MORE OR LESS.

WET DECK LOG SPRAY RECIRCULATION SYSTEM INFORMATION

How many outfalls/release points are eligible for coverage? _____

Siting Criteria (For New Construction Only):

MDEQ considers wet deck log spray recirculation systems to be wastewater treatment systems. According to the "State of Mississippi Wastewater Regulations", wastewater treatment systems must be 150 feet from the nearest adjoin property line unless the property is zoned for commercial or industrial use or is being used as such.

Will the pond(s) and timber wet storage area(s) meet the siting criteria: Yes No

If no, is adjoining property zoned for commercial or industrial use or being used as such? Yes No

If siting criteria cannot be met, please complete a Property Line Buffer Zone Waiver Form. This form can be found on MDEQ's website at MDEQ – Timber and Wood Products Branch webpage or can be obtained from MDEQ Environmental Permits Division by calling (601) 961-5623.

Geographic Position for outfall(s) from Wet Deck Log Spray Recirculation Pond(s)(If the applicant has more than one outfall/release point eligible for coverage, please use the space to the right.):

Latitude: degrees minutes seconds

Longitude: degrees minutes seconds

Receiving Stream(s) (If more than one outfall is covered, indicate the respective receiving stream for each outfall.):

**DOCUMENTATION OF COMPLIANCE WITH OTHER
REGULATIONS/REQUIREMENTS**


Is this notice for a facility that will require other permits? Yes No If yes, circle which one(s): Air, Hazardous Waste, Pretreatment, Water State Operating, Individual NPDES, or Other(s):

How will sanitary sewage be collected and treated? N/A

Will the facility route boiler blowdown, exterior equipment or exterior vehicle washwater, or any other type wastewater to the wet deck log spray recirculation pond(s)? Yes No If yes, please indicate in gallons per day the volume of each wastestream. (Please be aware that facilities which route exterior equipment or exterior vehicle washwater where detergents or other chemicals are being used are not eligible to obtain coverage under this general permit.):

CERTIFICATION

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.


Signature¹ (Must be signed by operator when different than owner)

02/19/18
Date Signed

George A. Bowman
Printed Name¹

President
Title

¹This form shall be signed by the current coverage recipient according to ACT6, T-30 of the General Permit.

After signing please mail to: Environmental Permits Division, Office of Pollution Control
P.O. Box 2261
Jackson, MS 39225-2261



DELBERT HOSEMANN
Secretary of State

This is not an official certificate of good standing.

Name History

Name

BOWMAN TIMBER CO., INC.

Name Type

Legal

Business Information

Business Type:

Profit Corporation

Business ID:

658404

Status:

Good Standing

Effective Date:

07/03/1998

State of Incorporation:

Mississippi

Principal Office Address:

234 East Main Street
Ackerman, MS 39735

Registered Agent

Name

GEORGE A BOWMAN
234 E MAIN ST, P O BOX 246
ACKERMAN, MS 39735-27

Officers & Directors

Name

Title

George Allen Bowman
419 Main St, Po Box 27
Weir, MS 39772-27

Incorporator

4062 Louisville Rd
Storgis, MS 39769

Ⓢ

George Allen Bowman
428 Main St
Weir, MS 39772-27

Director, President

SAME ADDRESS

Ⓢ

Les Miles
535 Lincoln Drive
Starkville, MS 39759

Assistant Treasurer, Other