

AI #24204



RECEIVED

MAY 21 2018

Dept. of Environmental Quality

RE-COVERAGE FORM

MINING STORM WATER, DEWATERING AND NO DISCHARGE GENERAL PERMIT

GENERAL PERMIT: MSR32 2127. This coverage number must be completed for the referenced mining activity or this form will be considered incomplete and will be returned. The coverage number can be found at the bottom left corner of your previous Certificate of Coverage.

The submittal of this form is required to receive coverage under the reissued Mining Storm Water, Dewatering and No Discharge General Permit. This form must be completed and returned to MDEQ at the address printed at the bottom of this form within 30 days of the date of the Letter of Instruction for Re-Coverage.

Please indicate the activities to be covered by this Re-Coverage Form (check all that apply).

☒ Storm Water Discharges Associated with Mining ☐ Mine Dewatering

☐ Wastewater Recirculation System with No Discharge

The appropriate section of this form must be completed if the applicant proposes to operate a wastewater recirculation system with no discharge and/or discharge impounded mine water (dewatering).

If the company seeking coverage is a corporation, a limited liability company, a partnership, or a business trust, attach proof of its registration with the Mississippi Secretary of State and/or its Certificate of Good Standing. This registration or Certificate of Good Standing must be dated within twelve (12) months of the date of the submittal of this coverage form. Coverage will be issued in the company name as it is registered with the Mississippi Secretary of State.

ALL INFORMATION MUST BE COMPLETED (indicate "N/A" where not applicable)

APPLICANT INFORMATION

APPLICANT IS THE ☒ OWNER ☒ OPERATOR (Must check one or both)

OPERATOR CONTACT PERSON: Kyle J. Cassagne

OPERATOR COMPANY NAME: JLB Contractors, LLC

OPERATOR STREET OR P. O. BOX: 21294 Johnson Road

OPERATOR CITY: Long Beach STATE: MS ZIP: 39560

OPERATOR PHONE #: (228) 863-0303 x6 OPERATOR EMAIL: kyle@jlb-co.com

OWNER CONTACT PERSON: James E. Levens, III

OWNER COMPANY: J. Levens Builders, Inc.

OWNER STREET OR P. O. BOX: P.O. Box 779

OWNER CITY: Long Beach STATE: MS ZIP: 39560

OWNER PHONE #: (228) 863-0303 x7 OWNER EMAIL: jlevens@jlb-co.com

IF CHECKED YES TO MINE DEWATERING, FILL OUT BELOW

IS MINE COVERED UNDER VALID NPDES DISCHARGE PERMIT FOR MINE DEWATERING?

☐ YES


☐ NO

PERMIT NO. MS _____

ESTIMATED DEWATERING VOLUME: _____ (GAL/DAY)

NAME AND ADDRESS OF THE RECIPIENT OF THE DISCHARGE MONITORING REPORTS (DMRs), IF DIFFERENT FROM SIGNATORY:

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.


Authorized Signature¹

5/15/18
Date

Kyle J. Cassagne
Printed Name

Managing Member / Owner
Title

¹This application shall be signed according to the General Permit, Act 15, T-4 as follows:

- For a corporation, by a responsible corporate officer.
- For a partnership, by a general partner.
- For a sole proprietorship, by the proprietor.
- For a municipal, state or other public facility, by either a principal executive officer, the mayor, or ranking elected official.
- Duly Authorized Representative

Please submit this form to:

Chief, Environmental Permits Division
MDEQ, Office of Pollution Control
P.O. Box 2261
Jackson, Mississippi 39225



DELBERT HOSEMANN
Secretary of State

Office of the Secretary of State
Jackson, Mississippi

Certificate of Good Standing

I, C. DELBERT HOSEMANN, JR., Secretary of State of the State of Mississippi, and as such, the legal custodian of the records as required by The Mississippi Limited Liability Company Act to be filed in my office do hereby certify:

JLB CONTRACTORS, LLC

Registered the 23rd day of May, 2016

A Mississippi Limited Liability Company has filed the necessary documents in this office and has obtained a certificate of formation under the provisions of The Mississippi Limited Liability Company Act as shown by the records in this office.

That the registered office of said Limited Liability Company is located at:

98 Cedar Place Cove
Long Beach, MS 39560

And that the registered agent at that address is:

Kyle Joseph Cassagne

I further certify that said Limited Liability Company has paid the fees for filing the above papers required by law as shown by the records of this office, and that said Limited Liability Company is in good standing to do business in Mississippi at this time.

Given under my hand and seal of office
the 16th day of May, 2018

A handwritten signature in dark ink that reads "C. Delbert Hosemann, Jr." The signature is written in a cursive style and is positioned above a horizontal line.

C. DELBERT HOSEMANN, JR.
Secretary of State

Certificate Number: CN18052087

Verify this certificate online at <http://corp.sos.ms.gov/corpcnv/verifycertificate.aspx>

EXHIBIT "A"

A parcel of land containing 77.6 acres, more or less, situated in Section 27, 28, 33 & 34 Township 7S, Range 13W, First Judicial District, Harrison County, MS and being all of the land described in dated May 9, 1986 from E. I. Dupont De Nemours and Company to Herbert C. Hanson, Jr., recorded in Vol. 1125 at Page 83 of the deed records of Harrison County, MS with balance of said 77.6 acres, more or less, being the lands described in a deed dated May 25, 1973 from Pat Harrison, Jr., to Herbert C. Hanson, Jr., recorded in Vol. 707 at Page 405 of the deed records of Harrison County, MS.

LESS AND EXCEPT: A lot or parcel of land located in the E 1/2 of the NE 1/4, Section 33, Township 7 South, Range 13 West, Harrison County, Mississippi. Commencing at 4" x 4" concrete marker with a 1/2" rebar in center marking Section Corner 28, 27, 33, 34, Township 7 South, Range 13 West, Harrison County, Mississippi, proceed S 00° 41' 41" W 304.64 feet to a point, said point being on the west right-of-way line of Rail Spur, said point also being on the east property line of Herbert C. Hanson, Jr., said point being the point of beginning; thence S 00° 41' 41" W, 85.08 feet to a point, said point being Rail Spur Centerline Station 162+51.08; thence continuing along said Hanson east boundary line S 00° 41' 41" W, 85.08 feet to a point said point begin on the east right-of-way line of Rail Spur; thence S 36° 41' 09" W 1881.46 feet to a point, said point being the P. T. of a curve thence S 53° 18' 51" E, 50.00 feet to a point; thence continuing along said east right-of-way and a curve to left 753.88 feet (radius of 1332.69 feet, a chord bearing and distance of S 20° 28' 35" W, 744.04 feet) to a point, said point being on the South boundary line of the said Hanson Property; thence N 89° 53' 17" W, 2.86 feet to a point, said point being the SW corner of said Hanson Property; thence N 89° 53' 17" W 2.86 feet to a point, said point being the SW corner of the said Hanson Property; thence N 00° 34' 13" E, 439.80 feet along the West boundary line of the Hanson Property to a point, said point being Rail Spur Centerline Station 139+66; thence continuing along said west boundary line N 00° 34' 13" E, 231.20 feet to a point, said point being on the west right-of-way line of Rail Spur, said point also being on a curve to the right; thence on the west right-of-way and along the curve 174.44 feet (a radius of 1532.69 feet, a chord bearing and distance of N 33° 25' 29" E, 174.38 feet) to a point, said point being the P.T. of a curve; thence S 53° 18' 51" E, 50.00 feet to a point; thence N 36° 41' 09" E, 2019.14 feet to a point, said point being the point of beginning and containing 6.30 acres, more or less.

A parcel of land in the E 1/2 of the NE 1/4 of Section 33, Township 7 South, Range 13 West, Harrison County, Mississippi, more particularly described as follows: Commence at the NE corner of Section 33, T7S, R13W, Harrison County, Mississippi, and run in a southerly direction along the east line of Section 33 a distance of 486.7 feet to the intersection of the South margin of County Railroad ROW, a fence post, the point of beginning; run thence S 33 degrees 27' 17" W along the RR Row 1866.3 feet to a fence post; run thence S 56 degrees 32' 43" E along the RR ROW 50 feet to a fence post; run thence along the arc of a curve in the RR ROW 764.40 feet (chord length: 750.0 feet, S 10 degrees 12' 18" W) to a concrete marker (the SW corner of the E 1/2 of the NW 1/4, Section 33); run thence N 87 degrees 02' 54" E 1328.8 feet to a concrete marker (the SE corner of the E 1/2 of the NW 1/4, Section 33); run thence N 2 degrees 42' 37" W 2231.2 feet to a fence post, the point of beginning. This parcel contains 38.9 acres, more or less, and is a part of the E1/2 of the NE 1/4 of Section 33, T7S, R13W, Harrison County, Mississippi.

Second Parcel: A lot or parcel of located in the SW 1/4 of the SW 1/4, Section 27, Township 7 South, Range 13 West, Harrison County, Mississippi. Commencing at a 4" x 4" concrete marker with a 1/2" rebar in the center marking Section Corner 28, 27, 33, 34, Township 7 South, Range 13 West, Harrison County, Mississippi, proceed S 89° 17' 09" E, 278.89 feet to a point on the north right-of-way line of Rail

4

-4-

Spur, said point being the boundary line of Herbert C. Hanson, Jr., Property, said point also being the point of beginning; thence along said right-of-way and a curve to the right 240.79 feet (a radius of 1196.28 feet, a chord bearing and distance of N 58° 30' 21" E, 240.46 feet) to a point, said point being on the boundary line of Herbert C. Hanson, Jr. Property; thence along said boundary line S 89° 18' 01" E, 124.58 feet a point, said point being Rail Spur Centerline Station 170+62.88; thence continuing along said boundary line S 89° 18' 01" E, 175.04 feet to a point, said point being on the south right-of-way line of Rail Spur; thence along the south right-of-way or Rail Spur and a curve to the left 351.77 feet (a radius of 1096.28 feet; a chord bearing and distance of S 69° 14' 43" W, 350.38 feet) to a point, said point being on the boundary line of Herbert C. Hanson, Jr. Property; thence N 89° 17' 09" W, 92.63 feet along said boundary line to a point, said point being Rail Spur Centerline Station 167+86.98; thence continuing along said boundary line N 89° 17' 09" W, 84.35 feet to a point, said point being the point of beginning and containing 0.65 acres more or less.

MINE INFORMATION

MINE SITE NAME: Vidalia

CONTACT NAME & POSITION: _____

CONTACT PHONE NUMBER: (_____) _____

MINE PHYSICAL SITE ADDRESS (IF NOT AVAILABLE INDICATE NEAREST NAMED ROAD):
STREET: 26126 Pecan Road

CITY: Pass Christian COUNTY: Harrison

ZIP: 39521

ATTACH A USGS QUAD MAP, EXTENDING 1/2 MILE BEYOND FACILITY, OUTLINING THE MINE BOUNDARIES (Maps can be obtained from the Mississippi Office of Geology. For information call 601-961-5523).

NE 1/4 OF NE 1/4 OF SECTION 33, TOWNSHIP 7S, RANGE 13W

LATITUDE: _____ DEGREES _____ MINUTES _____ SECONDS

LONGITUDE: _____ DEGREES _____ MINUTES _____ SECONDS

LAT & LONG DATA SOURCE (GPS (PLEASE GPS ENTRANCE GATE) OR MAP INTERPOLATION): see attached

TOTAL ACREAGE: 77.6 +/- (59 permitted) MATERIAL TO BE MINED: sandy clay / gravel

ESTIMATED START DATE: 2015-06-01
YYYY-MM-DD

ESTIMATED END DATE: 2025-07-20
YYYY-MM-DD

SIC CODE 1442

NAICS CODE 212321

STORM WATER POLLUTION PREVENTION PLAN (SWPPP)

THE GENERAL PERMIT REQUIRES THE SWPPP TO BE ONSITE OR LOCALLY AVAILABLE, UP-TO-DATE AND EFFECTIVE IN CONTROLLING STORM WATER POLLUTANTS. ACCORDINGLY, IN ADDITION TO THE PROJECT'S CURRENT BMPS, TWO (2) SPECIFIC BMPS (SEE BELOW) ARE REQUIRED TO BE IN THE SWPPP.

IS A COPY OF THE SWPPP AT THE PERMITTED SITE OR LOCALLY AVAILABLE?

☒ YES ☐ NO

DOES SWPPP CONTAIN AN UP-TO-DATE ASSESSMENT OF POTENTIAL STORM WATER POLLUTANT SOURCES AND IDENTIFY BMPS TO EFFECTIVELY CONTROL THEM?

☒ YES ☐ NO

IF A SEDIMENTATION BASIN IS A PROJECT BMP, DOES IT DISCHARGE ONLY FROM THE SURFACE OF THE BASIN? IF NO, THE BASIN MUST HAVE A SURFACE DISCHARGE IMMEDIATELY FROM THE DATE OF RECOVERY.

☒ YES or N.A. ☐ NO

IF TRUCK TRAFFIC LEAVES MINING SITE AND MOVES DIRECTLY ONTO PAVED PUBLIC ROAD, IS A CONSTRUCTION EXIT AN INSTALLED BMP? IF NO, A CONSTRUCTION EXIT MUST BE INSTALLED IMMEDIATELY OF THE DATE OF RECOVERY. IF A MINE IS CURRENTLY INACTIVE, BUT IS SUBMITTING A RECOVERY FORM, THE CONSTRUCTION EXIT MUST BE INSTALLED IMMEDIATELY OF THE MINE BECOMING ACTIVE.

☒ YES or N.A. ☐ NO

IS A WASTEWATER RECIRCULATION SYSTEM WITH NO DISCHARGE USED ON THE FACILITY?

☐ YES ☒ NO

IS MINE DEWATERING PRESENT ON SITE?

☐ YES ☒ NO

IF CHECKED YES TO WASTEWATER RECIRCULATION SYSTEM WITH NO DISCHARGE, FILL OUT BELOW

IS MINE COVERED UNDER VALID "NO DISCHARGE" STATE OPERATING PERMIT?

☐ YES ☐ NO

PERMIT NO. MS _____

DISTANCE BETWEEN RECIRCULATION POND(S) AND PROPERTY LINE: _____ (FT)
MUST BE AT LEAST 150 FEET

VOLUME OF RECIRCULATION POND(S): _____

STORAGE CAPACITY OF EACH RECIRCULATION POND: _____ (FT³)