March 15, 2024

Mrs. Becky Simonson, P.E. Water II Branch Manager Environmental Permits Division Mississippi Department of Environmental Quality P.O. Box 2261 Jackson, MS 39225-2261



**EST. 2002** 

Re: Major Modification Form and Updated Storm Water Pollution Prevention Plan

7250 Highway 15

Blue Mountain, Mississippi 38610 (Tippah County)

Permit No. MSR322820

AI: 36521

Dear Mrs. Simonson:

PROFILE Products, LLC (PROFILE) retained Environmental Compliance and Safety, Inc. (ECS) for the expansion of Mine #6, which includes the enclosed Major Modification Form for Mining General Permit and updated Storm Water Pollution Prevention Plan (SWPPP). If you have any questions or concerns regarding the modification or updated SWPPP, please feel free to contact me at (662) 840-5945 or Shane Ward of PROFILE at (662) 228-4167.

Sincerely,

Jennifer Deignan Senior Project Manager

Comor i roject manager

Attachments: Attachment I: Major Modification Form

Attachment II: Updated SWPPP

Cc: Carrie Barefoot, MDEQ

# **ATTACHMENT I**

MAJOR MODIFICATION FORM

AI: 36521

Rec'd via email: 04/18/2024

# MAJOR MODIFICATION FORM FOR MINING GENERAL PERMIT





	NSTRUCTIONS
Coverage recipients shall notify the Mississippi Department of an existing mining activity or modify the all that apply):	artment of Environmental Quality of plans to expand the acreage or ne existing mining operation. This form must be submitted when (check
SWPPP details have been developed and are r mining activity	eady for MDEQ review for subsequent phases of an existing, covered
"Footprint" identified in the original MNOI is topographic map must be submitted)	proposed to be enlarged (a modified SWPPP and an updated USGS
Mine dewatering is proposed	Mine dewatering has been discontinued
Closed loop wash operations are proposed	Closed loop wash operations have been discontinued
discharge storm water associated with proposed ex discharge, under the conditions of the General Permit,	r to coverage being modified. Coverage recipients are authorized to pansions of dewater pits or operate a recirculation system with no only upon receipt of written notification of approval by the corporate a hydraulic dredging operation or a discharge of process ons shall be required.
COVERAGE I	RECIPIENT INFORMATION
COVERAGE RECIPIENT CONTACT PERSON: Shar	ne Ward
COMPANY NAME: PROFILE Products, LLC	
STREET OR P.O. BOX: 7250 Highway 15	
CITY: Blue Mountain	STATE: MS ZIP: 38610
PHONE NUMBER : (662) 685-4741	EMAIL ADDRESS: sward@profileproducts.com
PROJI	ECT INFORMATION
	AL ACREAGE TO BE DISTURBED: 46.41
TOTAL ACREAGE: 105.41	MINE NAME: Mine #6
GEOLOGY APPLICATION/PERMIT NO. P19-015	CITY: Blue Mountain COUNTY: Tippah
with a system designed to assure that qualified personnel inquiry of the person or persons who manage the system	nttachments were prepared under my direction or supervision in accordance properly gathered and evaluated the information submitted. Based on my m, or those persons directly responsible for gathering the information, the d belief, true, accurate and complete. I am aware that there are significant ossibility of fine and imprisonment for knowing violations.    4/15/2024
Chas Goff	Plant Manager
Printed Name	Title
Please submit this form to: Chief, Environmental Pern	nits Division

O.C

Chief, Environmental Permits Division MS Department of Environmental Quality, Office of Pollution Control P.O. Box 2261 Jackson, Mississippi 39225

# **ATTACHMENT II**

UPDATED SWPPP

# MINING STORM WATER POLLUTION PREVENTION PLAN (SWPPP)









PROFILE Products, LLC 7250 Highway 15 North Blue Mountain, Mississippi 38610

POLLUTION PREVENTION PLAN (SWPPP)

Post Office Box 356 | Sherman, Mississippi 38869 Office: (662) 840-5945 | Fax: (662) 840-5965 www.envirocomp.net

## **TABLE OF CONTENTS**

TARI	F OF	CONTENTS	<u>Page</u> ii
170			
REC	ORD O	F REVISIONS	iv
1.0	STO	RM WATER POLLUTION PREVENTION PLAN (SWPPP) CERTIFICATION	1
2.0	STO	RM WATER POLLUTION PREVENTION PLAN OVERVIEW	2
	2.1	Introduction	2
	2.2	General Information	2
	2.3	SWPPP Objectives	3
	2.4	SWPPP Elements	3
3.0	FACI	ILITY INFORMATION	5
	3.1	Site Characteristics	5
	3.2	Process Description	5
	3.3	Site Security	6
	3.4	Site Drainage	6
	3.5	Allowable Non-Storm Water Discharges	
	3.6	Storm Water Outfalls	7
4.0	DES	CRIPTION OF POTENTIAL STORM WATER POLLUTANT SOURCES	9
	4.1	Narrative Description of Significant Materials	9
	4.2	Management Practices and Structural and Nonstructural Controls	9
	4.3	List of Significant Spills or Leaks	10
	4.4	Summary of Existing Storm Water Sampling Data	10
5.0	STO	RM WATER MANAGEMENT MEASURES AND EROSION AND SEDIMENT CONT	ROLS11
	5.1	Good Housekeeping	11
	5.2	Preventive Maintenance	11
	5.3	Spill Prevention and Response	12
	5.4	Routine Visual Inspections	12
	5.5	Employee Training	13
	5.6	Recordkeeping and Internal Reporting Procedures	14
	5.7	Sediment and Erosion Controls	14
	5.8	Storm Water Discharge Limitations	14
6.0	MON	IITORING, RECORDKEEPING, AND REPORTING	15
	6.1	Routine Monitoring and Inspections	15
	6.2	Annual Storm Water Site Inspection Report Form	15
	6.3	SWPPP Update	
	6.4	Annual Inspection Report	15

#### **FIGURES:**

Figure 1: Site Location Map Figure 2: Aerial Site Map

Figure 3: Mines 1, 3, 4, 5 & 6 Facility Diagrams

Figure 4: Sand Pit Facility Diagram

#### **APPENDICES:**

Appendix A: Routine Visual Inspection Form Appendix B: Personnel Training Record Form

Appendix C:

Annual Storm Water Site Inspection Report Form Mining Storm Water, Dewatering, and No Discharge General Permit Appendix D:

## **Record of Revisions**

Revision Date	Reason for Revision	Revised Pages, Tables, Figures, or Appendices	Revision Certification Signature
12/17/2012	Developed SWPPP to comply with Mississippi Mining Storm Water General Permit.	Entire document	Brian Ketchum (ECS)
11/18/2016	Revised SWPPP for the addition of Mine #5. Removed outfall SW001 and added SW004.	Entire document	Jody Lindsey (ECS)
11/27/2018	Updated SWPPP to reflect personnel changes.	Page 1	Caleb James (ECS) Brian Ketchum (ECS)
08/13/2019	Revised SWPPP for the addition of Mine #6 and outfall SW005 and removal of P80-017T and P85-013T from Mine #1.	Entire Document	Caleb James (ECS) Jake Rucker (ECS)
11/14/2019	Revised SWPPP to add outfall SW006 and update site drainage and structural controls.	Pages 2-9, Figure 1, Figure 3, and Appendix A	Caleb James (ECS) Carrie Barefoot (ECS) Jake Rucker (ECS)
11/27/2019	Revised SWPPP to update site drainage and structural controls.	Page 5 and Figure 3	Caleb James (ECS)
12/9/2019	Revised SWPPP to update site characteristics.	Page 4 and Figure 3	Caleb James (ECS)
04/25/2023	Revised SWPPP to update site characteristics and personnel.	Entire Document	Caleb James (ECS) Joseph Davide (ECS)
03/14/2024	Revised SWPPP to reflect expansion of Mine #6.	Pages 1 - 16, Table of Contents, Figure 1, Figure 3, Appendix A	Jennifer Deignan (ECS) Brian Ketchum (ECS)

## 1.0 STORM WATER POLLUTION PREVENTION PLAN (SWPPP) CERTIFICATION

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

12/11	4/15/2024
Signature	Date
Chas Goff	Plant Manager
Name Printed	Title
PROFILE Products, LLC	
Company	

The Storm Water Pollution Prevention Plan (SWPPP) was prepared in accordance with the Mississippi Department of Environmental Quality SWPPP Format and Guidance. The information presented herein constitutes a true and accurate representation of the information, findings, and observations made during the site investigation and preparation of the plan.

Brian Ketchum, P.E.
Principal Engineer
Environmental Compliance & Safety, Inc.

State of Mississippi Registration No. 13372 (Seal)



03/14/2024 Date

#### 2.0 STORM WATER POLLUTION PREVENTION PLAN OVERVIEW

#### 2.1 Introduction

Federal Regulations codified in 40 CFR 122, 123, and 124 require facilities with storm water discharges associated with certain industrial activities to apply for permit coverage in accordance with the National Pollutant Discharge Elimination System (NPDES). PROFILE Products, LLC is located at 7250 Highway 15, Blue Mountain, MS 38610. Facility operations are classified under Standard Classification Code (SIC) Code 1459 (NAICS 212325, Clay, Ceramic, and Refractory Minerals, Not Elsewhere Classified) by mining and processing Montmorillonite Clay, which is identified for coverage in the above-cited federal regulations.

The facility has prepared a Storm Water Pollution Prevention Plan (SWPPP) for exposed operations at the facility. The SWPPP was developed and will be implemented in accordance with the requirements of the Mississippi Department of Environmental Quality (MDEQ) Mining Storm Water, Dewatering, and No Discharge General Permit (hereafter referred to as General Permit) under the NPDES Wastewater Program. The SWPPP identifies potential sources of pollution that may affect the quality of storm water discharges associated with industrial activity, evaluates the risk of storm water discharges from these sources, and presents the management practices that will be used at the facility for minimization of pollutants in storm water discharges.

All reports and certifications required by the General Permit will be signed by a responsible corporate officer (RO) or duly authorized representative (DAR) who has responsibility for the overall facility operations and environmental matters. The SWPPP will be retained on-site at all times and made available upon request to an authorized representative of MDEQ and United States Environmental Protection Agency (USEPA). The SWPPP will be amended whenever there is a change in construction, operation, or maintenance that may affect the discharge of storm water from the site.

#### 2.2 General Information

Site Name		PROFILE Products, LLC			
	ldraaa		•	C 20640	
Physical Ac	auress	7250 Highway 1	5, Blue Mountain, M	5 30010	
Mailing Add	dress	7250 Highway 15, Blue Mountain, MS 38610			
Location (G	SPS):	Latitude:	34° 41′ 13.66″ N	Longitude:	89° 0' 22.70" W
Closest Water Body:		Sand Gully, Bill Creek, Brougher Creek, South Tippah Creek			
Route of Entry:		North to Brougher Creek (Sand Pit, Mine 1), North to Sand Gully (Mine 2 and 4), South to Sand Gully (Mines 3 and 6); West to Bill Creek (Mine 6); North and east to Rushing Branch, then South Tippah Creek (Mine 5)			
SWPPP Contact:		Shane Ward, Environmental, Health, and Safety			
Office:         (662) 685-4741         Cell:         (662) 598-5348         Email:         sward@profileproduct		sward@profileproducts.com			
SW002		Latitude:	34° 41' 7.59" N	Longitude:	89° 1' 41.22" W
SW003		Latitude:	34° 40′ 4.59″ N	Longitude:	89° 0' 13.25" W

SW004	Latitude:	34° 41' 30.38" N <b>Longitude:</b>		89° 1' 38.36" W
SW005	Latitude:	34° 41′ 32.17" N	Longitude:	89° 2' 22.12" W
SW006	Latitude:	34° 41′ 21.41″ N	Longitude:	89° 2' 21.3" W
Is the receiving stream identified on the Section 303(d) List of Impaired Water Bodies?	Yes	Has a TMDL been completed for the receiving stream?		No
Discharge to Municipal Separate Storm Sewer System (MS4)?	No	If yes, name MS4:		N/A

#### 2.3 SWPPP Objectives

The EPA published regulations in November 1990 under the NPDES program with the objective of controlling water pollution associated with storm water discharges. The goal of the storm water program was to improve water quality by reducing the amount of pollutants contained in storm water runoff from industrial sites. Mining facilities subject to the requirements of a NPDES storm water discharge permit must prepare and implement a SWPPP. The objectives of the SWPPP are to:

- □ Identify potential sources of pollution and associated risk, which may affect the quality of storm water discharges;
- □ Describe best management practices (BMPs) and control measures intended to minimize pollutants in the facility's runoff; and
- □ Provide practical guidance for implementing the SWPPP and complying with the terms and conditions of the General Permit.

#### 2.4 SWPPP Elements

In order to meet the requirements of the General Permit, the subsequent sections of the SWPPP contain the following elements:

- □ **Section 3.0: Facility Information -** Describes site characteristics, process description, site security, site drainage, allowable non-storm water discharges, and storm water outfalls.
- □ Section 4.0: Description of Potential Storm Water Pollutant Sources Existing industrial activities and significant materials exposed to storm water are identified and described, as well as, management practices and structural and nonstructural controls, list of significant spills or leaks, and a summary of existing storm water sampling data.
- □ Section 5.0: Storm Water Management Measures and Erosion and Sediment Controls Identifies management measures and controls, inspections, training designed to address conditions and operations present at the facility to reduce pollutants in storm water runoff, recordkeeping and internal reporting procedures, sediment and erosion controls measures, and storm water discharge limitations.
- □ Section 6.0: Monitoring, Recordkeeping, and Reporting Procedures are outlined for conducting the routine site inspections, maintaining records of inspections, monitoring of discharges, implementing updates, and reporting to MDEQ.

	Figures: Includes a Site Location Map, Aerial Site Map, and Facility Diagram with site
_	boundaries, buildings, process and storage areas, storm water outfall locations, and flow directions.
	<b>Appendices:</b> Includes the Routine Visual Inspection Form, a Personnel Training Record Form, Annual Storm Water Site Inspection Report Form, and the General Permit.

#### 3.0 FACILITY INFORMATION

#### 3.1 Site Characteristics

The site consists of a manufacturing facility, six (6) clay surface mines (Mines 1, 2, 3, 4, 5, and 6), and one (1) Sand Pit. Mines 1, 2 and 4 are primarily inactive, while Mines 3, 5, and 6 and the Sand Pit are active. Mines 2 and 4 were previously used for the supply of clay, but have ceased to be productive. Mine 2 has been reclaimed, while Mine 4 is in the process of being reclaimed. Storm water coverage for Mine 2 has been terminated. Surface Mining Permits P80-017T and P85-013T for Mine 1 are no longer active with the Office of Geology. Vegetation is established in these areas. All other mines remain permitted and are active or potentially active.

Mines 3 and 5 are located adjacent and west of County Road 805, approximately 1.5 miles west of the manufacturing plant. Mine 6 is located contiguous and west of Mine 5. One of the inactive mines, Mine 2, is also located in this area, while Mine 1 is located south of the manufacturing plant. The Sand Pit is located slightly more than one (1) mile south of the manufacturing plant. Mine 3 is approximately 41.41 acres in size, while Mine 5 is a 23-acre mine that is located contiguous and north of Mine 3. Mine 6 is approximately 105.41 acres in size, with the expansion from the original 59 acres already permitted. The permitted area for the Sand Pit is approximately 20 acres in size, although only a small portion of that acreage is currently being used. Corners of the mines are marked with permanent vertical posts that are painted to denote the mine boundaries. The boundaries of all Mines and the Sand Pit are shown on Figure 1 – Site Location Map.

Soils in these general areas consist primarily of clay and silt. This type of soil typically produces a moderate amount of runoff. The topography of the property varies, but generally consists of rolling hills. The adjacent properties are used for agricultural and industrial purposes. The site location map, Figure 1, is a topographic map showing the area in which the sites are located. This map shows the property boundaries of currently active and inactive mines and the location of the manufacturing facility. The map extends at least one-half mile beyond the property boundary. An aerial site map is provided as Figure 2 - Aerial Site Map. Figures 3 and 4 show the extents of active Mines 1, 3, 4, 5, and 6 and the Sand Pit, respectively, including the boundaries, storm water outfall locations, and storm water flow directions.

#### 3.2 Process Description

Mines 1, 3, 5, and 6 are open pit mines where approximately the top twenty (20) feet of soil is removed and transported to the manufacturing facility. The Sand Pit is an open pit where sand is removed from the surface as needed. Surface grading of the mines is designed so that surface runoff flows to the sedimentation pond on the northeast corner of Mine 5 and ultimately to Outfall SW004. There is no sedimentation pond at the Sand Pit, since the soil is very permeable and granular and no significant runoff

to the stream occurs. Facility operations primarily fall within Standard Industrial Classification (SIC) Code 1459 (NAICS 212325, Clay, Ceramic, and Refractory Minerals, Not Elsewhere Classified) by mining and processing Montmorillonite Clay. The manufacturing facility dries the mined clay into a soil additive that is used to improve the conditions of poor soils for enhanced turf grass conditions.

Mine properties include an excavator and bulldozer for earth moving and a mobile diesel pump for the sediment pits. No chemicals are stored at the mine locations, and no equipment maintenance is conducted at these locations. A portable toilet is located just off the haul road for Mine 2.

#### 3.3 Site Security

Security is not considered necessary at the mine locations, as no chemicals, fuel, or oil is stored at the mine locations.

#### 3.4 Site Drainage

The Blue Mountain area has high rainfall potential, with a mean of approximately 58" per year (National Climatic Data Center data, 1909-2001). Storm water from Mines 3, 5, and eastern portion of 6 flows to two (2) sediment ponds located on the west and east sides of Mine 5. The sediment pond located on the west side of Mine 5 is pumped to the sediment pond located on the east side of Mine 5, which discharges east to Rushing Branch at storm water outfall SW004. This outfall discharges to Rushing Branch, which discharges to South Tippah Creek. South Tippah Creek is on Mississippi's 2022 303(d) List of Impaired Water Bodies for sediment. According to MDEQ TMDL Tool, an alternative restoration approach is being implemented rather than developing a TMDL. The installed BMPs and sediment controls minimize the effects of sediment leaving this site. Storm water falling on the northwestern portion of Mine 6 will be routed to a sediment pond located on the northwest side of Mine 6, which will discharge through a skimmer northwest to Bill Creek at storm water outfall SW005. Storm water falling on the southwestern portion of Mine 6 will be routed to a sediment pond located on the west side of Mine 6, which will discharge through a skimmer southwest to Bill Creek at storm water outfall SW006. Storm water falling on the central portion and southern expansion portion of Mine 6 will flow southeast to Sand Gully. Storm water falling on Mine 4 property primarily flows north-northeast to the sedimentation pond located in the northeast portion of the mine property. Discharge from this pond is to the east from SW002 and eventually to Sand Gully. Sand Gully, Rushing Creek and Bill Creek flow to South Tippah Creek approximately 2 miles north of the mines. Surface flow from the Sand Pit travels to an intermittent drainage ditch, which drains to South Tippah Creek, northeast of the Sand Pit. A schematic of facility storm water drainage, flow directions, and outfalls is detailed in Figures 3 and 4.

#### 3.5 Allowable Non-Storm Water Discharges

The General Permit contains provisions for allowable non-storm water discharges. The mining activities by PROFILE Products typically do not generate non-storm water discharges. No equipment or activities are present at the mine locations that would generate such discharges. The table below lists non-storm water discharges allowed by the General Permit and those discharges that the facility may have routinely or on occasion.

ALLOWABLE NON-STORM WATER DISCHARGES				
Non-storm water discharges allowed by the General Permit	Expe	ected		
Discharges or flows from fire-fighting activities	Yes	No		
Fire hydrant flushings	Yes	No		
Water line flushing	Yes	No		
Water used to control dust	Yes	No		
Discharges from potable water sources	Yes	No		
Uncontaminated air conditioning or compressor condensate	Yes	No		
Uncontaminated pumped ground water	Yes	No		
Footing drains	Yes	No		
Diverted stream flows	Yes	No		
Landscape irrigation	Yes	No		
Water used to wash vehicles or external building cleaning where detergents are not used	Yes	No		
Flows from riparian habitats and wetlands	Yes	No		

#### 3.6 Storm Water Outfalls

Storm Water runoff exits the site at five (5) outfall locations, which are shown on Figures 3 and 4 and described as follows:

Outfall	Mine Number	Drainage Area	Drainage Type & Direction	Receiving Body
SW002	4	Entire area of the mine, which is being reclaimed.	Sheet flow north-northeast across excavated area to the sediment pond in the northeast portion of the mine property.	Sand Gully
SW003	Sand Pit	Entire active area of mine.	Sheet flow north-northeast across excavated area to a drainage swale in the northeast portion of the pit property.	Intermittent drainage ditch to South Tippah Creek
SW004	3, 5, 6	Entire active areas of Mines 3 & 5, and eastern portion of Mine 6.	Sheet flow north-northeast across excavated area to the sediment pond in the northeast portion of the mine property.	Intermittent drainage ditch to Rushing Creek
SW005	6	Northwestern portion of the mine, which is not active.	Sheet flow west across excavated area to the proposed sediment pond in the northwestern portion of the mine property.	Intermittent drainage ditch to Bill Creek
SW006	6	Western portion of the mine, which is not active.	Sheet flow west and south across excavated area to the proposed sediment pond in the southwestern portion of the mine property.	Intermittent drainage ditch to Bill Creek

#### 4.0 DESCRIPTION OF POTENTIAL STORM WATER POLLUTANT SOURCES

#### 4.1 Narrative Description of Significant Materials

Below is an inventory of significant materials potentially exposed to storm water:

ID No.	Exposed Materials	Best Management Practices (BMPs) Implemented
1.	Earth moving equipment (excavator, bulldozer)	Routine visual observations of equipment to ensure no fuel, oil, antifreeze, etc. has leaked and regular preventive maintenance program.
2.	Portable Toilet	Routine visual observations to ensure there are no leaks of sanitary waste.
3.	Sedimentation Pond	Routine visual observations to prevent erosion of dikes; proper operation of pump; adequate freeboard; erosion of outlet area
4.	Drainage ditches, culverts, receiving ditch and creek	Routine visual observations to prevent erosion of banks; turbidity or sediment escaping from sedimentation pond
5.	General housekeeping	Routine visual observations of materials (e.g., buckets and drums) stored or handled that could cause release to storm water; leaks, spills, and distressed vegetation; PM program adequate & being properly implemented; etc.
6.	Mobile Diesel Pump	Routine visual observations of equipment to ensure no fuel, oil, antifreeze, etc. has leaked and regular preventive maintenance program.
7.	Employee and work vehicles	Routine visual observations of equipment to ensure no fuel, oil, antifreeze, etc. has leaked and regular preventive maintenance program.

#### 4.2 Management Practices and Structural and Nonstructural Controls

Existing management practices employed to minimize contact of significant materials to storm water are listed below:

- Regular inspections are conducted on earth moving equipment.
- □ Annual storm water training is provided.
- □ Routine facility housekeeping is performed to cleanup miscellaneous debris.

Existing structural and nonstructural storm water controls utilized to minimize effects on storm water runoff are listed below:

- □ Leaks and spills will be contained using containment structures and/or absorbent materials (i.e., native soil) and will be cleaned up as soon as practical.
- □ When a disturbed area not actively being mined will be left undisturbed for 30 days or more, the appropriate temporary or permanent vegetative practices will be implemented within seven (7) calendar days.

- □ Soil outside the boundary of the active mine area is left intact with native grasses to prevent potential erosion.
- □ Drainage ditches and culverts are maintained to provide adequate storm water flow without erosion or plugging.
- ☐ The site is excavated, graded, and contoured in a way to minimize erosion from storm water and direct storm water to the sedimentation ponds.
- Sedimentation ponds are installed to minimize erosion and allow soil to deposit prior to leaving the site. Dense vegetation will be utilized to ensure erosion does not occur at the drainage pipe outlet.

#### 4.3 List of Significant Spills or Leaks

Significant spills or leaks are defined by federal regulations as a release within a 24-hour period of a hazardous substance or oil in an amount equal to, or in excess of, a reportable quantity listed in 40 CFR Part 117 and 40 CFR Part 302.

SITE SPILL HISTORY	YES	NO
Have any materials have been spilled, leaked, or otherwise accidentally released in significant quantities to storm water drains or ditches in the past five years?		$\boxtimes$
Other than incidental spills, there have been no significant spills or releases from the facilit	y.	

#### 4.4 Summary of Existing Storm Water Sampling Data

Storm water discharges are sampled once per year for pH as required by the General Permit. No other constituents are analyzed from the storm water outfalls. Records of sampling are kept for a minimum of three (3) years from the date that the document was generated.

# 5.0 STORM WATER MANAGEMENT MEASURES AND EROSION AND SEDIMENT CONTROLS

Controls are utilized to minimize the potential release of pollutants into storm water that is discharged from the mine sites. The controls utilized by PROFILE Products, LLC are designed to be compliant with standards set forth in the most recent edition of Mississippi's "Erosion Control, Sediment Control and Stormwater Management on Construction Sites and Urban Areas.

#### 5.1 Good Housekeeping

Good housekeeping practices are intended to maintain areas in a clean and orderly manner. General housekeeping and cleaning activities are performed daily. These practices generally involve limiting the exposure of potential pollution sources to storm water by removing or covering the source, and by conducting daily cleanup. The following are part of the good housekeeping program:

#### □ Cleaning, Washing, and Degreasing

No cleaning, washing, or degreasing by the utilization of water and chemicals of any type shall be performed in outside areas where the drainage could conceivably reach a storm water system. All equipment maintenance is conducted at the maintenance building behind the manufacturing plant. Limited cleaning and washing with only water (no chemicals) is allowed.

#### Outdoor Material Storage

No materials that could contaminate storm water are stored outside at the mine locations. All oils, fuels, and chemicals are kept in or near the maintenance building behind the manufacturing plant.

#### □ Drainage System Maintenance

Drainage ditches, storm water controls, and outfalls will be routinely inspected for visible sheen or other signs of contamination.

#### □ Erosion Control

The site will be routinely inspected for signs of erosion, and eroding areas will be stabilized by necessary means.

#### □ Sanitary Waste

Portable toilet is provided just off the haul road for Mine 2. This unit is serviced by a third party. Solid waste containers are inspected for leaks and overfilling and emptied when necessary.

#### 5.2 Preventive Maintenance

Preventive maintenance inspections are performed in conjunction with the storm water inspections and are conducted at least monthly. Records of inspections and maintenance are maintained onsite. The facility preventive maintenance program includes inspection, testing, and maintenance of equipment that could fail or leak, resulting in the discharge of pollutants to storm water. Examples include inspections of mobile equipment and inspections of the portable toilet. In addition, facility grounds are routinely inspected for solid waste disposal, erosion, and other signs of potential storm water contamination.

#### 5.3 Spill Prevention and Response

Potential pollution sources are inspected on a regular basis. Based on current facility processes and the lack of chemicals stored at the mines, a significant spill or release of a hazardous substance is unlikely. However, if a release occurs, corrective actions will be taken immediately to contain and cleanup the release. Safety Data Sheets (SDS) will be used as the guide for spill response. Spills will be contained at the mine site using native soils. Contaminated soils, debris, or other material generated during clean-up activities will be promptly removed and disposed of in accordance with Federal, State, and Local requirements. All affected employees will be informed of their responsibilities for responding to releases.

Staff with cleanup responsibilities are trained to respond to emergency events and provide continuous coverage while the plant is in operation. PROFILE Products' Spill Prevention, Control, and Countermeasures (SPCC) plan includes procedures for responding to a release, response contact information, and notification requirements. At a minimum, the following steps must be completed if a release occurs which discharges from the mine site into adjacent streams or drainage areas:

- The facility will notify the National Response Center at (800) 424-8802 as soon as facility personnel
  first become aware of the discharge. The facility will also notify MDEQ within 24 hours of discovery
  of the discharge.
- 2. A written submission, including a description of the event; the cause; the date and time; the duration of the event; whether or not the problem has been corrected and the steps taken or planned to reduce, eliminate and prevent recurrence, will be submitted to the MDEQ within five (5) working days of the time the facility first became aware of the circumstances (use Discharge Notification Form in above referenced Plans).
- 3. This SWPPP will be amended within 30 calendar days of knowledge of the release if existing BMPs are deemed ineffective in controlling the release of pollutants. The amendment will include a description of the incident, as well as, new BMPs to minimize the potential of the incident recurring, if possible.

If a significant release does occur, Greg Thomas, the Mining Manager or his designee is responsible for ensuring that these requirements are satisfied.

#### 5.4 Routine Visual Inspections

Routine visual site inspections will be conducted to ensure that storm water discharges are free from objectionable characteristics (i.e., pollutants you can see, such as turbidity, color, sheen, etc.). All areas contributing to storm water discharges associated with mining activity will be inspected. The following areas will be inspected:

Earth moving equipment;
Sedimentation ponds;
Discharges from sedimentation ponds
Areas around portable toilet; and

Perimeter of active mine areas for erosion that could release storm water runoff.

Routine visual site inspections will be performed as often as needed but no less than once monthly. If feasible, the inspections will be conducted during or after storm events. An inspection will always be conducted within 24 hours after commencement of a rainfall event equal to or greater than a 2-year, 24-hour storm event (approximately 4 inches).

A record of all routine visual site inspections will be maintained onsite with the SWPPP and will contain the following information:

Date of inspection;

Name and signature of inspector;

Observations of exposed industrial activities and equipment;

Observations of facility drainage, storm water controls, and outfalls;

Description of concerns or problem conditions observed; and

Description of corrective actions needed, personnel responsible for implementing corrective action, anticipated time frame for implementing corrective actions, and date corrective actions were implemented.

Inspection details will be recorded in a format similar to the Routine Visual Inspection Form provided in **Appendix A**. The results of all inspections and associated corrective actions will be documented on the **Annual Storm Water Site Inspection Report Form** provided in Appendix C and kept with the SWPPP.

#### 5.5 Employee Training

Effective management of storm water pollution will require all applicable site personnel to be familiar with conditions that may cause pollution. Furthermore, day-to-day use of BMPs by all employees is essential for the success of the SWPPP. Employees who have received storm water training will be responsible for implementation of the guidelines established in the General Permit and the SWPPP. Training will address the following objectives:

□ Good housekeeping practices;

□ Spill prevention and response;

Material management practices;

Overview of the SWPPP and established BMP installation and maintenance;

□ Procedures for monitoring; and

□ Reporting, recordkeeping, and record retention requirements.

Training is required to be conducted on an **annual** basis. Newly hired employees will be trained in the responsibilities of storm water management prior to performing such duties. Regular feedback regarding

the implementation and maintenance of the SWPPP is encouraged from all site personnel. A training documentation form is included as **Appendix B**.

#### 5.6 Recordkeeping and Internal Reporting Procedures

Routine (monthly) storm water inspection reports, monitoring records, and records of spill responses will be retained onsite for at least three (3) years from the date that the document was generated. The SWPPP and records retained in accordance with the SWPPP and the General Permit will be made available, upon request, to USEPA and MDEQ representatives.

#### 5.7 Sediment and Erosion Controls

Good vegetative cover is maintained in non-disturbed areas surrounding the active mine areas to minimize erosion potential and runoff contamination from sediment erosion. Slopes within mining sites are maintained at a gradient sufficient to minimize the erosion potential of the exposed soils. Storm water discharges are controlled by using the sedimentation basins for flow equalization and pumping water from the basins, thus reducing excessive flows during periods of heavy precipitation. Sedimentation ponds must provide a minimum of 3,600 cubic feet of storage capacity per acre drained.

Mine entrances are graveled to meet construction entrance requirements in order to reduce the tracking of sediment onto County Road 805 on the east side of mines 3 and 4. Additionally, PROFILE Products has constructed a private road for the movement of clay from the mines to Highway 15. The length of this road is approximately 4,000 feet from the entrance to mines 3 and 4 to Highway 15. Mines 3 and 4 are constructed in such a way that steep slopes are mostly avoided. This is accomplished by excavating the mine in small depth increments over the site. Erosion is minimized by maintaining the mine site on a gradual slope. When the mines are excavated, the perimeter of the excavated area is left with natural vegetation intact, and all storm water flow within the excavated areas flows to the sedimentation basins. Sediment accumulations within the sedimentation basins will be removed when the accumulation has reached approximately 50% of the capacity of the basins. Sediment will be placed within the mine for mine reclamation.

#### 5.8 Storm Water Discharge Limitations

Non-numeric limitations of the permit require storm water discharges to be free from the following:

- □ Debris, oil scum, and other floating materials other than trace amounts;
- Eroded soils and other materials that will settle to form objectionable deposits in receiving waters;
- Suspended solids, turbidity and color at levels inconsistent with receiving streams; and
- Chemicals in concentrations that would cause a violation of the State Water Quality Criteria in receiving streams.

#### 6.0 MONITORING, RECORDKEEPING, AND REPORTING

#### 6.1 Routine Monitoring and Inspections

Samples will be measured for pH values once every twelve (12) months from each discharge from the sedimentation ponds. These samples will be taken near the point of discharge and before any mixing with ditch or stream water occurs. pH values are limited by the General Permit to a range of 6.0 to 9.0. Analytical results of monitoring conducted must be submitted annually by the 28<sup>th</sup> of January, and DMRs will be submitted electronically using the MDEQ NetDMR system. Monthly inspections will be conducted at the mines to check for proper operation of the mines and adequate protection of the receiving streams from excessive sediment discharges. Results of the monthly inspections will be recorded on the **Routine Visual Inspection Form** in **Appendix A**.

#### 6.2 Annual Storm Water Site Inspection Report Form

The Annual Storm Water Site Inspection Report Form will consist of the results of all monthly site inspections. The results of the inspections will be documented each month on this form, including date, time, inspector's name, deficiencies found, if any, and any corrective actions necessary. A copy of the **Annual Storm Water Site Inspection Report Form** is provided in **Appendix C**.

#### 6.3 SWPPP Update

The SWPPP will be updated to include potential sources of storm water contamination identified during the inspections and not already included in the plan, as well as, any additional BMPs or control measures needed to control new or existing sources of storm water contamination, or a planned change in the size, design, operation, or maintenance of the facility. Any change to the size, design, operation, or maintenance of the facility shall not be made until MDEQ has approved a revised SWPPP and has transmitted this approval to the facility in writing. The SWPPP will also be updated if the facility is notified by the Executive Director of MDEQ that the SWPPP does not meet minimum requirements. The update will be submitted within thirty (30) days of the notification by MDEQ, along with a certification that the requested changes have been made.


#### 6.4 Annual Inspection Report

Results of the monthly inspections will be recorded on the **Annual Storm Water Site Inspection Report**Form, and the form will be retained on-site for a period of at least three (3) years from the date the document was generated.


In the event of anticipated, or unanticipated, non-compliance with the General Permit the following procedures will be followed:

**Unanticipated Noncompliance** – The coverage recipient will notify MDEQ orally within twenty-four (24) hours from the time that he, or she, becomes aware of unanticipated noncompliance followed by a written notice to the MDEQ within five (5) working days. The written report must describe the cause; exact dates and times; steps taken or planned to reduce, eliminate, or prevent recurrence of the noncompliance and if noncompliance has not ceased, the anticipated time for correction.

**Anticipated Noncompliance** – The coverage recipient will give at least ten (10) days advance notice to MDEQ, if possible, before any planned noncompliance with the permit.




# FIGURE 1 SITE LOCATION MAP



# FIGURE 2

**AERIAL SITE MAP** 





Source: Google Earth Legend: Drawn By: CAJ Checked By: GJL

Date: 4/14/2023 Scale: NTS

PROFILE Products, LLC 7250 Highway 15 Blue Mountain, MS 38610


Figure 2: Aerial Site Map




Environmental Compliance & Safety, Inc. PO Box 356 Sherman, MS 38869


# FIGURE 3


MINES 3, 4, 5, & 6 FACILITY DIAGRAMS





# FIGURE 4 SAND PIT FACILITY DIAGRAM





# **APPENDIX A**

ROUTINE VISUAL INSPECTION FORM

### **ROUTINE VISUAL INSPECTION FORM**

Note: Complete this form at least monthly to document results of the required visual inspection. If feasible, the inspections will be conducted during or after storm events. An inspection will always be conducted within 24 hours after commencement of a rainfall event equal to or greater than a 2-year, 24-hour storm event (approximately 4 inches)

Inspection Date: Inspector(s):							
Inspection Time:							
Exposed Area Potential Concerns						Issues Present?	
	<b>,</b>					Yes	No
1.	Earth Moving Equipment (excavator, bulldozer)	Leaks of fuel, oil, antifreeze, etc					
2.	Portable Toilet	Leaks of sanitary waste					
3.	Sedimentation Pond	Erosion of dikes; proper operation of pump; adequate freeboard; erosion of outlet area					
4.	Drainage ditches, culverts, receiving ditch and creek	Erosion of banks; turbidity or sediment escaping from sedimentation pond; clogging or deterioration of culverts					
5.	General housekeeping	Materials (e.g., buckets and drums) stored or handled that could cause release to storm water; leaks, spills, and distressed vegetation; PM program adequate & being properly implemented; etc.					
6.	Mobile Diesel Pump	Leaks of fuel, oil, antifreeze, etc					
7. Employee and work vehicles Leaks of fuel, oil, antifreeze, etc							
Significant Spills & Leaks							
Has a significant spill or leak of a toxic or hazardous pollutant occurred since the last Routine Visual Inspection?						No	
If <b>yes</b> , review the reporting requirements in Section 5.3 of the SWPPP.							
pH Measurements - pH measurements will be taken at least once per year at each outfall  Outfall Number/ Mine Number						pH V	'alue
SW002							
SW003/Sand Pit							
SW004/Mines 3, 5 & 6							
Description of Concerns or Problems Observed							
Description of Corrective Actions Needed, Personnel Required, Estimated Time for Corrections, Date Corrections Completed							

# **APPENDIX B**

PERSONNEL TRAINING RECORD FORM

# PROFILE Products, LLC

# 7250 Highway 15 North

# Blue Mountain, Mississippi 38610

# PERSONNEL TRAINING RECORD FORM

Contents of Training/Class Description:						
Date:						
	Name	ID#	Initial	Refresher	Signature	
1						
2						
3						
4						
5						
6						
7						
8						
9						
10						
11						
12						
13						
14						
15						
16						
17						
18						
19						
20						
21						
22						
23						
24						

# **APPENDIX C**


ANNUAL STORM WATER SITE INSPECTION REPORT FORM

# COVERAGE NUMBER (MSR32 \_\_ \_ \_ \_ ) INSPECTION YEAR \_\_ SITE INSPECTION REPORT AND CERTIFICATION FORM MINING GENERAL PERMIT



Results of the inspection by ACT7 of this permit shall be recorded on this report form and in addition, copies of all completed forms shall be retained onsite or locally available. Inspections must be performed monthly and after a 2-year, 24-hour storm event (approx. 6-inches on Gulf Coast to 4-inches at MS/TN State Line). The coverage number must be listed at the top of all Site Inspection Report and Certification Forms.

		COVERAGE REC	CIPIENT INFORM	IATION		
COMPANY NAME:			MINE NAME:			
MINE LOCATION: _		GEOLOGY APPLICATION/PERMIT NO				
NEAREST PROJECT		COUNTY:				
MAILING ADDRESS:						
			-			
		INSPECTION I	OOCUMENTATIO	N		
DATE (mm/dd/yy)	TIME (hh:mm AM/PM)	AFTER 2-YEAR, 24- HOUR STORM EVENT? (CHECK IF YES)	ANY DEFIC	CIENCIES?	INSPECTOR(S)	
(IIIII (IIII)	(11111111111111111111111111111111111111				n isr zor on(s)	
				<u> </u>		
			<u> </u>	<u> </u>		
				]		
			<u> </u>	]		
			<u> </u>			
Deficiencies Noted Duri	ng any Inspection (give da	ate(s); attach additional sheets in	f necessary):			
Corrective Action Taken	or Planned (give date(s);	attach additional sheets if nece	ssary):			
maintained, except for th	nose deficiencies noted ab	ove, in accordance with the Sto	orm Water Pollution	Prevention Plan fil	d sediment controls have been implemented and ed with the Office of Pollution Control and sound to on file with MDEQ is up to date.	
qualified personnel prop information submitted is	erly gather and evaluate t	he information submitted. Bas lge and belief, true, accurate and	ed on my inquiry of	f the person or pers	accordance with a system designed to assure that ons responsible for gathering the information, the gnificant penalties for submitting false information,	
Authorized Signature				Date		
Printed Name				Title		





# State of Mississippi Mississippi Department of Environmental Quality (MDEQ)



# MINING STORM WATER, DEWATERING, and NO DISCHARGE GENERAL PERMIT

# THIS CERTIFIES THAT

FACILITIES OR PROJECTS ISSUED A CERTIFICATE OF PERMIT COVERAGE UNDER THIS PERMIT ARE GRANTED PERMISSION TO DISCHARGE STORM WATER ASSOCIATED WITH MINING AND MINE DEWATERING ACTIVITIES INTO STATE WATERS IN ACCORDANCE WITH THE NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES); IN ADDITION RECIRCULATION SYSTEMS WITH NO DISCHARGE ARE ALSO AUTHORIZED

in accordance with effluent limitations, inspection requirements and other conditions set forth in herein. This permit is issued in accordance with the provisions of the Mississippi Water Pollution Control Law (Section 49-17-1 et seq., Mississippi Code of 1972), and the regulations and standards adopted and promulgated thereunder, and under authority granted pursuant to Section 402(b) of the Federal Water Pollution Control Act.

Mississippi Environmental Quality Permit Board

**Authorized Signature** 

Mississippi Department of Environmental Quality

Issued: APR 0 3 2018

Permit No. MSR32

Expires: MAR 3 1 2023



# Mining General Permit Table of Contents

ACT1 (Mining) Introduction:	
Narrative Requirements	
Introduction	
Surface Mining and Reclamation Applicability	1
ACT2 (Mining) Permit Applicability and Coverage:	
Narrative Requirements	
Permit Area	2
Eligibility	2
Allowable Non-Storm Water Discharges	3
This Permit Does Not Authorize (storm water discharges not eligible for coverage)	4
ACT3 (Mining) Obtaining Coverage:	
Submittal/Action Requirements	
Obtaining Authorization	5
Requiring an Individual Permit or Alternative General Permit	5
How to Obtain Recoverage Under the Reissued Permit	
ACT4 (Mining) Notice of Intent (MNOI):	
Submittal/Action Requirements	
MNOI Submittal	7
Required Submittals with the MNOI	7
Facility Expansion and/or Modification Notification	8
Additional Notification	8
Additional Submittals Required with the MNOI May Include	9
Narrative Requirements	
Where to Obtain the MNOI Forms	
Where to Submit the MNOI	10
Failure to Notify	10
ACT5 (Mining) Storm Water Pollution Prevention Plan (SWPPP) Development and Content:	
Narrative Requirements	
SWPPP Development	
Erosion and Sediment Controls	
Non-Storm Water Discharge Management	
Implementation of Controls	14
Implementation Sequence	
Maintenance and Monthly Inspections	
Housekeeping Practices	

# Mining General Permit Table of Contents

Submittal/Action Requirements	
SWPPP Implementation Requirements	
Requirement to Identify Mine Boundaries	
SWPPP Compliance with Local Storm Water Ordinances	
ACT7 (Mining) Site Inspection and SWPPP Evaluation:	
Submittal/Action Requirements	
Inspection Requirements	
ACT8 (Mining) Recordkeeping Requirements:	
Recordkeeping Requirements	
Records Retention	
Monthly Inspection Documentation	
ACT9 (Mining) Water Quality and Buffer Zone Requirements:	
Limitation Requirements	
Non-Numeric Limitation Requirements	20
Buffer Zone Requirements for Mining Activities	20
ACT10 (Mining) Mining Activities Considered "Exempt Operations"	
Narrative Requirements	
Where to Obtain the "Notice of Exempt Operations" Form	21
ACT11 (Mining) Wastewater Recirculation Systems with No Discharge to Surface Waters:	
Narrative Requirements	
Eligibility	
Removed Substances	
Power Failures	22
Structural Integrity	23
ACT12 (Mining) Mine Dewatering:	
Submittal/Action Requirements	
Reporting	24
Narrative Requirements	
Eligibility	24
Erosion and Sediment Controls	
Monitoring Requirements for Mine Dewatering	
Recordkeeping Requirements	
Recordkeeping Requirements for Mine Dewatering	25
Limitations and Monitoring Requirements for Mine Dewatering (Table 1)	

# Mining General Permit Table of Contents

ACT13 (Mining) Personnel Training Requirements	
Submittal/Action Requirements	
Training Documentation	27
Training Program Requirements	27
ACT14 (Mining) Termination of Permit Coverage:	
Submittal/Action Requirements	
Termination of Coverage	
ACT15 (Mining) Standard Requirements Applicable To All Water Permits	
Narrative Requirements	
Duty to Comply	20
Duty to Mitigate	
Duty to Provide Information	
Signatory Requirements	
Duly Authorized Representative	
y 1	
Changes in Authorization	
Certification	
Oil and Hazardous Substance Liability	
Property Rights	
Severability	
Transfers	
Proper Operation and Maintenance	
Bypass Prohibition	
Upset Conditions	
Inspection and Entry	
Permit Actions	
Anticipated Noncompliance	
Unanticipated Noncompliance	
Reopener Clause	
Permit Modification	
Continuation of Expired General Permit	
Falsifying Reports	
Civil and Criminal Liability	35
A COTTAC OF A LA L	
ACT16 (Mining) Definitions:	36



## **ACT1 (Mining) Introduction:**

Narrative Requirements:

Condition
No. Condition

#### T-1 INTRODUCTION:

Subject to regulation and compliance with the conditions set forth, this Mining Storm Water, Dewatering, and No Discharge General Permit (Mining General permit) authorizes mining storm water and dewatering discharges and operation of wastewater recirculation systems with no discharge. This permit also authorizes storm water discharges from other mining activities, designated by the Executive Director, based on the potential for contribution to an excursion of a water quality standard or for significant contribution of pollutants to waters of the State.

National Pollutant Discharge Elimination System (NPDES) storm water discharge permits will be required for discharges associated with mining activities, listed in 40 CFR 122.26 (b) (14) (iii), that discharge storm water contaminated by contact with or that has come into contact with, any overburden, raw materials, intermediate products, finished products, byproducts or waste products located on the site. Storm water discharges that enter waters of the State or storm water conveyance systems leading to waters of the State are subject to regulation and compliance with the conditions set forth in this permit. This permit replaces the previous Mining Storm Water General Permit that expired on August 31, 2017.

Dewatering discharges include the pumping, draining or removing of water that is impounded or that collects in the mine. If such impounded water is commingled with process generated wastewater, the mixture shall be managed and permitted as process generated wastewater. Wastewater recirculation systems with no discharge include wash operations with closed loop recirculation systems with no discharge of wastewater and hydraulic dredge operations with closed loop recirculation systems with no discharge of dredge wastewater. [11 Miss. Admin. Code Pt. 6, Ch. 1.]

#### T-2 SURFACE MINING AND RECLAMATION APPLICABILITY:

Application for coverage under this permit may also serve as notification that the proposed mining is an "Exempt Operation" as defined by Mississippi's Surface Mining and Reclamation Rules and Regulations. Non-exempt surface mining operations shall require an Office of Geology Mining Permit, issued in accordance with the Mississippi Surface Mining and Reclamation Rules and Regulations. Mining operations shall be subject to the prohibitions on mining in certain areas, known as Lands Unsuitable for Surface Mining, contained in Miss. Code Ann. Sections 53-7-49 and 53-7-51 and Chapter 4 of the Mississippi Surface Mining and Reclamation Rules and Regulations

In addition to the requirements of this permit, any person engaging in mining operations in the State of Mississippi shall be required to conform to and comply with all applicable provisions of the Mississippi Surface Mining and Reclamation Rules and Regulations under the Authority of Miss. Code Ann Section 53-7-11, et seq. The definitions and provisions contained in the Mississippi Surface Mining and Reclamation Rules and Regulations (February 2010) and the Wastewater Regulations for National Pollutant Discharge Elimination System (NPDES) Permits, Underground Injection Control (UIC) Permits, State Permits, Water Quality Based Effluent Limitations and Water Quality Certification shall be applied in interpreting any provision of this permit. [11 Miss. Admin. Code Pt. 6, Ch. 1.and 11 Miss. Admin. Code Pt. 8, Ch. 1.]

## **ACT2** (Mining) Permit Applicability and Coverage:

Narrative Requirements:

No.	Condition

Condition

#### T-1 PERMIT AREA:

The Mining General Permit covers all areas of the State of Mississippi. [11 Miss. Admin. Code Pt. 6, Ch. 1.]

#### T-2 ELIGIBILITY:

- (1) This permit may cover discharges composed of storm water, impounded water (mine dewatering) from active and inactive mining operations, and wastewater recirculation systems with no discharge. This permit may cover all new, existing, and abandoned mining facilities in the State of Mississippi, which include, but are not limited to, Standard Industrial Classifications (SIC) 1442-Construction Sand and Gravel, (SIC) 1453-Fire Clay-Manufacturing, (SIC) 1455-Kaolin and Ball Clay, or (SIC) 1459-Clay, Ceramic, and Refractory Minerals, Not Elsewhere Classified.
- (2) ACTs 1 through 9 and 13 through 16 of this permit apply to all covered discharges. The ACTs listed below are applicable to specific mining activities and must be followed in addition to the requirements of ACTs 1 through 9 and 13 through 16 of this permit.
- ACT10 Mining Activities Considered "Exempt Operations"
- ACT11 Wastewater Recirculation Systems with No Discharge
- ACT12 Mine Dewatering
- (3) A facility is eligible for coverage under this permit for discharges of pollutants of concern to water bodies for which there is a Total Maximum Daily Load (TMDL) established or approved by EPA if measures and controls are incorporated that are consistent with the assumptions and requirements of such TMDL. To be eligible for coverage under this permit, the facility must incorporate in the SWPPP and/or effluent limitation any conditions applicable to any discharge(s) necessary for consistency with the assumptions and requirements of such TMDL. If, after coverage issuance, a specific waste load allocation is established that would apply to the facility's discharge, the facility must implement steps necessary to meet that allocation within three (3) months from the final TMDL approval date. MDEQ's approved TMDL list may be found at the link listed in paragraph (4) below. In addition, MDEQ's "Erosion Control, Sediment Control and Stormwater Management on Construction Sites and Urban Areas (Three Volumes)" identifies specific controls that may be used to address consistency with any applicable TMDLs. The manual can be found at: <a href="http://www.deq.state.ms.us/MDEQ.nsf/page/epd\_epdgeneral">http://www.deq.state.ms.us/MDEQ.nsf/page/epd\_epdgeneral</a>. [11 Miss. Admin. Code Pt. 6, Ch. 1.]

# Narrative Requirements:

# Condition No. Condition

T-3

(4) A project is eligible for coverage under this general permit for discharges of storm water to impaired water bodies on MDEQ's 303(d) list, provided best management practices (BMPs) are employed that prohibit further impairment of the designated and/or existing beneficial uses in the receiving water body. To be eligible for coverage under this general permit, the owner/operator must indicate on the MNOI that the project discharges to a 303(d) listed receiving water and incorporate appropriate BMPs in its SWPPP. MDEQ's 303(d) list of impaired water bodies may be found on MDEQ's website at: http://www.deq.state.ms.us/MDEQ.nsf/page/TWB Total Maximum Daily Load Section.

- (5) Allowable Non-Storm Water Discharges:
- Water line flushing
- Landscape irrigation
- Diverted stream flows
- Uncontaminated pumped ground water
- Discharges from potable water sources
- Uncontaminated air conditioning or compressor condensate and coil wash water with no detergents or additives
- Footing drains
- Flows from riparian habitats and wetlands
- Dust suppression water
- Discharges or flows from fire fighting activities
- Fire hydrant flushings
- External building or vehicle wash downs which do not use detergents

As noted in ACT5, T-5, the above non-storm water discharges should be eliminated or reduced to the extent feasible. The Permit Board staff will review the above discharges on a case by case basis and may require the coverage recipient to apply for and obtain either an individual or an alternative general NPDES permit as provided in ACT3, S-2. [11 Miss. Admin. Code Pt. 6, Ch. 1.]

# Narrative Requirements:

#### T-4 THIS PERMIT DOES NOT AUTHORIZE:

- (1) Discharges which result in violation of State Water Quality Standards.
- (2) Discharges which include mine process generated wastewater or wastewater associated with dredging and/or washing operations are not covered under this permit. [11 Miss. Admin. Code Pt. 6, Ch. 1.]
- (3) Activities that affect waters of the State, including wetlands, without obtaining the necessary U.S. Army Corps of Engineers (COE) approval. This may include a COE individual Section 404 permit or coverage under a COE nationwide or general permit. Appropriate documentation must be submitted with the Mining Notice of Intent (MNOI).
- (4) Discharges or discharge-related activities that are likely to jeopardize the continued existence of any species that is listed as endangered or threatened under the Endangered Species Act (ESA) or result in the adverse modification or destruction of habitat that is designated as critical under the ESA. Coverage under this permit is available only if the regulated entity's storm water and dewatering discharges, allowable non-storm water discharges, and discharge-related activities are not likely to jeopardize the continued existence of any species that is listed as endangered or threatened ("listed") under the ESA or result in the adverse modification or destruction of habitat that is designated as critical under the ESA ("critical habitat"). Submission of a signed MNOI, or County Utility Authority approval, if applicable, will be deemed to constitute the regulated entity's certification of eligibility. [11 Miss. Admin. Code Pt. 6, Ch. 1.]
- T-5 Mining operations that collect all the storm water that has come in contact with any overburden, raw material, intermediate products, finished products, byproducts or waste products and does not discharge that storm water shall not be required to submit an MNOI. [11 Miss. Admin. Code Pt. 6, Ch. 1.]

## **ACT3 (Mining) Obtaining Coverage:**

Submittal/Action Requirements:

No.	Condition	uon				

#### S-1 OBTAINING AUTHORIZATION:

(1) Owners and/or operators desiring coverage associated with mining activity under this permit must submit a Mining Notice of Intent (MNOI) and other required submittals in accordance with the requirements of this permit.

Beginning December 21, 2020, applicants must submit the MNOI electronically as required by 40 CFR 127.16.

- (2) Upon review of the Mining Notice of Intent (MNOI), MDEQ staff may recommend that coverage not be granted, modifications to the SWPPP be made, and/or an alternate permit would be more appropriate. The MDEQ staff recommendations may be brought before the Mississippi Environmental Quality Permit Board (Permit Board) for review and consideration at a regularly scheduled meeting or at a special meeting at its discretion.
- (3) Coverage under this permit will not be granted until all other required MDEQ permits, certifications and approvals are satisfactorily addressed.
- (4) Owners or operators are authorized to discharge storm water and impounded water associated with mining or operate a wastewater recirculation system with no discharge under the terms and conditions of this permit only upon receipt of written notification of approval of coverage by the Permit Board staff. Discharges without written notification of coverage under this permit, issuance of an individual National Pollutant Discharge Elimination System (NPDES) Permit, or a State No Discharge Permit constitutes a violation of the Mississippi Air and Water Pollution Control Law (Miss. Code Ann. Section 49-17-29(2)(b)). [11 Miss. Admin. Code Pt. 6, Ch. 1.]

#### S-2 REQUIRING AN INDIVIDUAL PERMIT OR ALTERNATIVE GENERAL PERMIT:

- (1) The Permit Board may require any coverage recipient to apply for and obtain either an individual or an alternative general NPDES permit. Any interested person may petition the Permit Board to take action under this paragraph. The Permit Board may require any coverage recipient to apply for an individual NPDES permit only if the owner or operator has been notified in writing. Such notice shall include reasons for the Permit Board's decision, an application form, and a filing deadline. The Permit Board may grant additional time at its discretion, upon request. If a coverage recipient fails to submit a requested application in a timely manner, coverage under this permit will automatically terminate at the end of the day specified for application submittal.
- (2) Any coverage recipient may request to be excluded from permit coverage by applying for an individual permit or coverage under another general permit. The applicant shall submit an individual application (EPA Forms 1 and 2D for new discharges, EPA Forms 1 and 2C for existing discharges, EPA Forms 1 and 2F for storm water discharges) or appropriate general permit Notice of Intent Form. [11 Miss. Admin. Code Pt. 6, Ch. 1.]

# Submittal/Action Requirements:

Condition No.	Condition
S-3	(3) Coverage under this permit is automatically terminated on the issuance date of the respective alternative individual permit or general permit coverage. When the request for an alternative individual permit or general permit coverage is denied, coverage under this permit continues unless terminated by the Permit Board. [11 Miss. Admin. Code Pt. 6, Ch. 1.]
S-4	HOW TO OBTAIN RECOVERAGE UNDER THE REISSUED PERMIT:
	If reissuance of this permit does not occur before its expiration date, continued coverage under this permit will be allowed until the effective date of the reissued general permit coverage. Once the Mining General Permit is reissued, active coverage recipients will receive a Recoverage Form with a Letter of Instruction. If a coverage recipient wishes to be covered by the reissued Mining General Permit, the Recoverage Form must be completed and returned to the MDEQ in accordance with the provisions of the Letter of Instruction. Resubmittal of the Storm Water Pollution Prevention Plan (SWPPP) is not required if the

SWPPP is on-site or locally available, current and adequately addresses the sources of pollution at the facility. Some SWPPP's may require amendment to meet

the conditions of the reissued general permit (i.e., modification of sediment basin outfall design). [11 Miss. Admin. Code Pt. 6, Ch. 1.]

## **ACT4 (Mining) Mining Notice of Intent (MNOI):**

Submittal/Action Requirements:

Condition No.	Condition
S-1	MNOI SUBMITTAL:

Owners or operators desiring coverage under this permit must submit a Mining Notice of Intent (MNOI) Form with the required submittals at least 30 days prior to the anticipated commencement of regulated activities. The form can be submitted at least 15 days prior to the anticipated commencement of activities if the owner or operator has a previously approved Storm Water Pollution Prevention Plan on file with MDEQ and mine dewatering is not proposed.

The appropriate section of the MNOI must be completed if the applicant proposes to discharge impounded mine water and/or operate a wastewater recirculation system with no discharge. Unless these specific sections are completed in full, general permit coverage is for the discharge of storm water only. [11 Miss. Admin. Code Pt. 6, Ch. 1.]

#### S-2 REQUIRED SUBMITTALS WITH THE MNOI:

Submittals required with a completed MNOI include a site-specific Storm Water Pollution Prevention Plan, developed in accordance with ACT5 of this permit and a United States Geological Survey (USGS) quadrangle map or color photocopy, extending at least one-half mile beyond the facility property boundaries with the site location and outfalls outlined, highlighted, or otherwise indicated. [11 Miss. Admin. Code Pt. 6, Ch. 1.]

# Submittal/Action Requirements:

Condition	
No.	Condition

#### S-3 FACILITY EXPANSION AND/OR MODIFICATION NOTIFICATION:

- (1) Proposed facility or project expansion, production increases, process modifications, changes in discharge volume or location, or other changes in operations or conditions of the covered facility which may result in a new or increased discharge, which does not violate the limitations specified in the permit, shall be reported to the Permit Board by submitting a notice of new or increased discharge. This submission should be at least 30 days prior to the anticipated discharge. New or increased discharges shall not occur without written notification from MDEQ.
- (2) The following activities require the submittal of a "Major Modification Form for Mining General Permit" Form (see Mining Forms Package).
- -SWPPP details have been developed for subsequent phases of an existing coverage
- -Footprint identified in the original MNOI is proposed to be enlarged
- -Mine dewatering is proposed
- -Mine dewatering has been discontinued
- -Closed loop wash operations are proposed
- -Closed loop wash operations have been discontinued
- (3) Proposed expansion of an "Exempt Operation" beyond a total of four (4) acres being mined requires the filing of a Mining Permit Application Form (MRD-3) with the Office of Geology, Mining and Reclamation Division.
- (4) Proposed changes may require termination of the General Permit coverage or application for an individual permit. [11 Miss. Admin. Code Pt. 6, Ch. 1. and 11 Miss. Admin. Code Pt. 8, Ch. 1.]

#### S-4 ADDITIONAL NOTIFICATION:

The coverage recipient must notify the Permit Board at least 30 days before any planned changes of ownership or whenever there are any changes in information and/or methods of operation described in a previous MNOI or Major Modification Form submittal. [11 Miss. Admin. Code Pt. 6, Ch. 1.]

Submittal/Action Requirements:

~ 0.0111110001	
Condition No.	Condition
S-5	ADDITIONAL SUBMITTALS REQUIRED WITH THE MNOI MAY INCLUDE:
	(1) Appropriate Section 404 documentation from U.S. Army Corps of Engineers,
	(2) Appropriate documentation from the Office of Land & Water concerning dam construction and low flow requirements, and/or

(3) A "Notice of Exempt Operations" Form must be submitted for new mining operations affecting four (4) acres or less and which are greater than 1320 feet from another mine. If this form has already been submitted to the Office of Geology, then include proof of submission with the MNOI. Notice of Exempt Operations Forms are contained in the Mining Forms Package or may be obtained from MDEQ at the address given in T-2 of this Activity, or from the MDEQ website at www.deq.state.ms.us. [11 Miss. Admin. Code Pt. 6, Ch. 1. and 11 Miss. Admin. Code Pt. 8, Ch. 1.]

# Narrative Requirements:

Condition No.	Condition
Γ-1	WHERE TO OBTAIN THE MNOI FORMS:
	MNOI forms are contained in the Mining Forms Package or may be obtained from the MDEQ at the address shown below or by calling 601-961-5171. MNOI forms, as well as the general permit, may also be found on the MDEQ web site at <a href="http://www.deq.state.ms.us/MDEQ.nsf/pdf/epd_MiningFormsPackage">http://www.deq.state.ms.us/MDEQ.nsf/pdf/epd_MiningFormsPackage</a> . [11 Miss. Admin. Code Pt. 6, Ch. 1.]
`-2	WHERE TO SUBMIT THE MNOI:
	Complete and appropriately signed MNOI Forms must be submitted to:

Chief, Environmental Permits Division Mississippi Department of Environmental Quality Office of Pollution Control P.O. Box 2261 Jackson, Mississippi 39225

For priority or overnight deliveries, the physical address is:

515 East Amite Street Jackson, Mississippi 39201 [11 Miss. Admin. Code Pt. 6, Ch. 1.]

#### T-3 FAILURE TO NOTIFY:

Persons who discharge storm water, impounded water or process wastewater associated with mining activity to waters of the State without an NPDES permit or who operate a wastewater recirculation system with no discharge without a State No Discharge permit are in violation of the Mississippi Air and Water Pollution Control Law (Miss. Code Ann. Section 49-17-29(2)(b)). [11 Miss. Admin. Code Pt. 6, Ch. 1.]

## ACT5 (Mining) Storm Water Pollution Prevention Plan (SWPPP) Development and Content:

Narrative Requirements:

Condition	
No.	Condition

#### T-1 SWPPP DEVELOPMENT:

The owner or operator of a mining operation shall develop and implement a site-specific storm water pollution prevention plan (SWPPP). The SWPPP shall be developed with sound engineering and best management practices. The SWPPP shall identify all potential pollution sources that may affect the quality of storm water associated with mining. The SWPPP shall describe and ensure the implementation of best management practices, which will reduce pollutants in storm water discharges and assure compliance with the terms and conditions of this permit. The plan shall:

- (1) Be signed per ACT 15, T-4.
- (2) Be located at the mining site for which it was approved or locally available.
- (3) Provide for compliance with the terms of the plan upon commencement of mining activities.
- (4) Be submitted to the appropriate municipal or county authority upon request, if storm water from the mining site discharges into a municipal separate storm sewer system.
- (5) Be modified by the owner or operator if MDEQ staff determines it does not meet the requirements of this permit or it has been determined that the plan does not adequately protect waters of the State after commencement of mining operations. The owner or operator shall have thirty (30) days to modify the SWPPP and submit it to MDEQ after having been notified. The modified SWPPP shall be implemented after MDEQ notifies the owner or operator that the revised SWPPP is acceptable or coverage has been issued.
- (6) Be amended thirty (30) days prior to a change in the size, design, construction, operation, or maintenance of the mining facility. Any change to the size, design, construction, operation, or maintenance of the mining facility will be allowed only after the amended SWPPP has been approved and the owner or operator has been notified in writing by MDEQ. [11 Miss. Admin. Code Pt. 6, Ch. 1.]

Narrative Requirements:

Condition	
No.	Condition

#### T-2 EROSION AND SEDIMENT CONTROLS:

The owner or operator shall design, install, and maintain controls in accordance with the standards set forth in the most recent edition of Mississippi's "Erosion Control, Sediment Control and Stormwater Management on Construction Sites and Urban Areas (Three Volumes)," other recognized manuals for storm water controls design, or provide a design that has been certified by a Mississippi registered professional engineer. "Erosion Control, Sediment Control and and Stormwater Management Construction Sites Urban Areas (Three Volumes)" can accessed http://www.deq.state.ms.us/MDEQ.nsf/page/epd epdgeneral. These controls shall be appropriate for the mining activities, which may include but not be limited to removing, stockpiling, and restoring any overburden; removing, processing, stockpiling and shipping mined material; and storing or disposing of any waste product generated during the mining activity. [11 Miss. Admin. Code Pt. 6, Ch. 1.]

- T-3 The SWPPP shall list and describe site-specific controls appropriate for the mining/construction activities as well as the procedures for implementing such controls. Controls shall be designed, installed, and maintained to retain sediment on-site and to minimize the discharge of pollutants. If any of the below controls cannot be implemented on the site, the SWPPP must include written justification as to why site-specific constraints and/or costs make the control(s) infeasible. At a minimum, such controls must be designed, installed and maintained to:
  - (1) Control storm water volume and velocity within the site to minimize soil erosion;
  - (2) Control storm water discharges, including both peak flow rates and total storm water volume, to minimize erosion at outlets and to minimize downstream channel and stream bank erosion;
  - (3) Minimize the amount of soil exposed during mining activity;
  - (4) Minimize the disturbance of steep slopes;
  - (5) Minimize sediment discharges from the site. The design, installation and maintenance of erosion and sediment controls must address factors such as the amount, frequency, intensity and duration of precipitation, the nature of resulting storm water runoff, and soil characteristics, including the range of soil particle sizes expected to be present on the site;
  - (6) Provide and maintain natural buffers around surface waters, direct storm water to vegetated areas to increase sediment removal and maximize storm water infiltration, unless infeasible (see buffer zone requirements in ACT9);
  - (7) Minimize soil compaction and, unless infeasible, preserve topsoil;
  - (8) Direct storm water to vegetated areas, brush barriers, silt fences, hay bales, etc. to aid in the filtration, infiltration, velocity reduction and diffusion of the discharge;
  - (9) Transport runoff down steep slopes through lined channels or piping;
  - (10) Minimize off-site vehicle tracking of sediments. [11 Miss. Admin. Code Pt. 6, Ch. 1.]

# Narrative Requirements:

# Condition No. Condition

- T-4 As a minimum, the controls must be in accordance with the standards set forth in the most current edition of the "Erosion Control, Sediment Control and Stormwater Management on Construction Sites and Urban Areas (Three Volumes)" or other recognized manual of design. The SWPPP shall address the following minimum components.
  - (1) A scaled site map shall be prepared showing boundaries of property and proposed mining site, buffer zone compliance, original and proposed contours (if practicable), drainage patterns, adjacent receiving water bodies, north arrow, all erosion and sediment controls (vegetative and structural), and the location of housekeeping practices.
  - (2) Vegetative practices shall be designed to preserve existing vegetation where possible and re-vegetate disturbed areas as soon as practicable after clearing, grading, excavating or other land disturbing activities. Such practices may include, but are not limited to, surface roughening, temporary seeding, permanent seeding, mulching, sod stabilization, vegetative buffer strips, protection of trees, and topsoil preservation. When a disturbed area not actively being mined will be left undisturbed for 30 days or more, the appropriate temporary or permanent vegetative practices shall be implemented within seven (7) calendar days. [11 Miss. Admin. Code Pt. 6, Ch. 1.]
  - (3) Structural practices shall divert flows from exposed soils, store flows or otherwise limit runoff from exposed areas. Such practices may include, but are not limited to, construction entrance/exit, silt fences, earth dikes, brush barriers, drainage swales, check dams, subsurface drains, pipe slope drains, level spreaders, drain inlet protection, outlet protection, detention/retention basins, sediment traps, temporary sediment basins or equivalent sediment controls. Because mining is generally of long duration, temporary measures such as hay bales will not, as a stand alone practice, be accepted to satisfy structural requirements due to their associated high maintenance frequency. However, they may be used in conjunction with other structural practices, such as strengthening silt fences.
  - (4) Construction exits (see Definition) shall be installed wherever traffic will be leaving a mining site and moving directly onto a paved public road.
  - (5) Temporary (or permanent) sediment basins, if used, shall provide at least 3600 cubic feet (133 cubic yards) of storage per acre drained and shall be provided until final stabilization of the site. Sediment basins must be installed before major site grading and utilize outlet structures that withdraw water from the surface.
  - (6) A description of post-mining control measures for "Exempt Operations." Post-mining control measures shall be installed to control pollutants in storm water after mining is complete. These controls include, but are not limited to, one or more of the following: on-site infiltration of runoff, flow attenuation using open vegetated swales and natural depressions, constructed wetlands, lakes, ponds and retention/detention structures. Velocity dissipation devices shall be placed at detention or retention pond outfalls and along the outfall channel to provide for a non-erosive flow. [11 Miss. Admin. Code Pt. 6, Ch. 1.]

# Narrative Requirements:

Condition No.	Condition
T-5	NON-STORM WATER DISCHARGE MANAGEMENT:
	The SWPPP must identify any allowable non-storm water discharges, identified in ACT 2, T-3, except for flows from actual fire fighting, which are combined with storm water discharges associated with mining activity at the site. Non-storm water discharges should be eliminated or reduced to the extent feasible. The SWPPP must identify and ensure the implementation of appropriate Best Management Practices (BMPs) for the non-storm water component of the discharge. [11 Miss. Admin. Code Pt. 6, Ch. 1.]
T-6	IMPLEMENTATION OF CONTROLS:
	The SWPPP shall require the owner/operator during mining preparation (e.g. clearing and grubbing) to implement controls necessary to mitigate erosion and adverse impacts to offsite areas and receiving streams. During and after mining, vegetative and structural practices shall be maintained as set forth in the approved SWPPP. [11 Miss. Admin. Code Pt. 6, Ch. 1.]
T-7	IMPLEMENTATION SEQUENCE:
	The owner or operator shall prepare an implementation sequence which coordinates the timing of all major land-disturbing activities together with the necessary erosion and sedimentation control measures planned for the project. [11 Miss. Admin. Code Pt. 6, Ch. 1.]
T-8	MAINTENANCE AND MONTHLY INSPECTIONS:

The SWPPP shall describe procedures to maintain vegetation, erosion and sediment controls and other protective measures. Procedures shall provide that all erosion controls and outfalls/discharge points are inspected a minimum of once per month and after rain events in accordance with ACT7, S-1. [11 Miss. Admin. Code Pt. 6, Ch. 1.]

# Narrative Requirements:

Condition	
No.	Condition

#### T-9 HOUSEKEEPING PRACTICES:

The owner or operator shall describe and list practices appropriate to prevent pollutants from entering storm water from mining sites due to poor housekeeping. The owner or operator shall:

- (1) Designate areas for equipment maintenance and repair
- (2) Provide waste receptacles at convenient locations
- (3) Provide regular collection of waste
- (4) Provide protected storage areas for chemicals, paints, solvents, fertilizers, and other potentially toxic materials
- (5) Provide adequately maintained sanitary facilities
- (6) Provide secondary containment around on-site fuel tanks
- (7) Implement spill and leak prevention practices and response procedures if spills and leaks do occur
- (8) Minimize the exposure of mining/construction materials and equipment

Releases into the environment of hazardous substances, oil, pollutants or contaminants which pose a threat to applicable water quality standards, or causes a film sheen or discoloration of waters of the State, shall be reported to the:

Mississippi Emergency Management Agency (601) 352-9100 or National Response Center 1-800-424-8802. [11 Miss. Admin. Code Pt. 6, Ch. 1.]

## **ACT6 (Mining) SWPPP Implementation Requirements:**

Submittal/Action Requirements:

#### S-1 SWPPP IMPLEMENTATION REQUIREMENTS:

The coverage recipient shall:

- (1) Implement the SWPPP and retain a copy of the SWPPP at the permitted site or locally available (see Definition). Failure to implement the SWPPP is a violation of permit requirements. A copy of the SWPPP must be made available to the MDEQ inspectors for review at the time of an on-site inspection.
- (2) Ensure that appropriate Best Management Practices (BMPs) are in place upon commencement of mining operations.
- (3) Amend the SWPPP if notified at any time by the Executive Director of MDEQ that the SWPPP does not meet the minimum requirements. A written certification must also be submitted to the Executive Director stating that the requested changes have been made. Unless otherwise provided, the requested changes shall be made within 15 days.
- (4) Amend the SWPPP whenever there is a change in design, construction, operation, or maintenance which may potentially affect the discharge of pollutants to waters of the State or if the SWPPP proves to be ineffective in controlling storm water pollutants. The amended SWPPP shall be submitted to MDEQ within 30 days of amendment.
- (5) Submit to MDEQ the Major Modification Form (see Mining Forms Package) for subsequent phases, expansions and modifications of mining development that are proposed but were not included in the original SWPPP.
- (6) Install needed erosion controls, even if they may be located in the way of subsequent activities. It shall not be an acceptable defense that controls were not installed because subsequent activities would require their replacement or cause their destruction. [11 Miss. Admin. Code Pt. 6, Ch. 1.]
- (7) Install additional and/or alternative erosion and sediment controls when existing controls prove to be ineffective in preventing sediment from leaving the site.
- (8) Minimize off-site vehicle tracking of sediments.
- (9) Comply with applicable State and local waste disposal, sanitary sewer or septic system regulations. [11 Miss. Admin. Code Pt. 6, Ch. 1.]

# Submittal/Action Requirements:

Condition No.	Condition
S-2	(10) Maintain all erosion controls. Except for sediment basins, all accumulated sediment shall be removed from structural controls when sediment deposits reach one-third to one-half the height of the control. For sediment basins, accumulated sediment shall be removed when the capacity has been reduced by 50%. All removed sediment deposits shall be properly disposed. Non-functioning controls shall be repaired, replaced or supplemented with functional controls within 24 hours of discovery or as soon as field conditions allow.
	(11) Implement steps necessary to meet a specific wasteload allocation established subsequent to coverage issuance. [11 Miss. Admin. Code Pt. 6, Ch. 1.]
S-3	REQUIREMENT TO IDENTIFY MINE BOUNDARIES:
	Boundaries of areas issued a Certificate of Coverage under this permit shall be marked and durable posts shall be placed at the corners of the coverage area. The posts shall be painted or flagged to be readily visible during the life of the operation. [11 Miss. Admin. Code Pt. 6, Ch. 1.]
S-4	SWPPP COMPLIANCE WITH LOCAL STORM WATER ORDINANCES: (1) The SWPPP shall be in compliance with all local storm water ordinances.
	(2) When storm water discharges into a Municipal Separate Storm Sewer System (MS4), the coverage recipient shall make the SWPPP available to the local authority upon request. [11 Miss. Admin. Code Pt. 6, Ch. 1.]

# **ACT7 (Mining) Site Inspection and SWPPP Evaluation:**

Submittal/Action Requirements:

Condition No.	Condition
	DISPERSION DE OLUBER SENTE

#### S-1 INSPECTION REQUIREMENTS:

The coverage recipient shall perform inspections of all receiving streams (if feasible), outfalls, erosion and sediment controls, and other SWPPP requirements upon receipt of coverage and throughout permit coverage:

- (1) At least monthly
- (2) Within 24 hours after commencement of a rainfall event equal to or greater than a 2-year, 24-hour storm event (approximately 6-inches on the Gulf Coast to 4 inches at the Mississippi-Tennessee State Line)
- (3) As necessary to ensure that erosion controls have been constructed, maintained, and function adequately to satisfy the requirements of this permit and to ensure that pollutants are not leaving the site. [11 Miss. Admin. Code Pt. 6, Ch. 1.]

# **ACT8** (Mining) Recordkeeping Requirements:

Recordkeeping Requirements:

Condition No.	Condition
R-1	RECORDS RETENTION:
	All records, reports, forms and information resulting from activities required by this permit shall be retained for a period of at least three (3) years from the date that the document(s) was (were) generated. [11 Miss. Admin. Code Pt. 6, Ch. 1.]
R-2	MONTHLY INSPECTION DOCUMENTATION:
	Monthly inspections, as described in ACT 7, shall be documented on copies of the Site Inspection Report and Certification Form provided in the Mining Forms Package (or equivalent form) and be kept with the SWPPP. [11 Miss. Admin. Code Pt. 6, Ch. 1.]

## **ACT9 (Mining) Water Quality and Buffer Zone Requirements:**

# Limitation Requirements:

Condition No.	Condition
L-1	NON-NUMERIC LIMITATION REQUIREMENTS:

Storm water discharges shall be free from:

- (1) Debris, oil, scum, and other floating materials other than in trace amounts,
- (2) Eroded soils and other materials that will settle to form objectionable deposits in receiving waters,
- (3) Suspended solids, turbidity, and color at levels inconsistent with the receiving waters,
- (4) Chemicals in concentrations that would cause violation of State Water Quality Criteria in the receiving waters. [11 Miss. Admin. Code Pt. 6, Ch. 2.]

#### L-2 BUFFER ZONE REQUIREMENTS FOR MINING ACTIVITIES:

When a mining activity is adjacent to a stream, a buffer zone (natural or undisturbed greenbelt on the perimeter of a land disturbing activity) shall be maintained between the edge of the mining activity and the highest point of the top bank of the stream. The buffer zone shall not be disturbed by any mining activities. Mining activity includes, but is not limited to, extraction operations, stockpiling of overburden, fill dirt, or sand and gravel, and sedimentation ponds. The buffer zone requirements for mining activity adjacent to streams are as follows:

- (1) Intermittent Streams. Mining activities adjacent to intermittent streams shall normally have a 50-foot buffer zone. Intermittent streams will generally be indicated by a broken blue line on the latest version of the United States Department of the Interior Geological Survey Quadrangle Map (Scale 1:24,000, 7.5 minute series).
- (2) Perennial Streams. Mining activities adjacent to perennial streams shall normally have a 150-foot buffer zone. Perennial streams will generally be indicated by a solid blue line on the latest version of the United States Department of the Interior Geological Survey Quadrangle Map (Scale 1:24,000, 7.5 minute series). When a perennial stream is also classified as a navigable waterway, the requirements regarding navigable waterways shall be applied.
- (3) Navigable Waterways. Mining activities adjacent to navigable waterways shall normally have a 300-foot buffer zone. Navigable waterways are defined and designated by the U. S. Army Corps of Engineers pursuant to Section 10 of the Rivers and Harbors Act. [11 Miss. Admin. Code Pt. 6, Ch. 1.]

# **ACT10** (Mining) Mining Activities Considered "Exempt Operations":

Narrative Requirements:

Namanive	Narrative requirements.	
Condition No.	Condition	
T-1	WHERE TO OBTAIN THE "NOTICE OF EXEMPT OPERATIONS" FORM:	
	The form may be found in the Mining Forms Package or may be obtained by calling 601-961-5171. It may also be found on the MDEQ web site at http://www.deq.state.ms.us/mdeq.nsf/pdf/epd_MiningFormsPackage. [11 Miss. Admin. Code Pt. 6, Ch. 1.]	
T-2	Mining operations that are considered exempt from obtaining an Office of Geology Surface Mining Permit must submit a "Notice of Exempt Operations" with the MNOI or proof of previous submittal to the Office of Geology. To be considered an "Exempt Operation" under the Mississippi Surface Mining Reclamation Rules and Regulations, the operation must meet the following definition: A mining operation with an area equal to or less than four (4) acres and is greater than one thousand three hundred and twenty (1320) feet from any other affected area if:	
	(1) The operation began before July 1, 2002, and the operator notified the Department of the commencement, expansion or resumption of the operation before July 1, 2002; or	
	(2) The operation commenced after July 1, 2002, and the operator notified the Department at least seven (7) calendar days before commencement or expansion of the operation. The seven day notice prior to mining requirement shall be waived and the operator may begin mining immediately after notifying the Department [if all applicable permits and permit coverages have been obtained] and if:	

- (A) The operator agrees, in the notification, to reclaim the mine site in accordance with the minimum standards adopted by the Mississippi Commission on Environmental Quality (Commission); or
- (B) The exempted operation is conducted for Mississippi Department of Transportation (MDOT) projects or state aid road construction projects funded in whole or in part by public funds. [11 Miss. Admin. Code Pt. 8, Ch. 1.]

# **ACT11 (Mining) Wastewater Recirculation Systems with No Discharge to Surface Waters:**

# Narrative Requirements:

Turrative Requirements.		
Condition No.	Condition	
T-1	ELIGIBILITY:	
	Mining activities that operate one of the following processes are subject to the requirements listed below, in addition to the applicable requirements of ACTs 1 through 9 and 13 through 16 of this permit:	
	(1) Wash operations with closed loop recirculation system and no discharge of wash wastewater	
	(2) Hydraulic dredge operation with closed loop recirculation system and no discharge of dredge wastewater	
	(3) Combination of processes (1) and (2) above. [11 Miss. Admin. Code Pt. 6, Ch. 1.]	
T-2	REMOVED SUBSTANCES:	
	Solids, sludges, filter backwash, or other residuals removed in the course of treatment or control of wastewater shall be disposed of in a manner such as to prevent such materials from entering waters of the State and in a manner consistent with the Mississippi Solid Waste Disposal Act, the Federal Resource Conservation and Recovery Act, and the Mississippi Water Pollution Control Act. [11 Miss. Admin. Code Pt. 6, Ch. 1.]	
т 2	DOWED EATH LIDEO	

#### T-3 POWER FAILURES:

If electric power is required to maintain compliance with the conditions and prohibitions of the permit, the coverage recipient shall either:

- (1) Provide an alternative power source to operate the wastewater control facilities; or
- (2) Halt, reduce, or otherwise control production and/or all wastewater flows upon reduction, loss, or failure of the primary source of power to the wastewater control facilities. [11 Miss. Admin. Code Pt. 6, Ch. 1.]

# Narrative Requirements:

Condition	
No.	Condition

#### T-4 STRUCTURAL INTEGRITY:

- (1) Any lagoon, sedimentation pond, or dredge pit must have an emergency discharge structure installed at least 24 inches above the normal operating fluid level, with said discharge structure being at least 24 inches below the lowest point on the top of the containment dike.
- (2) Dikes, levees and any other appurtenant structures must be constructed utilizing good engineering designs, standards, methodologies and materials. A professional engineer, registered in the State of Mississippi, shall certify the adequacy of construction.
- (3) Dikes or levees shall be maintained in good working order at all times. There shall be no leaks through dikes and any damaged dike shall be replaced or repaired immediately upon discovering any deficiency. All earthen dikes shall be maintained with adequate cover, such that the effects of erosion are minimized.
- (4) Dams and levees must be constructed within the guidelines of the Dam Safety Regulations, 11 Miss. Admin. Code Pt. 7, Ch. 3. unless the dam meets the exemption criteria as outlined in Rule 3.2.B(2)(a)-(c) of said regulations. Prior to coverage being granted under this permit, authorization to construct must be issued for dams or levees not meeting the exemption criteria. Please be aware that a dam or levee meeting the exemption criteria but having the potential to threaten downstream lives or man-made structures must also contact the Dam Safety Division.
- (5) The coverage recipient shall develop and maintain a daily inspection log for this facility. This log should include but not be limited to the following;
- (A) Condition of all dikes or levees
- (B) Observance of the area around the dike to indicate any water pollution problems
- (C) Volume of wastewater accumulating within the impoundment
- (D) Date, time and person making the inspection
- (E) An indication that:
  - -Follow-up action is required
  - -No Follow-up action is required. [11 Miss. Admin. Code Pt. 6, Ch. 1.]

# **ACT12 (Mining) Mine Dewatering:**

# Submittal/Action Requirements:

Condition No.	Condition
S-1	REPORTING:
	The coverage recipient shall submit analytical results of monitoring conducted according to the provisions of T-3 of this ACT on a Discharge Monitoring Report (DMR) due annually by the 28 <sup>th</sup> of January. DMRs shall be submitted electronically using the MDEQ NetDMR system (ref. NPDES Electronic Reporting Rule promulgated at 40 CFR 127 on October 22, 2015). Instructions for NetDMR registration can be found on MDEQ's website at: http://www.deq.state.ms.us/MDEQ.nsf/page/NetDMR_NetDMRClassroomTraining. [11 Miss. Admin. Code Pt. 6, Ch. 1.]

# Narrative Requirements:

	Condition No.	Condition
7	Γ-1	ELIGIBILITY:
		This permit allows discharges of "mine dewatering", as defined in ACT16, subject to the following conditions and the applicable requirements of ACTs 1 through 9 and 13 through 16 of this permit. [11 Miss. Admin. Code Pt. 6, Ch. 1.]
7	Γ-2	EROSION AND SEDIMENT CONTROLS:

All water shall be discharged to well-vegetated and/or stabilized areas in a manner to prevent erosion of materials and soils into surface waters. This BMP shall be located on the site map required by ACT5, T-4. The intake of dewatering devices should draw from the upper third of the water column to minimize solids in the discharge. [11 Miss. Admin. Code Pt. 6, Ch. 1.]

#### Narrative Requirements:

# Condition No. Condition

#### T-3 MONITORING REQUIREMENTS FOR MINE DEWATERING:

- (1) Frequency and Location of Monitoring. The coverage recipient shall monitor the effluent for pH in accordance with Table 1 in this ACT by collecting grab samples at least once every 12 months after permit issuance. Samples should be collected at the nearest point after discharge, but prior to mixing with any non-mine water or mixing with the receiving stream.
- (2) Representative Sampling. Samples and measurements taken as required herein shall be representative of the volume and nature of the monitored wastewater.
- (3) Test Procedures. Sampling test procedures shall be in accordance with the methods set forth in 40 CFR Part 136. [11 Miss. Admin. Code Pt. 6, Ch. 1.]

#### Recordkeeping Requirements:

Condition	
No.	Condition

#### R-1 RECORDKEEPING REQUIREMENTS FOR MINE DEWATERING:

Recording of Results. For each measurement or sample taken pursuant to the requirements of this permit, the coverage recipient shall retain records for a minimum of three (3) years of all information obtained from such monitoring including:

- (1) The exact place, date and time of sampling
- (2) The dates and times the analyses were performed
- (3) The person(s) who performed the analyses
- (4) The analytical techniques, procedures or methods used
- (5) The results of all required analyses

If the coverage recipient monitors any pollutant as prescribed in the permit more frequently than required by the permit using test procedures approved under 40 CFR Part 136, the results of this monitoring shall be recorded according to the above provisions and included in any determinations of facility compliance status. [11 Miss. Admin. Code Pt. 6, Ch. 1.]

#### Table 1: **Limitations and Monitoring Requirements for Mine Dewatering**

RPNT000000001: Mining
Such discharges shall be limited and monitored by the coverage recipient as specified below:

Discharge Limitations Mon			itoring Requirements							
Parameter	Quantity / Loading Average	Quantity / Loading Maximum	Quantity / Loading Units	Conc. / Quality Minimum	Conc. / Quality Average	Conc. / Quality Maximum	Conc. / Quality Units	Frequency	Sample Type	Which Months
pH Effluent	****	****	****	6.0 Minimum	****	9.0 Maximum	SU	Annually	Grab Sampling	Jan-Dec

#### **ACT13 (Mining) Personnel Training Requirements:**

Submittal/Action Requirements:

Condition No.	Condition
S-1	TRAINING DOCUMENTATION:
	Personnel training conducted to meet the requirements of this ACT shall be documented. Training records shall include employee's name, worker identification number, date of training, contents of training, and the employee's signature acknowledging that training was received. All training records shall be maintained for at least three years from the date of training. [11 Miss. Admin. Code Pt. 6, Ch. 1.]
S-2	TRAINING PROGRAM REQUIREMENTS:

#### TRAINING PROGRAM REQUIREMENTS:

The coverage recipient shall develop and implement a program for initial and periodic refresher training of personnel that are responsible for implementing and/or complying with the requirements of this permit. Initial training for all personnel that are responsible for implementing and/or complying with the requirements of this permit shall be performed within twelve (12) months of issuance of coverage or recoverage under this permit. Newly hired employees responsible for implementing and/or complying with the requirements of this permit shall receive initial training prior to performing such responsibilities.

Training shall at a minimum address, but not be limited to, the following elements:

- (1) SWPPP goals and plan components identified in ACTs 5 through 7 of this permit, including:
- (A) Housekeeping and pollution prevention requirements,
- (B) Spill prevention and response procedures,
- (C) Installation, maintenance and inspection of erosion and sediment controls Best Management Practices (BMPs).
- (2) Procedures for monitoring compliance with mine dewatering requirements as prescribed in ACT 12 (if applicable);
- (3) Procedures to ensure compliance with the "no discharge" requirement of ACT11 (if applicable);
- (4) Recordkeeping, reporting and record retention requirements (includes understanding the records filing system and being able to produce the required permit documentation during an MDEQ on-site inspection). [11 Miss. Admin. Code Pt. 6, Ch. 1.]

#### **ACT14 (Mining) Termination of Permit Coverage:**

Submittal/Action Requirements:

Condition No. Condition
-------------------------

#### S-1 TERMINATION OF COVERAGE:

Coverage shall be terminated at the request of the coverage recipient only after mining activities have permanently stopped, vegetation has been successfully established, and any permanent controls are stable. Inspections must continue until such time the coverage recipient has received written notice of coverage termination by MDEQ.

- (1) For non-exempt mining operations, a complete Request For Termination (RFT) of Coverage Form (see Mining Forms Package) and a copy of the Permit Board Order, authorizing 90% or final release of the mining performance bond, shall be submitted to MDEQ.
- (2) For exempt mining operations, within 30 days of final stabilization (see Definition of Final Stabilization in ACT16) for a covered site, a completed Request For Termination (RFT) of Coverage Form (provided in the Mining Forms Package) shall be submitted to the Permit Board. Upon receiving the completed RFT, the MDEQ staff will inspect the site. If no sediment and erosion control problems are identified and adequate permanent controls are established, the owner or operator will receive a termination letter. Coverage is not terminated until notified in writing by MDEQ. Failing to submit a RFT is a violation of permit conditions.

Beginning December 21, 2020, the RFT must be submitted electronically as required by 40 CFR 127.16. [11 Miss. Admin. Code Pt. 6, Ch. 1.]

### **ACT15** (Mining) Standard Requirements Applicable to All Water Permits:

Condition No.	Condition
T-1	DUTY TO COMPLY:
	The coverage recipient must comply with all conditions of this permit. Any permit noncompliance constitutes a violation and is grounds for enforcement action, coverage termination, revocation and reissuance, or modification, or denial of a renewal application. [11 Miss. Admin. Code Pt. 6, Ch. 1.]
T-2	DUTY TO MITIGATE:
	The owner or operator shall take all reasonable steps to minimize or prevent any discharge in violation of this permit which is likely to adversely affect human health or the environment. [11 Miss. Admin. Code Pt. 6, Ch. 1.]
T-3	DUTY TO PROVIDE INFORMATION:
	The owner or operator shall furnish to the Permit Board, within a reasonable time, any relevant information which the Permit Board may request to determine whether cause exists for modifying, revoking and reissuing, or terminating coverage, or to determine compliance with this permit. The owner or operator shall also furnish to the Permit Board, upon request, copies of records required to be kept by this permit. [11 Miss. Admin. Code Pt. 6, Ch. 1.]

### Narrative Requirements:

Condition	
No.	Condition

#### T-4 SIGNATORY REQUIREMENTS:

All MNOIs, Requests for Recoverage, Major Modification Forms, Requests for Transfer, and Requests for Termination shall be signed as follows:

- (1) For a corporation by a responsible corporate officer. For this permit, a responsible corporate officer means:
- (A) A president, secretary, treasurer, or vice-president of the corporation in charge of a principal business function, or any other person who performs similar policy or decision-making functions for the corporation; or
- (B) The manager of one or more manufacturing, production or operating facilities, provided, the manager is authorized to make management decisions which govern the operation of the regulated facility including having the explicit or implicit duty of making major capital investment recommendations, and initiating and directing other comprehensive measures to assure long term environmental compliance with environmental laws and regulations; the manager can ensure that the necessary systems are established or actions taken to gather complete and accurate information for permit application requirements; and where authority to sign documents has been assigned or delegated to the manager in accordance with corporate procedures;

Note: MDEQ does not require specific assignments or delegations of authority to responsible corporate officers identified in paragraph (1)(A) above. The Department will presume that these responsible corporate officers have the requisite authority to sign permit applications unless the corporation has notified the Permit Board to the contrary. Corporate procedures governing authority to sign permit applications may provide for assignment or delegation to applicable corporate positions under paragraph (1)(B) above rather than to specific individuals.

- (2) For a partnership or sole proprietorship by a general partner or the proprietor, respectively; or
- (3) For a municipal, State, Federal, or other public agency by either a principal executive officer or ranking elected official. For purposes of this section, a principal executive officer of a Federal agency includes: a) the chief executive officer of the agency, or b) a senior executive officer having responsibility for the overall operations of a principal geographic unit of the agency. [11 Miss. Admin. Code Pt. 6, Ch. 1.]

### Narrative Requirements:

Narrative	Narrative Requirements:		
Condition No.	Condition		
T-5	DULY AUTHORIZED REPRESENTATIVE:		
	All SWPPPs, reports required by this permit, certifications, and other information requested by the Permit Board shall be signed by a person described in ACT 15, T-4 above, or by a duly authorized representative of that person. A person is a duly authorized representative when:		
	(1) The authorization is made in writing and submitted to the Permit Board by a person described in ACT 15, T-4 above.		
	(2) The authorization specifies either an individual or a position having responsibility for the overall operation of the regulated activity, such as: manager, operator of a well or well field, superintendent, person of equivalent responsibility, or an individual or position having overall responsibility for environmental matters for the company. (A duly authorized representative may be either a specified individual or position). [11 Miss. Admin. Code Pt. 6, Ch. 1.]		
T-6	CHANGES IN AUTHORIZATION:		

If an authorization is no longer accurate because a different individual or position has permit responsibility, a new authorization satisfying the requirements of ACT 15, T-4 and T-5 must be submitted to the Permit Board prior to or together with any reports, information or applications signed by the representative. [11 Miss. Admin. Code Pt. 6, Ch. 1.]

#### T-7 CERTIFICATION:

Any person signing documents under this section shall make the following certification:

"I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations." [11 Miss. Admin. Code Pt. 6, Ch. 1.]

#### T-8 OIL AND HAZARDOUS SUBSTANCE LIABILITY:

Nothing in this permit shall relieve the owner or operator from responsibilities, liabilities, or penalties under Section 311 of the Federal Clean Water Act (33 U.S.C. Section 1321). [11 Miss. Admin. Code Pt. 6, Ch. 1.]

### Narrative Requirements

Condition No.	Condition
T-9	PROPERTY RIGHTS:
	The issuance of this permit does not convey any property rights of any sort, nor any exclusive privileges, nor does it authorize any injury to private property nor any invasion of personal rights, nor any infringement of Federal, State or local laws or regulations. [11 Miss. Admin. Code Pt. 6, Ch. 1.]
T-10	SEVERABILITY:
	The provisions of this permit are severable. If any provision of this permit, or the application of any provision of this permit to any circumstance, is challenged or held invalid, the validity of the remaining permit provisions and/or portions thereof or their application to other persons or sets of circumstances, shall not be affected thereby. [11 Miss. Admin. Code Pt. 6, Ch. 1.]
T-11	TRANSFERS:
	Coverage under this permit is not transferable to any person except after notice to and approval by the Permit Board. The Permit Board may require the coverage recipient to obtain another NPDES permit. Transfer of coverage requests shall be submitted to the Permit Board using the form provided in the Mining Forms Package. [11 Miss. Admin. Code Pt. 6, Ch. 1.]
T-12	PROPER OPERATION AND MAINTENANCE:

The owner or operator shall at all times properly operate and maintain all facilities and systems of treatment and control (and related appurtenances) which are installed or used by the owner or operator to achieve compliance with the conditions of this permit, including the Storm Water Pollution Prevention Plan. Proper operation and maintenance includes adequate laboratory controls with appropriate quality assurance procedures and requires the operation of backup or auxiliary facilities when necessary to achieve compliance with permit conditions. [11 Miss. Admin. Code Pt. 6, Ch. 1.]

#### Narrative Requirements:

Condition	
No.	Condition

#### T-13 BYPASS PROHIBITION:

Bypass (see 40 CFR 122.41(m)) is prohibited and enforcement action may be taken against an owner or operator for a bypass, unless: a) the bypass was unavoidable to prevent loss of life, personal injury, or severe property damage; b) there were no feasible alternatives to the bypass, such as the use of auxiliary treatment facilities, retention of untreated wastes, or maintenance during normal periods of equipment downtime (this condition is not satisfied if the owner or operator should, in the exercise of reasonable engineering judgment, have installed adequate backup equipment to prevent a bypass which occurred during normal periods of equipment downtime or preventive maintenance); and c) the owner or operator submitted notices per ACT 15, T-17 and/or T-18. [11 Miss. Admin. Code Pt. 6, Ch. 1.]

#### T-14 UPSET CONDITIONS:

An upset (see 40 CFR 122.41(n)) constitutes an affirmative defense to an action brought for noncompliance with technology-based permit limitations if a coverage recipient shall demonstrate, through properly signed, contemporaneous operating logs, or other relevant evidence, that: 1) an upset occurred and the coverage recipient can identify the specific cause(s) of the upset; 2) the permitted facility was at the time being properly operated at the time of the upset; 3) the coverage recipient submitted notices per ACT 15, T-17 and/or T-18; and 4) the coverage recipient took remedial measures as required under ACT 15, T-2. In any enforcement proceeding, the coverage recipient has the burden of proof that an upset occurred. No determination made during administrative review of claims that noncompliance was caused by upset, and before an action for noncompliance is initiated, will be considered a final administrative action subject to judicial review. [11 Miss. Admin. Code Pt. 6, Ch. 1.]

#### T-15 INSPECTION AND ENTRY:

The owner or operator shall allow the Permit Board staff or an authorized representative, upon the presentation of credentials and other documents as may be required by law, to:

- (1) Enter upon the owner's or operator's premises where a regulated activity is located or conducted or where records must be kept under the conditions of this permit;
- (2) Have access to and copy at reasonable times any records that must be kept under the conditions of this permit; and
- (3) Inspect at reasonable times any facilities or equipment (including monitoring and control equipment), practices, or operations regulated or required under this permit; and
- (4) Sample or monitor at reasonable times, for the purposes of assuring permit compliance or as otherwise authorized by the Clean Water Act, any substances or parameters at any location. [11 Miss. Admin. Code Pt. 6, Ch. 1.]

### Narrative Requirements:

Condition No.	Condition
T-16	PERMIT ACTIONS:
	This permit may be modified, revoked and reissued, or terminated for cause. A request by the owner or operator for permit or coverage modification, revocation and reissuance, or termination, or a certification of planned changes or anticipated noncompliance does not stay any permit condition. [11 Miss. Admin. Code Pt. 6, Ch. 1.]
T-17	ANTICIPATED NONCOMPLIANCE:
	The owner or operator shall give at least 10 days advance notice, if possible, before any planned noncompliance with permit requirements. Giving notice of planned or anticipated noncompliance does not immunize the coverage recipient from enforcement action for that noncompliance. [11 Miss. Admin. Code Pt. 6, Ch. 1.]
T-18	UNANTICIPATED NONCOMPLIANCE:
	The owner or operator shall notify MDEQ orally within 24 hours from the time he or she becomes aware of unanticipated noncompliance, which may endanger health or the environment. A written report shall be provided to MDEQ within five (5) working days of the time he or she becomes aware of the circumstances leading to the unanticipated noncompliance. The report shall describe the cause, the exact dates and times, steps taken or planned to reduce, eliminate, or prevent reoccurrence and, if the noncompliance has not ceased, the anticipated time for correction. MDEQ may waive the written report on a case-by-case basis, if the oral report is received within 24 hours. [11 Miss. Admin. Code Pt. 6, Ch. 1.]
T-19	REOPENER CLAUSE:
	If there is evidence indicating potential or realized impacts on water quality due to discharges covered by this permit, the owner or operator may be required to obtain an individual permit or an alternative general permit in accordance with ACT 3, S-2, or the permit may be modified to include different limitations and/or requirements. [11 Miss. Admin. Code Pt. 6, Ch. 1.]

### T-20 PERMIT MODIFICATION:

Permit modification or revocation will be conducted according to 40 CFR 122.62, 122.63, 122.64 and 124.5. [11 Miss. Admin. Code Pt. 6, Ch. 1.]

#### Narrative Requirements:

Condition No.	Condition
T-21	CONTINUATION OF EXPIRED GENERAL PERMIT:
	If this permit is not reissued prior to the expiration date, it will be administratively continued and remain in force and effect. Permit coverage will remain until the earliest of:

- (1) Recoverage under the reissued general permit;
- (2) Submittal of a Request for Termination and receipt of written concurrence;
- (3) Issuance of an individual permit for the project's discharge; or
- (4) A formal permit decision by the Permit Board to not reissue the general permit, at which time the coverage recipient must seek coverage under an alternative general permit or an individual permit. [11 Miss. Admin. Code Pt. 6, Ch. 1]

#### T-22 FALSIFYING REPORTS:

Any coverage recipient who falsifies, tampers with, or knowingly renders inaccurate any monitoring device or method required by the Permit Board to be maintained as a condition in a permit, or who alters or falsifies the results obtained by such devices or methods and/or any written report required by or in response to a permit condition, shall be deemed to have violated a permit condition and shall be subject to the penalties provided for a violation of a permit condition pursuant to Miss. Code Ann. Section 49-17-43. [11 Miss. Admin. Code Pt. 6, Ch. 1.]

#### T-23 CIVIL AND CRIMINAL LIABILITY:

- (1) Any person who violates a term, condition or schedule of compliance contained within this permit or the Mississippi Air and Water Pollution Control Law is subject to the actions defined by the Mississippi Air and Water Pollution Control Law (Miss. Code Ann. Sections 49-17-1 through 49-17-43).
- (2) Except as provided in permit conditions on "Bypassing" and "Upsets," nothing in this permit shall be construed to relieve the coverage recipient from civil or criminal penalties for noncompliance.
- (3) It shall not be the defense of the coverage recipient in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of this permit. [11 Miss. Admin. Code Pt. 6, Ch. 1.]

## **ACT16 (Mining) Definitions:**

Condition No.	Condition
T-1	BEST MANAGEMENT PRACTICES (BMPs) means schedules of activities, prohibitions of practices, maintenance procedures, and other management practices to prevent or reduce the discharge of pollutants to waters of the United States. BMPs also include treatment requirements, operating procedures, and practices to control site runoff, spillage or leaks, sludge or waste disposal, or drainage from raw material storage. [11 Miss. Admin. Code Pt. 6, Ch. 1.]
T-2	BUFFER ZONE, as used in this permit, means a strip of dense undisturbed perennial vegetation, either original or reestablished, that borders perennial streams and rivers, ponds and lakes and wetlands. Buffer zones are established for the purposes of slowing water runoff, enhancing water infiltration, and minimizing the risk of any potential nutrients or pollutants from leaving the upland area and reaching surface waters. Buffer zones are most effective when storm water runoff is flowing into and through the buffer zone as shallow sheet flow, rather than in concentrated form such as in channels, gullies, or wet weather conveyances. Therefore, it is critical that the design of any development include management practices, to the maximum extent practical, that will result in storm water runoff flowing into and through the buffer zone as shallow sheet flow. [11 Miss. Admin. Code Pt. 6, Ch. 1]
T-3	BYPASS means the intentional diversion of wastestreams from any portion of the coverage recipient's treatment facility. [11 Miss. Admin. Code Pt. 6, Ch. 1.]
T-4	CFR means the Code of Federal Regulations. [11 Miss. Admin. Code Pt. 6, Ch. 1.]
T-5	CLEAN WATER ACT (CWA) refers to the Federal Water Pollution Control Act, 33 U.S.C. Section 1251 et seq. [11 Miss. Admin. Code Pt. 6, Ch. 1.]
T-6	COMMISSION means the Mississippi Commission on Environmental Quality. [11 Miss. Admin. Code Pt. 6, Ch. 1.]
T-7	CONSTRUCTION EXIT is a stone-base pad designed to provide a buffer area where mud-and caked-soil can be removed from the tires of vehicles to avoid transporting it onto public roads. This practice applies anywhere traffic will be leaving a mining site and moving directly onto a paved public road or street. [11 Miss. Admin. Code Pt. 6, Ch. 1.]
T-8	CONTROL MEASURE as used in this permit, refers to any Best Management Practice or other method used to prevent or reduce the discharge of pollutants to waters of the United States. [11 Miss. Admin. Code Pt. 6, Ch. 1.]
T-9	EXECUTIVE DIRECTOR means the Executive Director of the Department of Environmental Quality. [11 Miss. Admin. Code Pt. 6, Ch. 1.]

Condition No.	Condition
T-10	EXEMPT OPERATIONS (as provided by Mississippi's Surface Mining and Reclamation Rules and Regulations) mean a mining operation with an area equal to or less than four (4) acres and is greater than one thousand three hundred and twenty (1320) feet from any other affected area if:
	(1) The operation began before July 1, 2002, and the operator notified the Department of the commencement, expansion or resumption of the operation before July 1, 2002; or
	(2) The operation commenced after July 1, 2002, and the operator notified the Department at least seven (7) calendar days before commencement or expansion of the operation. The seven day notice prior to mining requirement shall be waived and the operator may begin mining immediately after notifying the Department if:
	(A) The operator agrees, in the notification, to reclaim the mine site in accordance with the minimum standards adopted by the Commission on Environmental Quality (Commission); or
	(B) The exempted operation is conducted for Mississippi Department of Transportation (MDOT) projects or state aid road construction projects funded in whole or in part by public funds. [11 Miss. Admin. Code Pt. 8, Ch. 1.]
T-11	FACILITY, ACTIVITY or OPERATIONS means any NPDES "point source" or "No Discharge" or any other facility or activity (including land or appurtenances thereto) that is subject to regulation under the NPDES program or State No Discharge Requirements. [11 Miss. Admin. Code Pt. 6, Ch. 1.]
T-12	FINAL STABILIZATION means all soil disturbing activities at the site have been completed, and that a uniform perennial vegetative cover with a density of at least 70% for the area has been established or equivalent measures have been employed. [11 Miss. Admin. Code Pt. 6, Ch. 1.]
T-13	INACTIVE MINING OPERATIONS means mining sites that are not being actively mined, but have an identifiable owner/operator. [11 Miss. Admin. Code Pt. 6, Ch. 1.]
T-14	INFEASIBLE means not technologically possible, or not economically practicable and achievable in light of best industry practices. [11 Miss. Admin. Code Pt. 6, Ch. 1]
T-15	LOCALLY AVAILABLE means that the SWPPP is able to be produced within an hour of being requested by an inspector. [11 Miss. Admin. Code Pt. 6, Ch. 1.]

Condition No.	Condition
T-16	MINE DEWATERING means any water that is impounded or that collects in the mine and is pumped, drained or otherwise removed from the mine through the efforts of the mine operator. For sand and gravel mines, this term shall also include wet pit overflows caused solely by direct rainfall and ground water seepage. However, if a mine is also used for treatment of process generated wastewater, discharges of commingled water from the facilities shall be deemed discharges of process generated wastewater. [11 Miss. Admin. Code Pt. 6, Ch. 1.]
T-17	MINE PROCESS GENERATED WASTEWATER means any wastewater used in the slurry transport of mined material, wastewater generated from the dredging and/or washing of mined material, air emissions control (excluding water used for dust suppression on roads which is evaporated or absorbed by soils such that no runoff to a receiving stream occurs), or processing exclusive of mining. The term shall also include any other water that becomes commingled with such wastewater in a pit, pond, lagoon, mine or other facility used for treatment of such wastewater. The term does not include wastewater used for the suction dredging of deposits in a body of water and returned directly to the body of water without being used for other purposes or combined with other wastewater. [11 Miss. Admin. Code Pt. 6, Ch. 1.]
T-18	MINING OPERATIONS include clearing, grading, excavating and other land disturbing activities. [11 Miss. Admin. Code Pt. 6, Ch. 1.]
T-19	MUNICIPAL SEPARATE STORM SEWER SYSTEM (MS4) means a conveyance or system of conveyances (including roads with drainage systems, municipal streets, catch basins, curbs, gutters, ditches, man-made channels, or storm drains): (i) Owned or operated by a State, city, town, borough, county, parish, district, association, or other public body (created by or pursuant to State law) having jurisdiction over disposal of sewage, industrial wastes, storm water, or other wastes, including special districts under State law such as a sewer district, flood control district or drainage district, or similar entity, or an Indian tribe or an authorized Indian tribal organization, or a designated and approved management agency under section 208 of the CWA that discharges to waters of the United States, (ii) Designed or used for collecting or conveying storm water, (iii) Which is not a combined sewer, and (iv) Which is not part of a Publicly Owned Treatment Works (POTW). [11 Miss. Admin. Code Pt. 6, Ch. 1]
T-20	NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES) means the regulations under the Clean Water Act which prohibits discharge of pollutants into waters of the United States unless a special permit is issued. [11 Miss. Admin. Code Pt. 6, Ch. 1.]
T-21	OFFICE OF GEOLOGY, MINING AND RECLAMATION DIVISION means the state agency regulating all surface mines in Mississippi in accordance with the provisions of the Mississippi Surface Mining and Reclamation Law (Miss. Code Ann. Section 53-7-1 et seq.,). [11 Miss. Admin. Code Pt. 8, Ch. 1.]
T-22	PERMIT BOARD means the Mississippi Environmental Quality Permit Board established pursuant to Miss. Code Ann. Section 49-17-28. [11 Miss. Admin. Code Pt. 6, Ch. 1.]

Condition No.	Condition
T-23	POLLUTANT is defined at 40 CFR 122.2. A partial listing from this definition includes: dredged spoil, solid waste, sewage, garbage, sewage sludge, chemical wastes, biological materials, heat, wrecked or discarded equipment, rock, sand, sediment, silt, cellar dirt, and industrial or municipal waste. [11 Miss. Admin. Code Pt. 6, Ch. 1.]
T-24	STEEP SLOPES, as used in this permit, means slopes or grades steeper than (3:1). [11 Miss. Admin. Code Pt. 6, Ch. 1]
T-25	STORM WATER means rainfall runoff, snowmelt runoff, and surface runoff. [11 Miss. Admin. Code Pt. 6, Ch. 1.]
T-26	STORM WATER POLLUTION PREVENTION PLAN (SWPPP) means a plan that includes site map(s), an identification of mining-related activities that could cause pollutants in the storm water, and a description of measures or practices to control these pollutants. [11 Miss. Admin. Code Pt. 6, Ch. 1.]
T-27	TOTAL MAXIMUM DAILY LOAD (TMDL) means the maximum daily amount of a pollutant that can enter a water body so that the water body will meet and continue to meet state water quality standards. [11 Miss. Admin. Code Pt. 6, Ch. 1.]
T-28	UPSET means an exceptional incident in which there is unintentional and temporary noncompliance with technology based permit effluent limitations because of factors beyond the reasonable control of the coverage recipient. An upset does not include noncompliance to the extent caused by operational error, improperly designed treatment facilities, inadequate treatment facilities, lack of preventive maintenance, or careless or improper operation. [11 Miss. Admin. Code Pt. 6, Ch. 1.]
T-29	WATERS OF THE STATE means all waters within the jurisdiction of this State, including all streams, lakes, ponds, wetlands, impounding reservoirs, marshes, watercourses, waterways, wells, springs, irrigation systems, drainage systems, and all other bodies or accumulations of water, surface and underground, natural or artificial, situated wholly or partly within or bordering upon the State, and such coastal waters as are within the jurisdiction of the State, except lakes, ponds, or other surface waters which are wholly landlocked and privately owned, and which are not regulated under the Federal Clean Water Act (33 U.S.C. Section 1251 et seq.). [11 Miss. Admin. Code Pt. 6, Ch. 1.]
T-30	11 Miss. Admin. Code Pt. 6, Ch. 1. Means the State of Mississippi's Wastewater Regulations for National Pollutant Discharge Elimination System (NPDES) Permits, Underground Injection Control (UIC) Permits, State Permits, Water Quality Based Effluent Limitations and Water Quality Certifications. [11 Miss. Admin. Code Pt. 6, Ch. 1.]
T-31	11 MISS. ADMIN. CODE PT. 8, CH. 1. means the regulations promulgated by the Commission pursuant to the Mississippi Surface Mining and Reclamation Act (Miss. Code Ann. Section 53-7-1 et seq.,). [11 Miss. Admin. Code Pt. 8, Ch. 1.]