AI#6691 GnP20060001



MISSISSIPPI DEPARTMENT OF ENVIRONMENTAL QUALITY (MDEQ) BASELINE NOTICE OF INTENT (BNOI)

FOR COVERAGE UNDER BASELINE STORM WATER GENERAL NPDES PERMIT MSR00 1745

(NUMBER TO BE ASSIGNED BY STATE)

INSTRUCTIONS

Applicant must be the owner or operator (legal entity that controls the facility's operation, rather than the plant/site manager or environmental consultant). The owner or operator that receives coverage is responsible for permit compliance. File at least 60 days prior to the commencement of the regulated industrial activity

Submittals with this BNOI must include a Storm Water Pollution Prevention Plan (SWPPP) with the minimum components found in ACTs 5 and 6 of the Baseline Storm Water General Permit. In addition, a United States Geological Survey (USGS) quadrangle map (or a copy) showing site location and extending at least 1/2 mile beyond the site's property boundary is required. If a copy is submitted, provide the name of the quadrangle map that is found in the upper right hand corner. Maps can be obtained from the MDEQ, Office of Geology at 601-961-5523.

ALL INFORMATION REQUESTS MUST BE ANSWERED (answer "NA" if not applicable)

THE APPLICANT IS OWNER OPERATOR (PLEASE CHECK ONE OR BOTH)

OWNER INFORMATION Owner Contact Name: Mr. David W. Cundiff Position: Operations Manager Owner Company Name: Baker Oil Tools Owner Street (P.O. Box): 3038 Ellisville Boulevard Owner City: Laurel State: MS Zip: 39440 Owner Phone Number (Include Area Code): (601) 428-4386 OPERATOR INFORMATION (if different than owner)

FACILITY INFORMATION

Facility Name: Baker (Oil Tools			
Nature of Business (Inc	lude 4-digit Standard Indus	strial Classification Code (SIC) and description):		
SIC Code: 1389	Oil and Gas Field Se	Oil and Gas Field Services, Not Elsewhere Classified		
Receiving Stream: Wa	ters Creek			
Physical Site Address (i	f not available indicate the n	nearest named road):		
Street: 3038 Ellisville Boulevard		City: Laurel		
County: Jones		Zip: 39440		
Indicate Any Associatio	n or Generic SWPPP: NA			
		ach storm water outfall. If multiple sampling has been , including sampling dates and the minimum, average and		
	Section 313 facility utilizing w of water priority chemicals p	water priority chemicals at threshold amounts? Yes No present at the facility.		

DOCUMENTATION OF COMPLIANCE WITH OTHER REGULATIONS/REQUIREMENTS

Is this notice for a facility that will require other permits? Yes Hazardous Waste, Pretreatment, Water State Operating, Individual N	
How will sanitary sewage be collected and treated? City of Laurel PO	TW
Indicate any local storm water ordinance with which the facility must approval.	comply and submit any documentation o
NA	
No	
CERTIFICATION	
certify under penalty of law that this document and all attachments were prepared and all attachments were prepared to assure that qualified personnel properly glomitted. Based on my inquiry of the person or persons who manage the system of the information, the information submitted is to the best of my knowled aware that there are significant penalties for submitting false information, in a prisonment for knowing violations.	athered and evaluated the information m, or those persons directly responsible for edge and belief, true, accurate and complete.
gnature (Must be signed by operator when different than owner)	Date Signed
David Cundiff	OPERATIONS MANAGER
his application shall be signed according to the General Permit, ACT 13, T-4, For a corporation, by a responsible corporate officer. For a partnership, by a general partner.	as follows:

- For a sole proprietorship, by the proprietor.
- For a municipal, state or other public facility, by principal executive officer, the mayor, or ranking elected official.

After signing please mail to:

Environmental Permits Division, Office of Pollution Control

P.O. Box 10385

Jackson, MS 39289-0385