

Scott

AI#913



MISSISSIPPI DEPARTMENT OF ENVIRONMENTAL QUALITY



BASELINE STORM WATER GENERAL PERMIT RE-COVERAGE FORM

FOR COVERAGE UNDER MISSISSIPPI'S REISSUED
BASELINE GENERAL PERMIT MSR00
GENERAL NPDES COVERAGE NO. MSR00 11 00 5 5

110055

INSTRUCTIONS

The submittal of this form is required to receive coverage under the reissued Baseline General Permit. This form must be completed and returned to the address printed at the bottom of page 2 within 30 days of the date of the Letter of Instruction for Re-Coverage.

The signatory of this form must be the owner or operator who is the current coverage recipient (rather than the plant/site manager or environmental consultant). The coverage recipient is responsible for permit compliance.

Amendments to the Storm Water Pollution Prevention Plan (SWPPP) are required to be attached if the plan is not current or is ineffective in controlling storm water pollutants. The visual assessment and training sections of your SWPPP will probably need to be updated to adhere to permit requirements (see ACT8, S-1 and ACT12, S-1 and S-2). These updates do NOT need to be submitted to MDEQ.

If the facility is out of business or no longer a regulated facility, please request termination of coverage by completing the Request for Termination (RFT) Form found in the Baseline Forms Package. Facilities that continue to discharge wastewater without applicable permit coverage are in violation of state law.

Do not submit this form if submitting a "Request for Termination" (RFT).

Do not submit this form if submitting a "No Exposure Certification."

ALL INFORMATION MUST BE COMPLETED (Enter "NA" if not applicable).

The Certificate of Coverage should be mailed to: owner/operator facility (please check one)

COVERAGE RECIPIENT INFORMATION

CONTACT NAME & POSITION: Charles S.Hankins - Acting Plant Manager

COMPANY NAME: Georgia Pacific Wood Products, LLC

STREET OR P.O. BOX: Highway 28 West

CITY: Talorsville STATE: MS ZIP: 39168

PHONE NUMBER (INCLUDE AREA CODE): 601-785-4721

FACILITY INFORMATION

FACILITY NAME: Taylorsville, MS Plywood
CONTACT NAME & POSITION: Charles S.Hankins - Acting Plant Manager
CONTACT PHONE NUMBER (INCLUDE AREA CODE): 601-785-4721
PRIMARY STANDARD INDUSTRIAL CLASSIFICATION (SIC) CODE & DESCRIPTION OF INDUSTRIAL ACTIVITY: 2 4 3 6 Softwood Veneer and Plywood
PHYSICAL SITE ADDRESS: STREET: Highway 28 West
CITY: Taylorsville COUNTY: Smith ZIP: 39168
PROVIDE THE COORDINATES OF THE PLANT ENTRANCE:
LATITUDE: 31 degrees 50 minutes 23 seconds LONGITUDE: 89 degrees 27 minutes 59 seconds
NEAREST NAMED RECEIVING STREAM FOR STORM WATER LEAVING THE SITE: Tributary of Lyon Creek
IS RECEIVING STREAM ON MDEQ's 303(d) LIST? [] YES [X] NO
IF YES, HAS A TMDL BEEN ESTABLISHED FOR THE RECEIVING STREAM SEGMENT? NA [] YES [] NO

STORM WATER POLLUTION PREVENTION PLAN (SWPPP)

1. IS A COPY OF THE SWPPP AT THE PERMITTED SITE? [X] YES [] NO
2. IS THE SWPPP UP-TO-DATE AND EFFECTIVE IN CONTROLLING STORM WATER POLLUTANTS? [X] YES [] NO
IF NO, PLEASE ATTACH REQUIRED SWPPP AMENDMENTS (see Instructions on front page).

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fines and imprisonment for knowing violations.

I further certify that I understand when coverage is terminated the facility is no longer authorized to discharge storm water associated with industrial activity under this general permit. I understand that discharging pollutants in storm water associated with industrial activity to waters of the state without NPDES coverage is in violation of state law.

[Handwritten Signature]
Signature

[Handwritten Date: 10/3/10]
Date

Charles S. Hankins
Printed Name

Acting Plant Manager
Title

This form shall be signed according to ACT14, T-9 of the General Permit, as follows:

- For a corporation, by a responsible corporate officer.
- For a partnership, by a general partner.
- For a sole proprietorship, by the proprietor.
- For a municipal, state or other public facility, by principal executive officer, mayor, or ranking elected official.

After signing please mail to: Chief, Environmental Permits Division,
MS Department of Environmental Quality, Office of Pollution Control
P.O. Box 2261
Jackson, Mississippi 39225



Georgia-Pacific Wood Products LLC.

P.O. Box 555
Taylorsville, MS 39168
Telephone (601) 785-4721

CERTIFIED MAIL # 7009 2250 0002 1566 0447
Return Receipt Requested

November 5, 2010

Chief, Environmental Permits Division
Mississippi Department of Environmental Quality
Office of Pollution Control
P. O. Box 2261
Jackson, Ms. 39225

RECEIVED
NOV - 8 2010
Dept of Environmental Quality
Office of Pollution Control

RE: Baseline Storm Water General Permit Re-coverage Form
Taylorsville Plywood – Coverage No. MSR110055

To Whom It May Concern:

Please find enclosed the Baseline Storm Water General Permit Re-coverage Forms required by ACT3 Condition No. S-3 of the Baseline Storm Water General Permit For Industrial Activities (MSR00) for the Georgia-Pacific Taylorsville Plywood Plant - Coverage No. MSR110055.

If you have any questions please contact me at 601 785-4721.

Sincerely,

A handwritten signature in black ink that reads 'Allison Casey'.

Allison Casey
Regional Environmental Manager