

AI #1000

Scott



RECEIVED

MAR 07 2011

MDEQ

MISSISSIPPI DEPARTMENT OF ENVIRONMENTAL QUALITY

BASELINE STORM WATER GENERAL PERMIT RE-COVERAGE FORM

FOR COVERAGE UNDER MISSISSIPPI'S REISSUED
BASELINE GENERAL PERMIT MSR00
GENERAL NPDES COVERAGE NO. MSR00 0596

INSTRUCTIONS

The submittal of this form is required to receive coverage under the reissued Baseline General Permit. This form must be completed and returned to the address printed at the bottom of page 2 within 30 days of the date of the Letter of Instruction for Re-Coverage.

The signatory of this form must be the owner or operator who is the current coverage recipient (rather than the plant/site manager or environmental consultant). The coverage recipient is responsible for permit compliance.

Amendments to the Storm Water Pollution Prevention Plan (SWPPP) are required to be attached if the plan is not current or is ineffective in controlling storm water pollutants. The visual assessment and training sections of your SWPPP will probably need to be updated to adhere to permit requirements (see ACT8, S-1 and ACT12, S-1 and S-2). These updates do NOT need to be submitted to MDEQ.

If the facility is out of business or no longer a regulated facility, please request termination of coverage by completing the Request for Termination (RFT) Form found in the Baseline Forms Package. Facilities that continue to discharge wastewater without applicable permit coverage are in violation of state law.

Do not submit this form if submitting a "Request for Termination" (RFT).

Do not submit this form if submitting a "No Exposure Certification."

ALL INFORMATION MUST BE COMPLETED (Enter "NA" if not applicable).

The Certificate of Coverage should be mailed to: owner/operator facility (please check one)

COVERAGE RECIPIENT INFORMATION

CONTACT NAME & POSITION: Justin Blades, EH&S Coordinator
COMPANY NAME: Weyerhaeuser NR
STREET OR P.O. BOX: 2056 Jesse Hall Rd
CITY: Magnolia STATE: MS ZIP: 39652
PHONE NUMBER (INCLUDE AREA CODE): 601-783-4089

FACILITY INFORMATION

FACILITY NAME: Weyerhaeuser NR, McComb Wood Products
 CONTACT NAME & POSITION: Justin Blades, EHS Coordinator
 CONTACT PHONE NUMBER (INCLUDE AREA CODE): 601-783-4089
 PRIMARY STANDARD INDUSTRIAL CLASSIFICATION (SIC) CODE & DESCRIPTION OF INDUSTRIAL ACTIVITY:
2421 Lumber Manufacturing / Sawmill
 PHYSICAL SITE ADDRESS: STREET: 2056 Jesse Hall Rd
 CITY: Magnolia COUNTY: Pike ZIP: 39652
 PROVIDE THE COORDINATES OF THE PLANT ENTRANCE:
 LATITUDE: 31 degrees 10 minutes 27 seconds LONGITUDE: 90 degrees 27 minutes 38 seconds
 NEAREST NAMED RECEIVING STREAM FOR STORM WATER LEAVING THE SITE: Little Tangipahou
 IS RECEIVING STREAM ON MDEQ's 303(d) LIST? YES NO
 IF YES, HAS A TMDL BEEN ESTABLISHED FOR THE RECEIVING STREAM SEGMENT? YES NO

STORM WATER POLLUTION PREVENTION PLAN (SWPPP)

1. IS A COPY OF THE SWPPP AT THE PERMITTED SITE? YES NO
 2. IS THE SWPPP UP-TO-DATE AND EFFECTIVE IN CONTROLLING STORM WATER POLLUTANTS? YES NO
 IF NO, PLEASE ATTACH REQUIRED SWPPP AMENDMENTS (see Instructions on front page).

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fines and imprisonment for knowing violations.

I further certify that I understand when coverage is terminated the facility is no longer authorized to discharge storm water associated with industrial activity under this general permit. I understand that discharging pollutants in storm water associated with industrial activity to waters of the state without NPDES coverage is in violation of state law.


Fred Tate
 Signature
Fred Tate
 Printed Name

3/2/2011
 Date
Plant Manager
 Title

- ¹This form shall be signed according to ACT14, T-9 of the General Permit, as follows:
- For a corporation, by a responsible corporate officer.
 - For a partnership, by a general partner.
 - For a sole proprietorship, by the proprietor.
 - For a municipal, state or other public facility, by principal executive officer, mayor, or ranking elected official.

After signing please mail to: Chief, Environmental Permits Division,
 MS Department of Environmental Quality, Office of Pollution Control
 P.O. Box 2261
 Jackson, Mississippi 39225

RECEIVED
 MAR - 9 2011
 Dept of Environmental Quality
 Revision: 09/30/10



Weyerhaeuser NR Company
2056 Jesse Hall Memorial Road
Magnolia, MS 39652

(601) 783-4089
(601) 783-2818
justin.blades@weyerhaeuser.com

March 2, 2011

Chief, Environmental Permits Division
MS Department of Environmental Quality
Office of Pollution Control

RE: Baseline Storm Water General Permit Re-Coverage Ref. No. MSR000596

Mr. Jim Morris,

Please find enclosed, a Baseline Storm Water Re-Coverage Form for the Weyerhaeuser NR, McComb Wood Products facility, (ref # MSR000596), located in Magnolia, Mississippi.

Sincerely,
Weyerhaeuser NR
McComb Wood Products

A handwritten signature in black ink that reads "Justin C. Blades".

Justin Blades
EH&S Manager

RECEIVED
MAR - 9 2011
17713
Dept of Environmental Quality