



MISSISSIPPI DEPARTMENT OF ENVIRONMENTAL QUALITY

RECEIVED
DEC 28 2015
Dept. of Environmental Quality

BASELINE STORM WATER GENERAL PERMIT RE-COVERAGE FORM

FOR COVERAGE UNDER MISSISSIPPI'S REISSUED
BASELINE GENERAL PERMIT MSR00
GENERAL NPDES COVERAGE NO. MSR00 0 9 2 2

INSTRUCTIONS

The submittal of this form is required to receive coverage under the reissued Baseline General Permit. This form must be completed and returned to the address printed at the bottom of page 2 within 45 days of the date of the Letter of Instruction for Re-Coverage.

The signatory of this form must be the owner or operator who is the current coverage recipient (i.e., not the environmental consultant). The coverage recipient is responsible for permit compliance.

Re-submittal of the Storm Water Pollution Prevention Plan (SWPPP) is not required, even if amendments must be added to meet new permit conditions. However, amendments to the SWPPP must be submitted with the "Re-Coverage Form" if there has been a change in design, construction, operation, or maintenance of the facility, which may increase the discharge of pollutants to waters of the State or the SWPPP proves to be ineffective in controlling storm water pollutants.

If the facility is out of business or no longer a regulated facility, please request termination of coverage by completing the Request for Termination (RFT) Form found in the Baseline Forms Package. Facilities that continue to discharge wastewater without applicable permit coverage are in violation of state law.

Do not submit this form if submitting a "Request for Termination" (RFT).

Do not submit this form if submitting a "No Exposure Certification."

ALL FORM BLANKS MUST BE COMPLETED (enter "NA" if not applicable).

The Certificate of Coverage should be mailed to: owner/operator facility (please check one)

COVERAGE RECIPIENT INFORMATION

CONTACT NAME & POSITION: Mark H. Smith

COMPANY NAME: The Chemours Company FC, LLC, DeLisle Plant

STREET OR P.O. BOX: P.O. Box 430

CITY: Pass Christian STATE: MS ZIP: 39571

PHONE NUMBER (228) 255-2300 EMAIL: mark.h.smith@chemours.com

FACILITY INFORMATION

FACILITY NAME: Chemours DeLisle Plant

CONTACT NAME & POSITION: Suzanne Gibson, Plant Environmental Consultant

CONTACT PHONE NUMBER (228) 255-2479 EMAIL: suzanne.gibson@chemours.com

PRIMARY STANDARD INDUSTRIAL CLASSIFICATION (SIC) CODE & DESCRIPTION OF INDUSTRIAL ACTIVITY:

2 8 1 6 Inorganic Pigments (manufacturing of titanium dioxide pigments)

PHYSICAL SITE ADDRESS: STREET: 7685 Kiln DeLisle Road

CITY: Pass Christian COUNTY: Harrison ZIP: 39571

PROVIDE THE COORDINATES OF THE PLANT ENTRANCE:

LATITUDE: N 30 degrees 23 minutes 23 seconds LONGITUDE: W 89 degrees 18 minutes 31 seconds

NEAREST NAMED RECEIVING STREAM FOR STORM WATER LEAVING THE SITE: St. Louis Bay

IS RECEIVING STREAM ON MDEQ's 303(d) LIST? [] YES [x] NO

HAS A TMDL BEEN ESTABLISHED FOR THE RECEIVING STREAM SEGMENT? [] YES [x] NO

STORM WATER POLLUTION PREVENTION PLAN (SWPPP)

1. IS A COPY OF THE SWPPP AT THE PERMITTED SITE? [x] YES [] NO

2. IS THE SWPPP UP-TO-DATE AND EFFECTIVE IN CONTROLLING STORM WATER POLLUTANTS? [x] YES [] NO IF NO, PLEASE ATTACH REQUIRED SWPPP AMENDMENTS (see Instructions on front page).

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

I further certify that I understand when coverage is terminated the facility is no longer authorized to discharge storm water associated with industrial activity under this general permit. I understand that discharging pollutants in storm water associated with industrial activity to waters of the state without NPDES coverage is in violation of state law.

Signature: Mark H. Smith

Date: 12/21/2015


Printed Name: Mark H. Smith

Title: Plant Manager / Owner-Operator

This form shall be signed according to ACT14, T-9 of the General Permit, as follows:

- For a corporation, by a responsible corporate officer.
- For a partnership, by a general partner.
- For a sole proprietorship, by the proprietor.
- For a municipal, state or other public facility, by principal executive officer, mayor, or ranking elected official.

After signing please mail to: Chief, Environmental Permits Division, MS Department of Environmental Quality, Office of Pollution Control P.O. Box 2261 Jackson, Mississippi 39225



The Chemours Company FC, LLC
Titanium Technologies, DeLisle Plant
7685 Kiln-DeLisle Road, P. O. Box 430
Pass Christian, MS 39571

RECEIVED

DEC 28 2015

Dept. of Environmental Quality

December 21, 2015

Mr. Harry Wilson
Chief, Environmental Permits Division
Mississippi Department of Environmental Quality
P.O. Box 2261
Jackson, MS 39225

Chemours DeLisle Plant
Coverage Number MSR000922
Baseline Storm Water General Permit Re-Coverage Form

Dear Mr. Wilson:

The subject form is submitted as required in order to request continued coverage for our facility under Mississippi's Baseline General Storm Water Permit. Please feel free to contact Suzanne Gibson at (228) 255-2479 if you have any questions about this form.

Sincerely,

A handwritten signature in blue ink that reads 'Mark H. Smith'.

Mark H. Smith
Plant Manager

Certified Mail 7009 0960 0000 8474 9140
Return Receipt Requested

cc: Mr. Philip Morris, MDEQ EPD