

AL 15033

recovery

MISSISSIPPI DEPARTMENT OF
ENVIRONMENTAL QUALITY

RECEIVED Nathan

JUL - 6 2015

Dept. of Environmental Quality

BASELINE NOTICE OF INTENT (BNOI)
FOR COVERAGE UNDER THE BASELINE STORM WATER
GENERAL NPDES PERMIT MSR00 2 1 8 2
(NUMBER TO BE ASSIGNED BY STATE)

INSTRUCTIONS

Applicant must be the owner or operator (legal entity that controls the facility's operation, rather than the plant/site manager or environmental consultant). The owner or operator that receives coverage is responsible for permit compliance. File at least 60 days prior to the commencement of the regulated industrial activity.

Submittals with this BNOI must include a Storm Water Pollution Prevention Plan (SWPPP) with the minimum components found in ACTs 5 and 6 of the Baseline Storm Water General Permit. In addition, a United States Geological Survey (USGS) quadrangle map (or a copy) showing site location and extending at least 1/2 mile beyond the site's property boundary is required. If a copy is submitted, provide the name of the quadrangle map that is found in the upper right hand corner. Maps can be obtained from the MDEQ, Office of Geology at 601-961-5523.

ALL INFORMATION REQUESTS MUST BE ANSWERED (answer "NA" if not applicable)

THE APPLICANT IS: ☒ OWNER ☐ OPERATOR (PLEASE CHECK ONE OR BOTH)

OWNER INFORMATION

Owner Contact Name: Wynn Alexander Position: President
Owner Company Name: Caaba Inc.
Owner Street (P.O. Box): P. O. Box 460
Owner City: Wiggins State: MS Zip: 39577
Owner Phone Number (Include Area Code): 601-928-3921

OPERATOR INFORMATION (if different than owner)

Operator Contact Name: _____ Position: _____
Operator Company Name: _____
Operator Street (P.O. Box): _____
Operator City: _____ State: _____ Zip: _____
Operator Phone Number (Include Area Code): _____

CAS

FACILITY INFORMATION

Facility Name: Caaba, Inc

Nature of Business (Include 4-digit Standard Industrial Classification Code (SIC) and description):

SIC Code: 2 4 2 1 Sawmills and Planning Mills, General

Receiving Stream: Unnamed tributary of Red Creek

Is receiving stream on MDEQ's 303(d) List?

☐ Yes ☒ No

If yes, has a TMDL been established for the receiving stream segment?

☐ Yes ☐ No

Physical Site Address:

Street: 1902 Highway 49 South

City: Wiggins

County: Stone

Zip: 39577

Latitude: 30 degrees 48 minutes 51 seconds

Longitude: 89 degrees 08 minutes 7 seconds

Method Used to Determine Lat & Long (GPS (Please GPS Plant Entrance) or Map Interpolation): GPS

Attach a copy of any existing laboratory data for each storm water outfall. If multiple sampling has been performed, provide a summary for each parameter, including sampling dates and the minimum, average and maximum values.

Is this a SARA Title III, Section 313 facility utilizing water priority chemicals at threshold amounts? ☐ Yes ☒ No
If yes, please attach a list of water priority chemicals present at the facility.

DOCUMENTATION OF COMPLIANCE WITH OTHER REGULATIONS/REQUIREMENTS

Is this notice for a facility that will require other permits? ☐ Yes ☒ No

If yes, circle which one(s): Air, Hazardous Waste, Pretreatment, Water State Operating, Individual NPDES, or list Other(s):

How will sanitary sewage be collected and treated? On site septic tank


Indicate any local storm water ordinance with which the facility must comply and submit any documentation of approval.

Is treatment of storm water provided at any outfall? If so, please describe:

Vegetative buffers

CERTIFICATION

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.


Signature¹ (Must be signed by operator when different than owner)

7-1-15
Date Signed


Steve Owen
Printed Name¹

Vice President
Title

¹This application shall be signed according to the General Permit, ACT 14, T-9, as follows:

- For a corporation, by a responsible corporate officer.
- For a partnership, by a general partner.
- For a sole proprietorship, by the proprietor.
- For a municipal, state or other public facility, by principal executive officer, the mayor, or ranking elected official.

After signing please mail to: Chief, Environmental Permits Division
MS Department of Environmental Quality, Office of Pollution Control
P.O. Box 2261
Jackson, MS 39225



SITE LOCATION MAP

SWPPP
 CABA, INC.
 1902 US HIGHWAY 19 SOUTH
 WIGGINS, MISSISSIPPI


DATE: 04/03/2014	APPROVED: _____	DRAWN BY: WJV
SCALE: AS SHOWN	BY: _____	PROJECT NO. CAAD-14-001
	DATE: _____	FIGURE 1

REFERENCE: U.S.G.S. TOPOGRAPHIC MAP
 1983 - WIGGINS CROSSING
 1983 - WHITES CROSSING
 7.5 MINUTE SERIES

NOTE: PROPERTY BOUNDARIES AND SCALE
 ARE APPROXIMATE.



ENVIRONMENTAL
 MANAGEMENT SERVICES, INC.



LEGEND

- SURFACE WATER FLOW DIRECTION
- ◆ OUTFALL LOCATION

NOTE: PROPERTY BOUNDARIES AND SCALE ARE APPROXIMATE

SURFACE WATER FLOW

CABA INC.
1902 US HIGHWAY 49 SOUTH
WIGGINS, MISSISSIPPI

DATE: 04/03/2014

APPROVED:

DRAWN BY: WJN

SCALE: AS SHOWN

DATE:

PROJECT NO. CAAD-14-001

ENVIRONMENTAL
MANAGEMENT SERVICES, INC.



Desoto Treated Materials, Inc.

P. O. Box 460
Wiggins, MS 39577

Tel: (601) 928-3921
Fax: (601) 928-5091

July 1, 2015

Certified Mail-Return Receipt Requested
7011 2970 0003 5403 0530


Chief Environmental Permits Division
Ms. Department of Environmental Quality
Office of Pollution Control
P.O. Box 2261
Jackson, Ms. 39225

RECEIVED
JUL - 6 2015
Dept. of Environmental Quality

RE: Application for renewal of Baseline Storm Water General Permits
Permit # MSR002181 Caaba Inc.
Permit # MSR002056 DeSoto Treated Materials

Dear Sir or Madame:

Enclosed are the Baseline Notices of Intent to request renewal of the referenced permits. Current SWPP plans are in place for each permit and will be provided to your office if required. Please call me or Steve Owen at 601-928-3921 if you need additional information.

Sincerely,

Howard E Hamilton
Environmental/Safety Coordinator

Enclosures