AI#69496 BNP20160002





## LARGE CONSTRUCTION NOTICE OF INTENT (LCNOI) FOR COVERAGE UNDER THE LARGE CONSTRUCTION STORM WATER GENERAL NPDES PERMIT MSR10 7 1 3 6

## INSTRUCTIONS

The Large Construction Notice of Intent (LCNOI) is for coverage under the Large Construction General Permit for land disturbing activities of five (5) acres or greater; or for land disturbing activities; which are part of a larger common plan of development or sale that are initially less than five (5) acres but will ultimately disturb five (5) or more acres. Applicant must be the owner or operator. For construction activities, the operator is typically the prime contractor. The owner(s) of the property and the prime contractor associated with regulated construction activity on the property have joint and several responsibility for compliance with the Large Construction Storm Water General Permit MSR10.

Completed LCNOIs should be filed at least thirty (30) days prior to the commencement of construction. Discharge of storm water from large construction activities without written notification of coverage is a violation of state law.

Submittals with this LCNOI must include:

- · A site-specific Storm Water Pollution Prevention Plan (SWPPP) developed in accordance with ACT5 of the General Permit
- A detailed site-specific scaled drawing showing the property Jayout and the features outlined in ACT5 of the General Permit
- A United States Geological Survey (USGS) quadrangle map or photocopy, extending at least one-half mile beyond the facility property boundaries with the site location and outfalls outlined or highlighted. The name of the quadrangle map must be shown on all copies. Quadrangle maps can be obtained from the MDEQ, Office of Geology at 601-961-5523.

Additional submittals may include the following, if applicable:

- Appropriate Section 404 documentation from U.S. Army Corps of Engineers
- Appropriate documentation concerning future disposal of sanitary sewage and sewage collection system construction
   Appropriate documentation from the MDEQ Office of Land & Water concerning dam construction and low flow requirements
- Approval from County Utility Authority in Hancock, Harrison, Jackson, Pearl River and Stone Counties

All QUESTIONS MUST BE ANSWERED (Answer "NA" if the question is not applicable)

APPLICANT IS THE:	✓ OWNER ☐ PRIME CONTR	ACTOR (Must check one or both)			
	OWNER INFORMATION				
OWNER CONTACT PERSON	: Garrett McClure				
OWNER COMPANY NAME:	McClure Farms				
OWNER STREET OR P.O. BO	x: 263 Wilson Road				
OWNER CITY: Collins	STAT	E: MS ZIP: 39428			
	AREA CODE): 601 408-1635				
PRIME CONTRACTOR INFORMATION					
PRIME CONTRACTOR CONT	FACT PERSON: N/A				
PRIME CONTRACTOR COM	PANY:				
PRIME CONTRACTOR STRE	ET OR P.O. BOX:				
	S'S				
	NE # (INCLUDE AREA CODE):				

## PROJECT INFORMATION

PROJECT NAME: McClure Farms		
TOTAL ACREAGE THAT WILL BE DISTURBED 1: 7.6 Acres	z 3	
IS THIS PART OF A LARGER COMMON PLAN OF DEVELOPMENT?	YES	✓ NO
IF YES, NAME OF LARGER COMMON PLAN OF DEVELOPMENT:		
AND PERMIT COVERAGE NUMBER		
DESCRIPTION OF CONSTRUCTION ACTIVITY: Excavation & Fill needed to const	truct 4 broiler	house pads 🛱
Egrees and ingress road and turn arounds.		
PROPOSED DESCRIPTION OF PROPERTY USE AFTER CONSTRUCTION HAS BEEN standard industrial classification code (SIC) if known):  Four broiler houses will be constructed on site.		
indicate the beginning of the project and identify all counties the project traverses.)  STREET: Blackjack/New Chapel Road  CITY: Collins  COUNTY: Covington		
~ ···		
LATITUDE: 31 degrees 34 minutes 49.3 seconds LONGITUDE: 89 degrees 40  LAT & LONG DATA SOURCE (GPS (Please GPS Project Entrance/Start Point) or Map Interpolation): _  NEAREST NAMED RECEIVING STREAM: Hartley Branch	minutes 54.5 s	econds
LATITUDE: 31 degrees 34 minutes 49.3 seconds LONGITUDE: 89 degrees 40  LAT & LONG DATA SOURCE (GPS (Please GPS Project Entrance/Start Point) or Map Interpolation): _	minutes 54.5 s	econds
LATITUDE: 31 degrees 34 minutes 49.3 seconds LONGITUDE: 89 degrees 40  LAT & LONG DATA SOURCE (GPS (Please GPS Project Entrance/Start Point) or Map Interpolation): _  NEAREST NAMED RECEIVING STREAM: Hartley Branch  IS RECEIVING STREAM ON MISSISSIPPI'S 303(d) LIST OF IMPAIRED WATER BODIES? (The 303(d) list of impaired waters and TMDL stream segments may be found on MDEO's web site:	_minutes <u>54.5</u> s	econds
LATITUDE: 31 degrees 34 minutes 49.3 seconds LONGITUDE: 89 degrees 40  LAT & LONG DATA SOURCE (GPS (Please GPS Project Entrance/Start Point) or Map Interpolation): _ NEAREST NAMED RECEIVING STREAM: Hartley Branch  IS RECEIVING STREAM ON MISSISSIPPI'S 303(d) LIST OF IMPAIRED WATER BODIES? (The 303(d) list of impaired waters and TMDL stream segments may be found on MDEQ's web site: http://www.deq.state.ms.us/MDEQ.nsf/page/TWB_Total_Maximum_Daily_Load_Section)	minutes 54.5 s	econds  V NO
LATITUDE: 31 degrees 34 minutes 49.3 seconds LONGITUDE: 89 degrees 40  LAT & LONG DATA SOURCE (GPS (Please GPS Project Entrance/Start Point) or Map Interpolation): _ NEAREST NAMED RECEIVING STREAM: Hartley Branch  IS RECEIVING STREAM ON MISSISSIPPI'S 303(d) LIST OF IMPAIRED WATER BODIES? (The 303(d) list of impaired waters and TMDL stream segments may be found on MDEQ's web site: http://www.deq.state.ms.us/MDEQ.nsf/page/TWB_Total_Maximum_Daily_Load_Section)  HAS A TMDL BEEN ESTABLISHED FOR THE RECEIVING STREAM SEGMENT?  ARE THERE RECREATIONAL STREAMS, PRIVATE/PUBLIC PONDS OR LAKES WITHIN ½ MILE DOWNSTREAM OF PROJECT BOUNDRY THAT MAY BE IMPACTED BY THE CONSTRUCTION ACTIVITY?	winutes 54.5 so	econds  ✓ NO ✓ NO ✓ NO
LATITUDE: 31 degrees 34 minutes 49.3 seconds LONGITUDE: 89 degrees 40  LAT & LONG DATA SOURCE (GPS (Please GPS Project Entrance/Start Point) or Map Interpolation): _ NEAREST NAMED RECEIVING STREAM: Hartley Branch  IS RECEIVING STREAM ON MISSISSIPPI'S 303(d) LIST OF IMPAIRED WATER BODIES? (The 303(d) list of impaired waters and TMDL stream segments may be found on MDEQ's web site: http://www.deq.state.ms.us/MDEQ.nsf/page/TWB_Total_Maximum_Daily_Load_Section)  HAS A TMDL BEEN ESTABLISHED FOR THE RECEIVING STREAM SEGMENT?  ARE THERE RECREATIONAL STREAMS, PRIVATE/PUBLIC PONDS OR LAKES WITHIN ½ MILE DOWNSTREAM OF PROJECT BOUNDRY THAT MAY BE	winutes 54.5 so	econds  ✓ NO ✓ NO ✓ NO
LATITUDE: 31 degrees 34 minutes 49.3 seconds LONGITUDE: 89 degrees 40  LAT & LONG DATA SOURCE (GPS (Please GPS Project Entrance/Start Point) or Map Interpolation): _ NEAREST NAMED RECEIVING STREAM: Hartley Branch  IS RECEIVING STREAM ON MISSISSIPPI'S 303(d) LIST OF IMPAIRED WATER BODIES? (The 303(d) list of impaired waters and TMDL stream segments may be found on MDEQ's web site: http://www.deq.state.ms.us/MDEQ.nsf/page/TWB_Total_Maximum_Daily_Load_Section)  HAS A TMDL BEEN ESTABLISHED FOR THE RECEIVING STREAM SEGMENT?  ARE THERE RECREATIONAL STREAMS, PRIVATE/PUBLIC PONDS OR LAKES WITHIN ½ MILE DOWNSTREAM OF PROJECT BOUNDRY THAT MAY BE IMPACTED BY THE CONSTRUCTION ACTIVITY?  EXISTING DATA DESCRIBING THE SOIL (for linear projects please describe in SWPPP)	winutes 54.5 so	econds  ✓ NO ✓ NO ✓ NO
LATITUDE: 31 degrees 34 minutes 49.3 seconds LONGITUDE: 89 degrees 40  LAT & LONG DATA SOURCE (GPS (Please GPS Project Entrance/Start Point) or Map Interpolation):  NEAREST NAMED RECEIVING STREAM: Hartley Branch  IS RECEIVING STREAM ON MISSISSIPPI'S 303(d) LIST OF IMPAIRED WATER BODIES? (The 303(d) list of impaired waters and TMDL stream segments may be found on MDEQ's web site: http://www.deq.state.ms.us/MDEQ.nsf/page/TWB_Total_Maximum_Daily_Load_Section)  HAS A TMDL BEEN ESTABLISHED FOR THE RECEIVING STREAM SEGMENT?  ARE THERE RECREATIONAL STREAMS, PRIVATE/PUBLIC PONDS OR LAKES WITHIN ½ MILE DOWNSTREAM OF PROJECT BOUNDRY THAT MAY BE IMPACTED BY THE CONSTRUCTION ACTIVITY?  EXISTING DATA DESCRIBING THE SOIL (for linear projects please describe in SWPPP classifed as PhA. Pheba soils are a loamy soil with 0 to 5 % slopes.  WILL FLOCCULANTS BE USED TO TREAT TURBIDITY IN STORM WATER?  IF YES, INDICATE THE TYPE OF FLOCCULANT.   ANIONIC POLYACRYLIC	winutes 54.5 so  YES  YES  YES  YES  YES  YES	Peconds  ✓ NO ✓ NO ✓ NO ✓ NO ninant soil is
LATITUDE: 31 degrees 34 minutes 49.3 seconds LONGITUDE: 89 degrees 40  LAT & LONG DATA SOURCE (GPS (Please GPS Project Entrance/Start Point) or Map Interpolation): _ NEAREST NAMED RECEIVING STREAM: Hartley Branch  IS RECEIVING STREAM ON MISSISSIPPI'S 303(d) LIST OF IMPAIRED WATER BODIES? (The 303(d) list of impaired waters and TMDL stream segments may be found on MDEQ's web site: http://www.deq.state.ms.us/MDEQ.nsf/page/TWB_Total_Maximum_Daily_Load_Section)  HAS A TMDL BEEN ESTABLISHED FOR THE RECEIVING STREAM SEGMENT?  ARE THERE RECREATIONAL STREAMS, PRIVATE/PUBLIC PONDS OR LAKES WITHIN ½ MILE DOWNSTREAM OF PROJECT BOUNDRY THAT MAY BE IMPACTED BY THE CONSTRUCTION ACTIVITY?  EXISTING DATA DESCRIBING THE SOIL (for linear projects please describe in SWPPP classifed as PhA. Pheba soils are a loamy soil with 0 to 5 % slopes.  WILL FLOCCULANTS BE USED TO TREAT TURBIDITY IN STORM WATER?	winutes 54.5 so  YES  YES  YES  YES  YES  YES  MIDE (PAM)	✓ NO ✓ NO ✓ NO winant soil is ✓ NO

<sup>&</sup>lt;sup>1</sup>Acreage for subdivision development includes areas disturbed by construction of roads, utilities and drainage. Additionally, a housesite of at least 10,000 ft<sup>2</sup> per lot (entire lot, if smaller) shall be included in calculating acreage disturbed.

## DOCUMENTATION OF COMPLIANCE WITH OTHER REGULATIONS/REQUIREMENTS

COVERAGE UNDER THIS PERMIT WILL NOT BE GRANTED UNTIL ALL OTHER REQUIRED MDEQ PERMITS AND APPROVALS ARE SATISFACTORILY ADDRESSED

IS LCNOI FOR A FACILITY THAT WILL REQUIRE OTHER PERMITS?	✓ YES	□NO			
IF YES, CHECK ALL THAT APPLY: AIR HAZARDOUS WASTE	PRETREATMENT				
☐ WATER STATE OPERATING ☐ INDIVIDUAL NPDES	✓ OTHER: AFO				
IS THE PROJECT REROUTING, FILLING OR CROSSING A WATER CONVEYAND OF ANY KIND? (If yes, contact the U.S. Army Corps of Engineers' Regulatory Branch f permitting requirements.)	CE or YES	✓ NO			
IF THE PROJECT REQUIRES A CORPS OF ENGINEER SECTION 404 PERMIT, PR DOCUMENTATION THAT:	OVIDE APPROPR	IATE			
<ul> <li>The project has been approved by individual permit, or</li> </ul>					
• The work will be covered by a nationwide permit and NO NOTIFICATION to the Corps is required, or					
<ul> <li>The work will be covered by a nationwide or general permit and NOTIFICATION to the Corps is required</li> </ul>					
IS A LAKE REQUIRING THE CONSTRUCTION OF A DAM BEING PROPOSED? (If yes, provide appropriate approval documentation from MDEQ Office of Land and Water, Dam Safety.)	☐ YES	✓ NO			
IF THE PROJECT IS A SUBDIVISION OR A COMMERCIAL DEVELOPMENT, HOW BE DISPOSED? Check one of the following and attach the pertinent documents.	WWILL SANITAR	Y SEWAGE			
Existing Municipal or Commercial System. Please attach plans and specifications f associated "Information Regarding Proposed Wastewater Projects" form or approx Hancock, Harrison, Jackson, Pearl River and Stone Counties. If the plans and specification of LCNOI submittal, MDEQ will accept written acknowledgement from official(s) r collection and treatment that the flows generated from the proposed project can an properly. The letter must include the estimated flow.	val from County Utili ons can not be prov esponsible for wast	ity Authority in ided at the time ewater			
Collection and Treatment System will be Constructed. Please attach a copy of the cover of the NPDES discharge permit from MDEQ or indicate the date the application was submitted to MDEQ (Date:)					
Individual Onsite Wastewater Disposal Systems for Subdivisions Less than 35 Lots. Please attach a copy of the Letter of General Acceptance from the Mississippi State Department of Health or certification from a registered professional engineer that the platted lots should support individual onsite wastewater disposal systems.					
Individual Onsite Wastewater Disposal Systems for Subdivisions Greater than 35 L feasibility of installing a central sewage collection and treatment system must be ma response from MDEQ concerning the feasibility study must be attached. If a central is not feasible, then please attach a copy of the Letter of General Acceptance from the certification from a registered professional engineer that the platted lots should sup disposal systems.	ide by MDEQ. A co al collection and was the State Departmen	opy of the stewater system t of Health or			
INDICATE ANY LOCAL STORM WATER ORDINANCE WITH WHICH THE PROJE	ECT MUST COMPI	LY:			
N/A					

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Signature of Applicant' (owner or prime contractor)

Date Signed

Printed Name

Title

<sup>1</sup>This application shall be signed as follows:

For a corporation, by a responsible corporate officer.

For a partnership, by a general partner.

For a sole proprietorship, by the proprietor.

· For a municipal, state or other public facility, by principal executive officer, mayor, or ranking elected official.

Please submit the LCNOI form to:

Chief, Environmental Permits Division
MS Department of Environmental Quality, Office of Pollution Control
P.O. Box 2261

Jackson, Mississippi 39225