

Rec'd  
1-28-20  
CS



# RE-COVERAGE FORM SMALL MUNICIPAL SEPARATE STORM SEWER SYSTEM (MS4) GENERAL PERMIT

**GENERAL PERMIT: MSRMS4 0 3 7.** This coverage number must be completed for the referenced MS4 or this form will be considered incomplete and will be returned. The coverage number can be found at the bottom left corner of your previous Certificate of Coverage.

### INSTRUCTIONS

The submittal of this form is required to receive coverage under the reissued Small Municipal Separate Storm System (MS4) General Permit. This form, with an original signature, must be completed and returned to MDEQ at the address printed at the bottom of this form within 60 days of the date of the Letter of Instruction for Re-Coverage.

Submittals with this Re-Coverage Form must include:

- A Storm Water Management Program (SWMP) as required by ACT 5 of the General Permit
- Copies of current municipal storm water ordinances, or if not a city or county, copies of current regulatory mechanisms that address storm water management
- A location map must be attached, if location boundaries have changed since initial coverage issuance
- Copy of current Storm Water Pollution Prevention Plan (SWPPP) or Plans

Additional submittals may include:

- Appendix A and associated Joint MS4 legal documents, if applicable

**NOTE: 3-RING BINDERS WILL NOT BE ACCEPTED DUE TO LIMITED FILING SPACE AT MDEQ.**

### MS4 APPLICANT INFORMATION

MS4 NAME: University of Southern Mississippi

MS4 MAILING ADDRESS: 118 College Drive #5058

MS4 CITY: Hattiesburg STATE: MS ZIP: 39406

MS4 COUNTY: Forrest

MS4 IS A:  CITY/TOWN  COUNTY  OTHER: University

IS THIS A JOINT RE-COVERAGE FORM BEING SUBMITTED?  YES  NO  
(If yes, a completed Appendix A must accompany submittal)

MS4 POPULATION: 16,800

PRIMARY LOCAL CONTACT NAME (responsible for storm water program implementation): Dr. Christopher Crenshaw

CONTACT'S TITLE: Assoc. VP for Facilities Mgmt. OFFICE PHONE: (601) 266-4414

CELL PHONE: ( ) \_\_\_\_\_ FAX NUMBER: (601) 266-4433

E-MAIL ADDRESS (local contact): christopher.crenshaw@usm.edu

E-MAIL ADDRESS (legally responsible person): christopher.crenshaw@usm.edu

SECONDARY LOCAL CONTACT NAME (knowledgeable about program, if primary contact is unavailable) David Bounds

OFFICE PHONE: (601) 266-4414 CELL PHONE: (601) 310-7373

**LOCATION DESCRIPTION OF MS4 (not required for cities and counties)**

PROVIDE A NARRATIVE DESCRIPTION OF THE GEOGRAPHICAL LOCATION OF THE MS4 FOR FACILITIES SUCH AS MILITARY BASES, SPECIAL DISTRICTS AND ASSOCIATIONS, AND LARGE COMPLEXES (education, hospital, prison, etc.). \_\_\_\_\_


The USM MS4 is confined to the primary campus of the University located in Hattiesburg.

**RECEIVING WATER INFORMATION**

IDENTIFY THE MAJOR RECEIVING WATERS (named on a USGS Quad Map) WITHIN THE MS4 BOUNDARIES. IN ADDITION, NOTE THOSE THAT ARE 303(d) LISTED IMPAIRED WATERBODIES WITHIN THE PERMITTED AREA (a complete list of 303(d) listed impaired waters may be found on MDEQ's web site: <http://www.deq.state.ms.us>).

<u>RECEIVING STREAM</u>	<u>CHECK IF 303(d) LISTED</u>	<u>RECEIVING STREAM</u>	<u>CHECK IF 303(d) LISTED</u>
N/A There are no named streams on the University campus.	<input type="checkbox"/>	Gordon's Creek is the nearest named receiving stream. There are no 303(d) or TMDL streams directly adjacent to the USM Hattiesburg campus.	<input type="checkbox"/>
_____	<input type="checkbox"/>	_____	<input type="checkbox"/>
_____	<input type="checkbox"/>	_____	<input type="checkbox"/>
_____	<input type="checkbox"/>	_____	<input type="checkbox"/>
_____	<input type="checkbox"/>	_____	<input type="checkbox"/>
_____	<input type="checkbox"/>	_____	<input type="checkbox"/>

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

  
 \_\_\_\_\_  
 Authorized Signature<sup>1</sup>

12/24/20  
 \_\_\_\_\_  
 Date

Christopher Crenshaw  
 \_\_\_\_\_  
 Printed Name

Associate V.P. for Facilities Planning and Management  
 \_\_\_\_\_  
 Title

<sup>1</sup>This application shall be signed according to the General Permit, ACT10: SIGNATORY REQUIREMENTS as follows:

- For a corporation, by a responsible corporate officer.
- For a partnership, by a general partner.
- For a sole proprietorship, by the proprietor.
- For a municipal, state or other public facility, by either a principal executive officer, the mayor, or ranking elected official.

Please submit this form to: **Chief, Environmental Permits Division  
 MDEQ, Office of Pollution Control  
 P.O. Box 2261  
 Jackson, Mississippi 39225**



## CONSTRUCTION MINIMUM MEASURE ASSISTANCE PETITION SMALL MUNICIPAL SEPARATE STORM SEWER SYSTEM (MS4) GENERAL PERMIT

**GENERAL PERMIT: MSRMS4 0 3 7 .** This coverage number must be completed for the referenced MS4 or this form will be considered incomplete and will be returned. The coverage number can be found at the bottom left corner of your previous Certificate of Coverage.

### INSTRUCTIONS

The form must be submitted to petition MDEQ to assume responsibility for the regulation of storm water runoff from construction activities five (5) acres and greater.

The MS4 General Permit requires regulated entities (MS4s) to develop and implement a Storm Water Management Program (SWMP) to reduce the discharge of pollutants from their storm water conveyance systems. The SWMP must include six (6) minimum control measures, including Construction Site Storm Water Runoff Control from construction activities that result in a land disturbance of greater than or equal to one (1) acre or less if part of a larger common plan of development or sale. ACT6, SHARING MINIMUM MEASURE RESPONSIBILITY of the General Permit allows the regulated entity to petition MDEQ to assume responsibility for the regulation of storm water runoff from large construction activities five (5) acres and greater.

Activities that disturb less than five (5) acres remain the MS4's responsibility, including activities that are part of a larger common plan of development or sale. For example, the MS4 is responsible for regulating storm water runoff from individual lot construction even though the large residential subdivision had been covered under MDEQ's Large Construction Storm Water General Permit.

If MDEQ agrees to assume this responsibility, the regulated entity is not required to include MDEQ's portion of the minimum control measure in the SWMP, nor required to address large construction in the annual report. If MDEQ does not agree to assume this responsibility, the regulated entity will be notified in writing.

### MS4 INFORMATION

MS4 NAME:	University of Southern Mississippi		
MS4 MAILING ADDRESS:	118 College Drive #5058		
MS4 CITY:	Hattiesburg	STATE:	MS
		ZIP:	39406
MS4 COUNTY:	Forrest		
MS4 IS A:	<input type="checkbox"/> CITY/TOWN	<input type="checkbox"/> COUNTY	<input checked="" type="checkbox"/> OTHER: <span style="border: 1px solid black; padding: 2px;">University</span>
LOCAL CONTACT NAME (responsible for construction storm water program implementation):	Dr. Christopher Crenshaw		
CONTACT'S TITLE:	Assoc. V.P. for Facilities Mgmt.	OFFICE PHONE:	(601) 266-4414
CELL PHONE:		FAX NUMBER:	(601) 266-4433
E-MAIL ADDRESS (local contact):	christopher.crenshaw@usm.edu		
E-MAIL ADDRESS (legally responsible person):	christopher.crenshaw@usm.edu		

In accordance with ACT6, SHARING MINIMUM MEASURE RESPONSIBILITY of the General Permit, the regulated entity (MS4) described above, requests the Mississippi Department of Environmental Quality (MDEQ) to assume responsibility for regulating storm water runoff from large construction activities, five (5) acres and greater. I understand that the above MS4 is still required to develop and implement a Storm Water Management Plan to reduce pollutants from construction activities less than five (5) acres in accordance with ACT5 of the general permit.



Authorized Signature<sup>1</sup>

Dr. Christopher Crenshaw

Printed Name

1/24/20

Date

Assoc. VP for Facilities Mgmt.

Title

<sup>1</sup>This application shall be signed according to the General Permit, ACT10, SIGNATORY REQUIREMENTS, as follows:

- For a corporation, by a responsible corporate officer.
- For a partnership, by a general partner.
- For a sole proprietorship, by the proprietor.
- For a municipal, state or other public facility, by either a principal executive officer, the mayor, or ranking elected official.

Please submit this form to: Chief, Environmental Permits Division  
MDEQ, Office of Pollution Control  
P.O. Box 2261  
Jackson, Mississippi 39225

Revision: 03/14/2016