

AI # 1823



RECEIVED
JAN 22 2021

INDUSTRIAL STORMWATER GENERAL PERMIT RE-COVERAGE FORM

FOR COVERAGE UNDER MISSISSIPPI'S REISSUED
INDUSTRIAL STORMWATER GENERAL PERMIT MSR00
GENERAL NPDES COVERAGE NO. MSR00 1520

INSTRUCTIONS

The submittal of this form is required to receive coverage under the reissued Industrial Stormwater General Permit. This form must be completed and returned to the address printed at the bottom of page 2.

The signatory of this form must be the owner or operator who is the current coverage recipient (rather than the plant/site manager or environmental consultant). The coverage recipient is responsible for permit compliance.

Amendments to the Storm Water Pollution Prevention Plan (SWPPP) are required to be attached if the plan is not current or is ineffective in controlling storm water pollutants.

If the facility is out of business or no longer a regulated facility, please request termination of coverage by completing the Request for Termination (RFT) Form found in the Industrial Stormwater Forms Package. Facilities that continue to discharge wastewater without applicable permit coverage are in violation of state law.

Do not submit this form if submitting a "Request for Termination" (RFT).

Do not submit this form if submitting a "No Exposure Certification."

ALL INFORMATION MUST BE COMPLETED (Enter "NA" if not applicable).

COVERAGE RECIPIENT INFORMATION

CONTACT NAME & POSITION: TIM MILLIGAN GENERAL MANAGER
EMAIL ADDRESS: TMILLIGAN@OMEGAPROTEIN.COM
COMPANY NAME: OMEGA SHIPYARD
STREET OR P.O. BOX: 5659 ELDER FOREY RD
CITY: MOSS POINT STATE: MS ZIP: 39563
PHONE NUMBER (INCLUDE AREA CODE): 228-475-9052

FACILITY INFORMATION

FACILITY NAME: OMEGA SHIPYARD
CONTACT NAME & POSITION: TIM MILLIGAN GENERAL MANAGER
CONTACT PHONE NUMBER (INCLUDE AREA CODE): 228-623-9657
PRIMARY STANDARD INDUSTRIAL CLASSIFICATION (SIC) CODE & DESCRIPTION OF INDUSTRIAL ACTIVITY:
3731 SHIP BUILDING + REPAIRING

83

MAIL

2000

THE UNIVERSITY OF CHICAGO
1100 SOUTH EAST ASIAN LIBRARY
CHICAGO, ILLINOIS 60607-7100

UNIVERSITY OF CHICAGO PRESS
500 UNIVERSITY OF CHICAGO PRESS
CHICAGO, ILLINOIS 60607-7100

UNIVERSITY OF CHICAGO PRESS
500 UNIVERSITY OF CHICAGO PRESS
CHICAGO, ILLINOIS 60607-7100

UNIVERSITY OF CHICAGO PRESS
500 UNIVERSITY OF CHICAGO PRESS
CHICAGO, ILLINOIS 60607-7100

UNIVERSITY OF CHICAGO PRESS
500 UNIVERSITY OF CHICAGO PRESS
CHICAGO, ILLINOIS 60607-7100

UNIVERSITY OF CHICAGO PRESS
500 UNIVERSITY OF CHICAGO PRESS
CHICAGO, ILLINOIS 60607-7100

UNIVERSITY OF CHICAGO PRESS
500 UNIVERSITY OF CHICAGO PRESS
CHICAGO, ILLINOIS 60607-7100

UNIVERSITY OF CHICAGO PRESS
500 UNIVERSITY OF CHICAGO PRESS
CHICAGO, ILLINOIS 60607-7100

UNIVERSITY OF CHICAGO PRESS
500 UNIVERSITY OF CHICAGO PRESS
CHICAGO, ILLINOIS 60607-7100

UNIVERSITY OF CHICAGO PRESS
500 UNIVERSITY OF CHICAGO PRESS
CHICAGO, ILLINOIS 60607-7100

10

PHYSICAL SITE ADDRESS
STREET: 5659 ELDER PARKWAY ROAD
CITY: MOSS POINT COUNTY: JACKSON

PROVIDE THE COORDINATES OF THE PLANT ENTRANCE:
LATITUDE: 30 degrees 35 minutes 37 seconds
LONGITUDE: 88 degrees 30 minutes 13 seconds
NEAREST NAMED RECEIVING STREAM FOR STORM WATER LEAVING THE SITE:

IS RECEIVING STREAM ON MDEQ'S 303(d) LIST? YES NO
IF YES, HAS A TMDL BEEN ESTABLISHED FOR THE RECEIVING STREAM SEGMENT? YES NO

STORM WATER POLLUTION PREVENTION PLAN (SWPPP)

IS A COPY OF THE SWPPP AT THE PERMITTED SITE? YES NO
IS THE SWPPP UP-TO-DATE AND EFFECTIVE IN CONTROLLING STORM WATER POLLUTANTS? YES NO
IF NO, PLEASE ATTACH REQUIRED SWPPP AMENDMENTS (see Instructions on front page).

AUTO SALVAGE FACILITIES ONLY

FOR AUTO SALVAGE FACILITIES, A REVISED SWPPP TO COMPLY WITH THE NEW PERMIT MUST BE SUBMITTED TO MDEQ NO LATER THAN JANUARY 31, 2022.
DOES THE SWPPP REQUIRE CHANGES TO COMPLY WITH THE NEW PERMIT? YES NO
IS A REVISED COPY OF THE SWPPP ATTACHED? YES NO

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fines and imprisonment for knowing violations.

I further certify that I understand when coverage is terminated the facility is no longer authorized to discharge storm water associated with industrial activity under this general permit. I understand that discharging pollutants in storm water associated with industrial activity to waters of the state without NPDES coverage is in violation of state law.

Signature

Printed Name

TIM MILLIGAN

Title

GENERAL MANAGER

Date

1/30/21

This form shall be signed according to ACT16, T-9 of the General Permit, as follows:

- For a corporation, by a responsible corporate officer.
- For a partnership, by a general partner.
- For a sole proprietorship, by the proprietor.
- For a municipal, state or other public facility, by principal executive officer, mayor, or ranking elected official.

After signing please mail to:

Chief, Environmental Permits Division,
MS Department of Environmental Quality, Office of Pollution Control
P.O. Box 2261
Jackson, Mississippi 39225

STATE OF TEXAS

1938

JACKSON

TAJUE ERON

DEPARTMENT OF COMMERCE

1

1

W. W. A. S. A. S.

W. W. A. S. A. S.