

AI 78857

MSR10 8368

(NUMBER TO BE ASSIGNED BY STATE)

APPLICANT IS THE: OWNER PRIME CONTRACTOR

OWNER CONTACT INFORMATION

OWNER CONTACT PERSON: Josh Barwick
OWNER COMPANY LEGAL NAME: Old Dominion Freight Lines
OWNER STREET OR P.O. BOX: 500 Old Dominion Way
OWNER CITY: Thomasville STATE: NC ZIP: 27360
OWNER PHONE #: (336) 822-1651 OWNER EMAIL: joshua.barwick@odfl.com

PRIME CONTRACTOR CONTACT INFORMATION

PRIME CONTRACTOR CONTACT PERSON: Rob Tabelaing
PRIME CONTRACTOR COMPANY LEGAL NAME: D.F.Chase, Inc. Construction
PRIME CONTRACTOR STREET OR P.O. BOX: 3001 Armory Dr. Suite 200
PRIME CONTRACTOR CITY: Nashville STATE: Tennessee ZIP: 37204
PRIME CONTRACTOR PHONE #: (615) 777-5900 PRIME CONTRACTOR EMAIL: RTabelaing@dfchase.com

FACILITY SITE INFORMATION

FACILITY SITE NAME: Old Dominion Freight Lines - Byhalia
FACILITY SITE ADDRESS (If the physical address is not available, please indicate the nearest named road. For linear projects indicate the beginning of the project and identify all counties the project traverses.)
STREET: 526 Mt. Carmel Road
CITY: Byhalia STATE: MS COUNTY: Marshall ZIP: 38611
FACILITY SITE TRIBAL LAND ID (N/A if not applicable): N/A
LATITUDE: 34 degrees 58 minutes 02 seconds LONGITUDE: 89 degrees 38 minutes 02 seconds
LAT & LONG DATA SOURCE (GPS (Please GPS Project Entrance/Start Point) or Map Interpolation): Google Earth, Center of site
TOTAL ACREAGE THAT WILL BE DISTURBED: 30 Acres
IS THIS PART OF A LARGER COMMON PLAN OF DEVELOPMENT? YES [] NO [x]
IF YES, NAME OF LARGER COMMON PLAN OF DEVELOPMENT:
AND PERMIT COVERAGE NUMBER: MSR10
ESTIMATED CONSTRUCTION PROJECT START DATE: 2021-03-01
ESTIMATED CONSTRUCTION PROJECT END DATE: 2023-03-01
DESCRIPTION OF CONSTRUCTION ACTIVITY: Building construction with site work, storm-water system & utility installation
PROPOSED DESCRIPTION OF PROPERTY USE AFTER CONSTRUCTION HAS BEEN COMPLETED: Trucking terminal
SIC Code 4 2 1 3 NAICS Code 4 8 4 1 2 2

RECEIVED FEB 8 2021

MDEQ

NEAREST NAMED RECEIVING STREAM: Coldwater River

IS RECEIVING STREAM ON MISSISSIPPI'S 303(d) LIST OF IMPAIRED WATER BODIES? (The 303(d) list of impaired waters and TMDL stream segments may be found on MDEQ's web site: http://www.deq.state.ms.us/MDEQ.nsf/page/TWB_Total_Maximum_Daily_Load_Section) YES NO

HAS A TMDL BEEN ESTABLISHED FOR THE RECEIVING STREAM SEGMENT? YES NO

ARE THERE RECREATIONAL STREAMS, PRIVATE/PUBLIC PONDS OR LAKES WITHIN 1/4 MILE DOWNSTREAM OF PROJECT BOUNDARY THAT MAY BE IMPACTED BY THE CONSTRUCTION ACTIVITY? YES NO

EXISTING DATA DESCRIBING THE SOIL (for linear projects please describe in SWPPP):
See SWPPP

WILL FLOCCULANTS BE USED TO TREAT TURBIDITY IN STORM WATER? YES NO

IF YES, INDICATE THE TYPE OF FLOCCULANT. ANIONIC POLYACRYLAMIDE (PAM)
 OTHER _____

IF YES, DOES THE SWPPP DESCRIBE THE METHOD OF INTRODUCTION, THE LOCATION OF INTRODUCTION AND THE LOCATION OF WHERE FLOCCULATED MATERIAL WILL SETTLE? YES NO

¹ Acreage for subdivision development includes areas disturbed by construction of roads, utilities and drainage. Additionally, a housesite of at least 10,000 ft² per lot (entire lot, if smaller) shall be included in calculating acreage disturbed.

DOCUMENTATION OF COMPLIANCE WITH OTHER REGULATIONS/REQUIREMENTS
 COVERAGE UNDER THIS PERMIT WILL NOT BE GRANTED UNTIL ALL OTHER REQUIRED
 MDEQ PERMITS AND APPROVALS ARE SATISFACTORILY ADDRESSED

IS LCNOI FOR A FACILITY THAT WILL REQUIRE OTHER PERMITS? YES NO

IF YES, CHECK ALL THAT APPLY: AIR HAZARDOUS WASTE PRETREATMENT
 WATER STATE OPERATING INDIVIDUAL NPDES OTHER: _____

IS THE PROJECT REROUTING, FILLING OR CROSSING A WATER CONVEYANCE OF ANY KIND? (If yes, contact the U.S. Army Corps of Engineers' Regulatory Branch for permitting requirements.) YES NO

IF THE PROJECT REQUIRES A CORPS OF ENGINEER SECTION 404 PERMIT, PROVIDE APPROPRIATE DOCUMENTATION THAT:

- The project has been approved by individual permit, or
- The work will be covered by a nationwide permit and NO NOTIFICATION to the Corps is required, or
- The work will be covered by a nationwide or general permit and NOTIFICATION to the Corps is required


IS A LAKE REQUIRING THE CONSTRUCTION OF A DAM BEING PROPOSED? (If yes, provide appropriate approval documentation from MDEQ Office of Land and Water, Dam Safety.) YES NO

IF THE PROJECT IS A SUBDIVISION OR A COMMERCIAL DEVELOPMENT, HOW WILL SANITARY SEWAGE BE DISPOSED? Check one of the following and attach the pertinent documents.

- Existing Municipal or Commercial System. Please attach plans and specifications for the collection system and the associated "Information Regarding Proposed Wastewater Projects" form or approval from County Utility Authority in Hancock, Harrison, Jackson, Pearl River and Stone Counties. If the plans and specifications can not be provided at the time of LCNOI submittal, MDEQ will accept written acknowledgement from official(s) responsible for wastewater collection and treatment that the flows generated from the proposed project can and will be transported and treated properly. The letter must include the estimated flow.
- Collection and Treatment System will be Constructed. Please attach a copy of the cover of the NPDES discharge permit from MDEQ or indicate the date the application was submitted to MDEQ (Date: _____.)
- Individual Onsite Wastewater Disposal Systems for Subdivisions Less than 35 Lots. Please attach a copy of the Letter of General Acceptance from the Mississippi State Department of Health or certification from a registered professional engineer that the platted lots should support individual onsite wastewater disposal systems.
- Individual Onsite Wastewater Disposal Systems for Subdivisions Greater than 35 Lots. A determination of the feasibility of installing a central sewage collection and treatment system must be made by MDEQ. A copy of the response from MDEQ concerning the feasibility study must be attached. If a central collection and wastewater system is not feasible, then please attach a copy of the Letter of General Acceptance from the State Department of Health or certification from a registered professional engineer that the platted lots should support individual onsite wastewater disposal systems.

INDICATE ANY LOCAL STORM WATER ORDINANCE WITH WHICH THE PROJECT MUST COMPLY:

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.


Signature of Applicant¹ (owner or prime contractor)

Chip Overbey
Printed Name¹

2-1-2021
Date Signed

Senior VP - Strategic Planning
Title

¹This application shall be signed as follows:

- For a corporation, by a responsible corporate officer.
- For a partnership, by a general partner.
- For a sole proprietorship, by the proprietor.

For a municipal, state or other public facility, by principal executive officer, mayor, or ranking elected official

Please submit the LCNOI form to:

**Chief, Environmental Permits Division
MS Department of Environmental Quality, Office of Pollution Control
P.O. Box 2261
Jackson, Mississippi 39225**



Marshall County Industrial Development Authority
520 J. M. Ash Dr.
Holly Springs MS 38635
662-252-3916

CHICKASAW TRAIL WASTEWATER SYSTEM

APPLICATION FOR SEWER SERVICE

Date: 01-29-2021

Name: Chip Overbey, Senior VP

Street Address: 526 Mt. Carmel Road, Byhalia, MS 38611

Billing Address: 500 Old Dominion Way Thomasville, NC 27360

Service Request is for: Residential Commercial Industrial

Type of Connection applied for: Single lot part of a subdivision
 Single lot not part of a subdivision
 Commercial or Industrial
 Other - specify _____

Size of service line requested: 6" SDR-26

Proposed date of construction if approved: 3/1/2021

Request for sewer service approved by: Justin Hall 1/29/2021
General Manager Date

FOR OFFICE USE ONLY

Sewer Connection Fee \$ _____ Date Paid _____


Development Fee \$ _____ Date Paid _____

Date placed in service: _____

Water meter reading at installation (if applicable): _____

Account No. _____

Signed by: _____



Marshall County Industrial
Development Authority
520 J. M. Ash Dr.
Holly Springs MS 38635
662-252-3916

APPLICANT AGREEMENT

1. The applicant agrees that he understands the rules and regulations in the Tariff that he has received a copy of the Tariff that has been approved by the Mississippi State Public Service Commission. The Tariff also includes all rates, fees, and other charges that may be assessed against the applicant.
2. The Applicant agrees that he will be responsible for the monthly sewer bill and agrees to promptly pay the sewer bill within 20 days of date of mailing or receipt, whichever is earlier.
3. All fees shall be paid prior to connection to the Chickasaw Trail Wastewater System.
4. The Applicant authorizes the Marshall County Water Association to release to Chickasaw Trail Wastewater System any and all water meter readings (for the applicants property receiving sewer service) needed for billing purposes.
5. The applicant agrees to authorize any inspections of the applicants property by Chickasaw Trail Wastewater System authorized representatives that are needed (as provided for in the approved Tariff - Rules and Regulations).

1/29/2021

Date


Applicants Signature

Old Dominion Freight Line, Inc.

Property owner of record

500 Old Dominion Way

Address

Thomasville, NC 27360

336.822.1651

Telephone No.



February 4, 2021

Chief Environmental Permits Division
MS Department of Environmental Quality, Office of Pollution Control
PO Box 2261
Jackson, Mississippi 39225

RE: ODFL - Byhalia
MDEQ Large Construction Notice of Intent

To whom it may concern:

Attached with this letter please find Signed LCNOI, Stormwater Technical Report (SWPPP), Construction Best Management Practice Plan and Civil Construction Plans. The following is a brief description of our project:

The property is 28.62 acres and we are proposing to disturb approximately 30 acres to support a new 53,414 square foot building and associated parking for a new Trucking Facility.

If you have any questions, or require any additional information, please do not hesitate to contact me at (828)989-2672, or via email at ahorner@HoytBerenyi.com.

Sincerely,

A handwritten signature in blue ink, appearing to read 'Alex Horner'.

Alex Horner, PE
Senior Engineer
Hoyt + Berenyi
ahorner@hoytberenyi.com
Copy: #20-093

RECEIVED
FEB 8 2021
MDEQ



MISSISSIPPI DEPARTMENT OF
ENVIRONMENTAL QUALITY

LARGE CONSTRUCTION NOTICE OF INTENT (LCNOI) FOR COVERAGE UNDER THE LARGE CONSTRUCTION STORM WATER GENERAL NPDES PERMIT

INSTRUCTIONS

The Large Construction Notice of Intent (LCNOI) is for coverage under the Large Construction General Permit for land disturbing activities of five (5) acres or greater; or for land disturbing activities, which are part of a larger common plan of development or sale that are initially less than five (5) acres but will ultimately disturb five (5) or more acres. Applicant must be the owner or operator. For construction activities, the operator is typically the prime contractor. The owner(s) of the property and the prime contractor associated with regulated construction activity on the property have joint and severable responsibility for compliance with the Large Construction Storm Water General Permit MSR10.

If the company seeking coverage is a corporation, a limited liability company, a partnership, or a business trust, attach proof of its registration with the Mississippi Secretary of State and/or its Certificate of Good Standing. This registration or Certificate of Good Standing must be dated within twelve (12) months of the date of the submittal of this coverage form. Coverage will be issued in the company name as it is registered with the Mississippi Secretary of State.

Completed LCNOIs should be filed at least thirty (30) days prior to the commencement of construction. Discharge of storm water from large construction activities without written notification of coverage is a violation of state law.

Submittals with this LCNOI must include:

- A site-specific Storm Water Pollution Prevention Plan (SWPPP) developed in accordance with ACT5 of the General Permit
- A detailed site-specific scaled drawing showing the property layout and the features outlined in ACT5 of the General Permit
- A United States Geological Survey (USGS) quadrangle map or photocopy, extending at least one-half mile beyond the facility property boundaries with the site location and outfalls outlined or highlighted. The name of the quadrangle map must be shown on all copies. Quadrangle maps can be obtained from the MDEQ, Office of Geology at 601-961-5523.

Additional submittals may include the following, if applicable:

- Appropriate Section 404 documentation from U.S. Army Corps of Engineers
- Appropriate documentation concerning future disposal of sanitary sewage and sewage collection system construction
- Appropriate documentation from the MDEQ Office of Land & Water concerning dam construction and low flow requirements
- Approval from County Utility Authority in Hancock, Harrison, Jackson, Pearl River and Stone Counties

ALL QUESTIONS MUST BE ANSWERED (Answer "NA" if the question is not applicable)

RECEIVED
FEB 8 2021

MDEQ