



## INDUSTRIAL STORMWATER GENERAL PERMIT RE-COVERAGE FORM

FOR COVERAGE UNDER MISSISSIPPI'S REISSUED INDUSTRIAL STORMWATER GENERAL PERMIT MSR00 GENERAL NPDES COVERAGE NO. MSR00 1 7 9 7

## INSTRUCTIONS

The submittal of this form is required to receive coverage under the reissued Industrial Stormwater General Permit. This form must be completed and returned to the address printed at the bottom of page 2.

The signatory of this form must be the owner or operator who is the current coverage recipient (rather than the plant/site manager or environmental consultant). The coverage recipient is responsible for permit compliance.

Amendments to the Storm Water Pollution Prevention Plan (SWPPP) are required to be attached if the plan is not current or is ineffective in controlling storm water pollutants.

If the facility is out of business or no longer a regulated facility, please request termination of coverage by completing the Request for Termination (RFT) Form found in the Industrial Stormwater Forms Package. Facilities that continue to discharge wastewater without applicable permit coverage are in violation of state law.

Do not submit this form if submitting a "Request for Termination" (RFT).

Do not submit this form if submitting a "No Exposure Certification."

ALL INFORMATION MUST BE COMPLETED (Enter "NA" if not applicable).

COVERAGE RECIPIENT INFORMATION		
CONTACT NAME & POSITION: Brian Weibel,	Maintenance Manager	
EMAIL ADDRESS: bweibel@pregis.com		
COMPANY NAME: Pregis, LLC		
STREET OR P.O. BOX: 1867 South Veterans E	Blvd	
CITY: Tupelo	STATE: MS	ZIP: 38804
PHONE NUMBER (INCLUDE AREA CODE): (66	2) 553-4515	
FACILITY INFORMATION		
FACILITY NAME: Pregis, LLC		
CONTACT NAME & POSITION: Brian Weibe	el, Maintenance Manager	
CONTACT PHONE NUMBER (INCLUDE AREA	CODE): (662) 553-4515	
PRIMARY STANDARD INDUSTRIAL CLASSI 3 0 8 6 Plastic Foam Products	FICATION (SIC) CODE & DESCRIP	TION OF INDUSTRIAL ACTIVITY:



PHYSICAL SITE ADDRESS STREET: 1867 South Veterans Blvd				
CITY: Tupelo COUNTY: Lee		ZIP: 38804		
PROVIDE THE COORDINATES OF THE PLANT ENTRANCE:				
LATITUDE: 34 degrees 13 minutes 51 seconds LONGITUDE: 88 degrees 41 minutes 10 seconds				
NEAREST NAMED RECEIVING STREAM FOR STORM WATER LEAVING THE SITE: Intermittent stream to Town Creek				
IS RECEIVING STREAM ON MDEQ's 303(d) LIST?	☐ YES [	<b>✓</b> NO		
IF YES, HAS A TMDL BEEN ESTABLISHED FOR THE RECEIVING STRE	AM SEGMENT? YES	✓ NO		
STORM WATER POLLUTION PREVENTION PLAN (SWPPP)				
IS A COPY OF THE SWPPP AT THE PERMITTED SITE?	Ī	✓ YES NO		
IS THE SWPPP UP-TO-DATE AND EFFECTIVE IN CONTROLLING STORM WIF NO, PLEASE ATTACH REQUIRED SWPPP AMENDMENTS (see Instructions	ATER POLLUTANTS? on front page).	✓ YES □NO		
AUTO SALVAGE FACILITIES ONLY				
FOR AUTO SALVAGE FACILITIES, A REVISED SWPPP TO COMPLY WITH THE NEW PERMIT MUST BE SUBMITTED TO MDEQ NO LATER THAN JANUARY 31, 2022.				
DOES THE SWPPP REQUIRE CHANGES TO COMPLY WITH THE NEW PERMIT?		ŢYES ☐ NO		
IS A REVISED COPY OF THE SWPPP ATTACHED?		YES NO		
I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fines and imprisonment for knowing violations.				
I further certify that I understand when coverage is terminated the facility is no long industrial activity under this general permit. I understand that discharging pollutan waters of the state without NPDES coverage is in violation of state law.	ger authorized to discharge storm v tts in storm water associated with i	water associated with ndustrial activity to		
- Crain Coph	3-2-21			
Signature <sup>1</sup>	Date			
Craig Cook	Plant Manager			
Printed Name <sup>1</sup>	Title			
<ul> <li>This form shall be signed according to ACT16, T-9 of the General Permit, as follows</li> <li>For a corporation, by a responsible corporate officer.</li> <li>For a partnership, by a general partner.</li> </ul>	s:			
<ul> <li>For a sole proprietorship, by the proprietor.</li> <li>For a municipal, state or other public facility, by principal executive officer, mayor, or ranking elected official.</li> </ul>				
After signing please mail to: Chief Environmental Permits Division				

Chief, Environmental Permits Division, MS Department of Environmental Quality, Office of Pollution Control P.O. Box 2261 Jackson, Mississippi 39225



## **Corporate Office:**

P.O. Box 356 (282 Third Ave) Sherman, MS 38869 Office: (662) 840-5945

Fax: (662) 840-5965

## Jackson Area Office:

109 Millcreek Corners, Suite A Brandon, MS 39047 www.envirocomp.net Established in 2002

March 2, 2021

Ms. Krystal Rudolph, Chief Environmental Permits Division MS Department of Environmental Quality Office of Pollution Control P.O. Box 2261 Jackson, MS 39225-2261

Industrial Storm Water General Permit Re-Coverage Form

Pregis, LLC Coverage No. MSR001797 Tupelo, Mississippi Lee County

Dear Ms. Rudolph:

Pursuant to the letter from the Mississippi Department of Environmental Quality (MDEQ), we understand that the general permit that authorizes the discharge of storm water associated with industrial activity has been reissued. The Industrial Stormwater General Permit for Industrial Activities (MSR00) was reissued on December 10, 2020 and replaces the previously titled Baseline Stormwater General Permit. Pregis, LLC (Pregis) is enclosing a completed *Industrial Stormwater General Permit Re-Coverage Form* and requests that an updated Certificate of Permit Coverage be issued.

Please note that we have updated the facility's Storm Water Pollution Prevention Plan (SWPPP) to reflect the new requirements of the General Permit. Per the instructions provided for re-coverage, we understand that these updates do not need to be submitted to MDEQ as long as the SWPPP is current and effective in controlling storm water pollutants.

If you have any questions concerning the attached information, please feel free to contact me at (662) 840-5945 or Brian Weibel of Pregis at (662) 553-4515.

Sincerely,

Jody Lindsey Senior Project Manager

Jody Ludous

**Enclosures**