

## INDUSTRIAL STORMWATER GENERAL PERMIT RE-COVERAGE FORM

FOR COVERAGE UNDER MISSISSIPPI'S REISSUED INDUSTRIAL STORMWATER GENERAL PERMIT MSR00 GENERAL NPDES COVERAGE NO. MSR00 2 1 3 6

## **INSTRUCTIONS**

The submittal of this form is required to receive coverage under the reissued Industrial Stormwater General Permit. This form must be completed and returned to the address printed at the bottom of page 2.

The signatory of this form must be the owner or operator who is the current coverage recipient (rather than the plant/site manager or environmental consultant). The coverage recipient is responsible for permit compliance.

Amendments to the Storm Water Pollution Prevention Plan (SWPPP) are required to be attached if the plan is not current or is ineffective in controlling storm water pollutants.

If the facility is out of business or no longer a regulated facility, please request termination of coverage by completing the Request for Termination (RFT) Form found in the Industrial Stormwater Forms Package. Facilities that continue to discharge wastewater without applicable permit coverage are in violation of state law.

Do not submit this form if submitting a "Request for Termination" (RFT).

Do not submit this form if submitting a "No Exposure Certification."

ALL INFORMATION MUST BE COMPLETED (Enter "NA" if not applicable).

CONTACT NAME & POSITION: Susan Yates, Environmental Compliance Manager  EMAIL ADDRESS: Susan.yates@sefl.com  COMPANY NAME: Southeastern Freight Lines Inc  STREET OR P.O. BOX: PO Box 1691  CITY: Columbia STATE: SC ZII  PHONE NUMBER (INCLUDE AREA CODE): 803-399-9803  FACILITY INFORMATION  FACILITY NAME: Southeastern Freight Lines - TUP-058  CONTACT NAME & POSITION: Susan Yates, Environmental Compliance Manager	
COMPANY NAME: Southeastern Freight Lines Inc  STREET OR P.O. BOX: PO Box 1691  CITY: Columbia STATE: SC ZIII  PHONE NUMBER (INCLUDE AREA CODE): 803-399-9803  FACILITY INFORMATION  FACILITY NAME: Southeastern Freight Lines - TUP-058	
COMPANY NAME: Southeastern Freight Lines Inc  STREET OR P.O. BOX: PO Box 1691  CITY: Columbia STATE: SC ZII  PHONE NUMBER (INCLUDE AREA CODE): 803-399-9803  FACILITY INFORMATION  FACILITY NAME: Southeastern Freight Lines - TUP-058	
STREET OR P.O. BOX: PO Box 1691  CITY: Columbia STATE: SC ZII  PHONE NUMBER (INCLUDE AREA CODE): 803-399-9803  FACILITY INFORMATION  FACILITY NAME: Southeastern Freight Lines - TUP-058	
CITY: Columbia STATE: SC ZII  PHONE NUMBER (INCLUDE AREA CODE): 803-399-9803  FACILITY INFORMATION  FACILITY NAME: Southeastern Freight Lines - TUP-058	
PHONE NUMBER (INCLUDE AREA CODE): 803-399-9803  FACILITY INFORMATION  FACILITY NAME: Southeastern Freight Lines - TUP-058	. 29202
FACILITY INFORMATION  FACILITY NAME: Southeastern Freight Lines - TUP-058	
CONTACT NAME & POSITION: Susan Yates, Environmental Compliance Manager	
CONTACT PHONE NUMBER (INCLUDE AREA CODE): 803-399-9803	
PRIMARY STANDARD INDUSTRIAL CLASSIFICATION (SIC) CODE & DESCRIPTION OF INDUSTR 4231 Terminal and Joint Terminal Maintenance Faculties for Motor Freight Transportation	HAL ACTIVITY:

PHYSICAL SITE ADDRESS STREET: 150 George T Thompson Dr.		
CITY: Tupelo COUNTY: Lee	z <sub>IP:</sub> 38	801
PROVIDE THE COORDINATES OF THE PLANT ENTRANCE:		
LATITUDE: 34 degrees 12 minutes 43.401 seconds LONGITUDE	E: <u>-88</u> degrees <u>42</u> minutes	_ seconds
NEAREST NAMED RECEIVING STREAM FOR STORM WATER LEAVIN	G THE SITE: Town Creek	
IS RECEIVING STREAM ON MDEQ's 303(d) LIST?	🔲 YES 🔳	NO
IF YES, HAS A TMDL BEEN ESTABLISHED FOR THE RECEIVING STRI	EAM SEGMENT? YES	NO
STORM WATER POLLUTION PREVENTION PLAN (SWPPP)		
IS A COPY OF THE SWPPP AT THE PERMITTED SITE?		YES NO
IS THE SWPPP UP-TO-DATE AND EFFECTIVE IN CONTROLLING STORM VIF NO, PLEASE ATTACH REQUIRED SWPPP AMENDMENTS (see Instructions		YES NO
AUTO SALVAGE FACIL	SWPPP Currently update as necessa	being evaluated wil
FOR AUTO SALVAGE FACILITIES, A REVISED SWPPP TO COMPLY WITH MDEQ NO LATER THAN JANUARY 31, 2022.		
DOES THE SWPPP REQUIRE CHANGES TO COMPLY WITH THE NEW PER	MIT?	YES NO
IS A REVISED COPY OF THE SWPPP ATTACHED?		YES NO
I certify under penalty of law that this document and all attachments were prepared system designed to assure that qualified personnel properly gathered and evaluated person or persons who manage the system, or those persons directly responsible for to the best of my knowledge and belief, true, accurate and complete. I am aware the information, including the possibility of fines and imprisonment for knowing violati	the information submitted. Based on a gathering the information, the informa at there are significant penalties for sul	my inquiry of the ution submitted is.
I further certify that I understand when coverage is terminated the facility is no lon industrial activity under this general permit. I understand that discharging polluta waters of the state without NPDES coverage is in violation of state law.	ger authorized to discharge storm wate nts in storm water associated with indu	er associated with strial activity to
Thyn Iniqu's	May 10, 2022	
Signature <sup>1</sup>	Date	
Ryan Smigiel	VP-Real Estate	
Printed Name <sup>1</sup>	Title	
<sup>1</sup> This form shall be signed according to ACT16, T-9 of the General Permit, as follow - For a corporation, by a responsible corporate officer For a partnership, by a general partner For a sole proprietorship, by the proprietor For a municipal, state or other public facility, by principal executive office		
After signing please mail to: Chief, Environmental Permits Division,	-	

MS Department of Environmental Quality, Office of Pollution Control P.O. Box 2261

Jackson, Mississippi 39225

## SOUTHEASTERN

FREIGHT LINES, INC.



May 10, 2022

Chief, Environmental Permits Division
MS Department of Environmental Quality, Office of Pollution Control
PO Box 2261
Jackson, MS 39225

RE: MSR002128 and MSR002136 Re-Coverage Forms

Dear Chief,

Please see the enclosed Industrial Stormwater General Permit Re-Coverage Form for our sites at: 323 Leggett Dr Richland, MS 39218 and 150 George T Thompson Dr Tupelo, MS 38801.

I wanted to explain how Southeastern Freight Lines Inc is addressing the deficiencies in Mississippi so you have an understanding of our process going forward. I was hired as the Environmental Compliance Manager for Southeastern a couple of months ago and have been evaluating all of our sites throughout our territory. There have been areas of concern and as such, I have hired consulting firms to conduct site visits at all of our facilities in order to update SWPPPs and SPCCs as needed. Our consultant will be in Mississippi next month, however, I emailed Ms. Becky Williams, CPM (Chief, Water II Branch) to see if she could give me some direction. She stated it would be better for us to submit the Re-Coverage prior to the site visit, and should we need to update the SWPPP, submit that at a later date.

Please let me know if you need any additional information at this time.

Sincerely,

Susan Yates

Environmental Compliance Manager

803-399-9803

Susan.Yates@SEFL.com