



**James Orey Construction, LLC.**

3236 Fleetwood Dr. ~ Jackson, MS 39212

jamesoreyconstruction@yahoo.com

James Orey, Owner and Operator

**"TAKING YOUR PROPERTY TO THE NEXT LEVEL"**



**STORM WATER POLLUTION PREVENTION PLAN (SWPPP)**

**SITE INFORMATION**

*open pond* *10,000*  
The construction of a ~~borrow~~ *drawn* pit for the removal of over ~~10,000~~ *10,000* cubic yards of dirt, which will disturb 3.5 acres. The site had a medium erosion hazard due to ~~red~~ *drawn* clay soil which slopes downward from north of property to south end of property. It is in ~~Big Black River Watershed Basin~~. A low level area exists at the south end of the property that ~~drains toward an unharmed tributary Bogue Chitto Creek. Bogue Chitto Creek is not on the 303(d) list for siltation, turbidity, or habitat alterations,~~ therefore additional controls that are warranted for site discharging to listed receiving streams are not required.

**CONTROLS**

**VEGETATIVE CONTROLS:** A 50-foot vegetative buffer zone consisting of grass and trees will be maintained at the south end of the property where runoff will be flowing. Existing trees will be preserved where possible. Any disturbed areas that will be left undisturbed for 30 days will be seeded (temporary seeded) within 7 calendar days. After final grading, all disturbed area will be seeded (permanent seeding) within seven calendar day.

**STRUCTURAL CONTROLS:** Silt fence will line the south end of the property. We will place hay bales at the north corner of the property where storm water runoff will be directed. A construction entrance will be built and any accumulation of much on vehicle tires will be washed, if needed, during muddy conditions. Road will be swept also, if needed during muddy conditions.

**HOUSEKEEPING PRACTICES:** All equipment maintenance and repair will be done offsite. Trash bags will be stored in supervisor's pick-ups. No toxic materials will be stored on this site. Portable sanitary facilities will be provided for construction workers.

**POST CONSTRUCTION CONTROLS AND MEASUREMENTS:** Upon completion of construction, *pond* ~~pit~~ area will be nearly level except for 2:1 slopes at north end of property which will be grasses immediately to combat post construction erosion.

**IMPLEMENTATION SEQUENCE**

1/build construction entrance/exit. 2/install silt fence at south end of property. 3/place staked hay bales at north corner of silt fence. 4/clear property. 5/place more silt fence where needed. 6/ stockpile topsoil with silt fence placed around it. 7/remove dirt from pit. 8/finish grade the pit and slopes. 9/ seed site (permanent seeding). 8/after site is stabilized and grass growing, all silt fence and hay bales will be removed.

**MAINTENANCE PLAN**

Check all disturbed area, erosion and sediments control after each significant rainfall but not less than once per week. Make need repairs within 24 hours. Remove sediment for the silt fence and hay bales when sediment has reached 50 percent capacity. Replace non-functional site fence. Maintain all vegetated areas to provided proper ground cover-reseed, fertilize, and mulch as needed.

*James Orey*  
SIGNATURE

*3/27/2017*  
DATE

AI : 84126



MISSISSIPPI DEPARTMENT OF  
ENVIRONMENTAL QUALITY

Rec'd via email:  
06/02/2023

**MINING NOTICE OF INTENT (MNOI)  
FOR COVERAGE UNDER  
MINING STORM WATER, DEWATERING AND NO DISCHARGE  
GENERAL PERMIT MSR32 3017  
(Number to be assigned by State)**

**File at least 30 days prior to the commencement of mining; 15 days if a Storm Water Pollution Prevention Plan (SWPPP) is already on file and mine dewatering is not proposed. Lateral expansion of an existing mine that has general permit coverage requires the submittal of the Major Modification Form, not a new MNOI. However, modification of the existing SWPPP to include the expansion is required. Discharge of storm water or impounded water associated with mining or the operation of a wastewater recirculation system with no discharge without written notification of coverage from MDEQ is a violation of State Law.**

**If the company seeking coverage is a corporation, a limited liability company, a partnership, or a business trust, attach proof of its registration with the Mississippi Secretary of State and/or its Certificate of Good Standing. This registration or Certificate of Good Standing must be dated within twelve (12) months of the date of the submittal of this coverage form. Coverage will be issued in the company name as it is registered with the Mississippi Secretary of State.**

**Please indicate the activities to be covered by this MNOI (check all that apply).**

- ☒ Storm Water Discharges Associated with Mining      ☐ Mine Dewatering  
☐ Wastewater Recirculation System with No Discharge

**The appropriate section of the MNOI must be completed if the applicant proposes to discharge storm water, discharge impounded mine water (dewatering) and/or operate a wastewater recirculation system with no discharge.**

**A site-specific Storm Water Pollution Prevention Plan (SWPPP) developed in accordance with ACT5 of the General Permit and a United States Geological Survey (USGS) quadrangle map or photocopy, indicating the site location and outfalls must be included with the MNOI submittal. The name of the quadrangle map must be shown on all copies. Quadrangle maps can be obtained from the MDEQ, Office of Geology at 601-961-5523. Additional submittals may include the following (check all that apply).**

- ☐ Section 404 Documentation      ☒ Notice of Exempt Operations Form  
☐ Dam/Reservoir Safety Permit or Written Authorization

**ALL INFORMATION MUST BE COMPLETED (indicate "N/A" where not applicable)**

O.C

MSR32 \_ \_ \_ \_

(NUMBER TO BE ASSIGNED BY STATE)

APPLICANT IS THE: ☐ OWNER ☒ OPERATOR

## OWNER CONTACT INFORMATION

OWNER CONTACT PERSON: Dexter Williams  
OWNER COMPANY LEGAL NAME: Estate Solutions LLC  
OWNER STREET OR P. O. BOX: P.O. Box 6754 D.  
OWNER CITY: Douglasville STATE: GA ZIP: 30154  
OWNER PHONE #: (770) 820-2653 OWNER EMAIL: est8solutionsllc@gmail.com

## OPERATOR CONTACT INFORMATION

OPERATOR CONTACT PERSON: JAMES OREY  
OPERATOR COMPANY LEGAL NAME: JAMES OREY Construction LLC  
OPERATOR STREET OR P. O. BOX: 3236 Fleetwood Dr  
OPERATOR CITY: JACKSON STATE: MS ZIP: 39212  
OPERATOR PHONE #: (601) 988-7173 OPERATOR EMAIL: Jamesoreyconstruction@yahoo.com

## MINE INFORMATION

MINE NAME: JAMES  
MINE SITE ADDRESS (If the physical address is not available, please indicate nearest named road.)  
Street: N. Siwell Rd and South MCRAVEN  
City: JACKSON State: MS County: HIND Zip: 39209  
SE 1/4 OF NW 1/4 OF SECTION 9, TOWNSHIP 5N, RANGE 1W  
MINE SITE TRIBAL LAND ID (N/A If not applicable): \_\_\_\_\_  
ATTACH A USGS QUAD MAP, EXTENDING 1/2 MILE BEYOND FACILITY, OUTLINING THE MINE BOUNDARIES  
(Maps can be obtained from the Mississippi Office of Geology. For information call 601-961-5523).  
LATITUDE: \_\_\_\_\_ degrees \_\_\_\_\_ minutes \_\_\_\_\_ seconds LONGITUDE: \_\_\_\_\_ degrees \_\_\_\_\_ minutes \_\_\_\_\_ seconds  
LAT & LONG DATA SOURCE (GPS (Please GPS Entrance Gate) or Map Interpolation): \_\_\_\_\_  
TOTAL ACREAGE: 4 Acre MATERIAL TO BE MINED: dirt  
WILL HYDRAULIC DREDGING BE USED? ☐ YES ☒ NO  
WASHING OF SAND/GRAVEL? ☐ YES ☒ NO

ESTIMATED START DATE: \_\_\_\_\_

YYYY-MM-DD

ESTIMATED END DATE: \_\_\_\_\_

YYYY-MM-DD

SIC CODE \_\_\_\_\_

NAICS CODE \_\_\_\_\_

### RECEIVING STREAM INFORMATION

NEAREST NAMED RECEIVING STREAM: BAKERS CREEK TRIBUTARY

IS RECEIVING STREAM ON MISSISSIPPI'S 303(D) LIST OF IMPAIRED WATER BODIES? (The 303(d) list of impaired waters and TMDL stream segments may be found on MDEQ's website: [http://www.deq.state.ms.us/MDEQ.nsf/page/TWB\\_Total\\_Maximum\\_Daily\\_Load\\_Section](http://www.deq.state.ms.us/MDEQ.nsf/page/TWB_Total_Maximum_Daily_Load_Section)) ☐ YES ☒ NO

HAS A TMDL BEEN ESTABLISHED FOR THE RECEIVING STREAM SEGMENT? ☐ YES ☒ NO

### COMPLETE IF STORM WATER DISCHARGE IS PROPOSED

ATTACH A STORM WATER POLLUTION PREVENTION PLAN (SEE PERMIT FOR REQUIREMENTS)

IDENTIFY THE ASSOCIATION OR GENERIC SWPPP ON FILE AT MDEQ: \_\_\_\_\_

### COMPLETE IF WASTEWATER RECIRCULATION SYSTEM WITH NO DISCHARGE IS PROPOSED

DISTANCE BETWEEN RECIRCULATION POND(S) AND PROPERTY LINE: \_\_\_\_\_ (FT)  
(MUST BE AT LEAST 150 FEET)

NUMBER OF RECIRCULATION POND(S): \_\_\_\_\_

STORAGE CAPACITY OF EACH RECIRCULATION POND(S): \_\_\_\_\_ (FT<sup>3</sup>)

### COMPLETE IF MINE DEWATERING IS PROPOSED

ESTIMATED DEWATERING VOLUME: \_\_\_\_\_ (GAL/DAY)

NAME AND ADDRESS OF THE RECIPIENT OF THE DISCHARGE MONITORING REPORTS (DMRs), IF DIFFERENT FROM SIGNATORY: \_\_\_\_\_

**DOCUMENTATION OF COMPLIANCE WITH OTHER REGULATIONS/REQUIREMENTS**  
Coverage under this general permit will not be granted until all other required MDEQ permits and approvals are addressed.

WILL THE CONSTRUCTION OR OPERATION OF THIS MINE INVOLVE THE RE-ROUTING, FILLING OR CROSSING OF A WATER CONVEYANCE OF ANY KIND? ☐ YES ☒ NO

If yes, contact the U.S. Army Corps of Engineers' Regulatory Branch for permitting requirements. If the mine requires a Corps of Engineers Section 404 permit, provide appropriate documentation with this MNOI that:

- The mine has been approved by individual permit, or
- The work will be covered by a nationwide permit and NO NOTIFICATION to the Corps is required, or
- The work will be covered by a nationwide or general permit and NOTIFICATION to the Corps is required.

LIST ANY NPDES PERMIT NO(s). \_\_\_\_\_ GEOLOGY APPLICATION/PERMIT NO. \_\_\_\_\_

LIST OTHER GEOLOGY PERMIT NUMBERS THAT APPLY TO COVERAGE AREA \_\_\_\_\_

IS THE MINE LESS THAN 4 ACRES AND GREATER THAN 1320 FEET FROM ANOTHER MINE?

- ☒ YES A "Notice of Exempt Operations" Form must be included with the MNOI or proof of prior submission, if previously submitted to the Office of Geology.
- ☐ NO A "Notice of Intent to Mine Class I or Class II Materials" Form must be filed before coverage will be granted under the Mining General Permit. For information on Office of Geology requirements, call 601-961-5515.

LIST ANY LOCAL STORM WATER ORDINANCES WITH WHICH THE OPERATIONS MUST COMPLY AND SUBMIT ANY ASSOCIATED APPROVAL DOCUMENTATION. \_\_\_\_\_

IF IMPOUNDMENTS WILL BE CONSTRUCTED ABOVE NATURAL SURFACE ELEVATIONS, INDICATE WHICH, IF ANY, OF THE FOLLOWING APPLY.

- ☐ The impoundment will be constructed with a peripheral dam or levee 8 feet or greater in height, measured from the lowest elevation of its toe.
- ☐ The impoundment will have a maximum storage volume greater than 25 acre-feet.
- ☐ The impoundment will impound a watercourse with a continuous flow.
- ☐ The impoundment has the potential to threaten downstream lives or man-made structures.

If any of the impoundments meet any of the above criteria, the applicant will be required to obtain written authorization from MDEQ, Dam Safety Division before coverage will be granted under the Mining General Permit.

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

James Orey  
Authorized Signature

5/8/23  
Date

JAMES OREY  
Printed Name

pres./owner  
Title

<sup>1</sup>This application shall be signed according to the General Permit, Act 15, T-4 as follows:

- For a corporation, by a responsible corporate officer.
- For a partnership, by a general partner.
- For a sole proprietorship, by the proprietor.
- For a municipal, state or other public facility, by either a principal executive officer, the mayor, or ranking elected official.
- Duly Authorized Representative

Please submit this form to: Chief, Environmental Permits Division  
MDEQ, Office of Pollution Control  
P.O. Box 2261  
Jackson, Mississippi 39225