



9 Greenway Plaza, Ste. 2800
Houston, TX 77046
(713) 479-8000

August 5, 2024

Chief, Environmental Permits Division
Mississippi Department of Environmental Quality
Office of Pollution Control
P.O. Box 2261
Jackson, MS 39225

Re: Hydrostatic Test Notice of Intent
Texas Gas Transmission, LLC
PN 15127
DeSoto County, Mississippi
Providence Project No. 196-679

To Whom It May Concern:

Texas Gas Transmission, LLC is submitting this Hydrostatic Test Notice of Intent (HTNOI) requesting authorization for a discharge of hydrostatic test water from their 36-inch-diameter pipeline in DeSoto County, Mississippi. The volume of water for the hydrostatic test at Outfall 001 will be approximately 116,500 gallons from a nearby fire hydrant and discharged onto their existing right-of-way. The volume of water for the hydrostatic test at Outfall 002 will be approximately 550,000 gallons from a private pond and discharged onto their existing right-of-way. All water will be discharged at a rate of approximately 500 gallons-per-minute into a haybale structure after being ran through a carbon filter system.

Please find attached a site location map showing the discharge locations (**Figure 1**) and the HTNOI general permit forms and requisite supporting information (**Attachment A**). The Mississippi Secretary of State Certificate of Good Standing is included as **Attachment B**. The Mississippi Department of Environmental Quality approved hydrostatic surface water withdrawal requests are in **Attachment C**. If you have questions, please contact Kelsey Gocke at (713) 479-8080 or kelsey.gocke@bwpipelines.com or Yvonne Baker at (225) 766-7400 or yvonnebaker@providenceeng.com.

Sincerely,


A handwritten signature in blue ink that reads "Cale L. LeBlanc".

Cale LeBlanc
Director, Environmental
Texas Gas Transmission, LLC

Enclosures: As stated

cc: Kelsey Gocke, Gulf South Pipeline Company, LLC
Yvonne Baker, Providence Engineering and Environmental Group LLC

FIGURE 1
SITE LOCATION MAP



Water Withdrawal Location 2
 Latitude: 34.960066°
 Longitude: -90.082643°

Water Withdrawal Location 1
 Latitude: 34.958097°
 Longitude: -90.092353°

Outfall 002
 Latitude: 34.943385°
 Longitude: -90.118088°

Outfall 001
 Latitude: 34.901009°
 Longitude: -90.165505°



Legend

- ★ Outfall Location
- Water Withdrawal Location

Reference

Base map comprised of United States Geological Survey 7.5-minute topographic maps, "Lake Cormorant, MS" and "Horn Lake, MS".

Site Location Map

Hydrostatic Test Notice of Intent
 DeSoto County, Mississippi

Texas Gas Transmission, LLC
 PN 15127



PROVIDENCE

Drawn By	JTL	8/5/2024
Checked By	LMH	8/5/2024
Approved By	HO	8/5/2024

Project Number	196-679
Drawing Number	196-679-A001

1
 Figure

ATTACHMENT A
HYDROSTATIC TEST NOTICE OF INTENT



MISSISSIPPI DEPARTMENT OF ENVIRONMENTAL QUALITY

AI: 87057

Rec'd via email:
08/05/2024

HYDROSTATIC TEST NOTICE OF INTENT (HTNOI)

FOR COVERAGE UNDER MISSISSIPPI'S HYDROSTATIC TEST GENERAL PERMIT

GENERAL PERMIT MSG13 **MSG130648**

(Number to be assigned by MDEQ)

INSTRUCTIONS

The Hydrostatic Test Notice of Intent (HTNOI) is for coverage under the Hydrostatic Test General Permit to discharge hydrostatic test water. Applicant must be the owner or operator. The coverage recipient is responsible for compliance with the conditions of the general permit.

Completed HTNOIs should be filed at least thirty (30) days prior to the commencement of regulated activity. Discharge of hydrostatic test water without written notification of coverage is a violation of state law.

If the company seeking coverage is a corporation, a limited liability company, a partnership, or a business trust, attach proof of its registration with the Mississippi Secretary of State and /or its Certificate of Good Standing. This registration or Certificate of Good Standing must be dated within twelve (12) months of the date of the submittal of this coverage form. Coverage will be issued in the company name as it is registered with the Mississippi Secretary of State.

IF REGULATED LAND DISTURBING ACTIVITIES ARE TO OCCUR, LIST ACRES DISTURBED: 0
NOTE: If disturbing five (5) acres or more, a stormwater construction coverage is required.

A USGS quadrangle map or copy is a required submittal. The map shall extend at least one-half of a mile beyond the facility/ project property boundary. In the case of linear pipeline projects the map shall extend at least one-half of a mile beyond the pipeline right-of-way. The site location and outfalls must be outlined and labeled. Quad maps can be obtained from the Office of Geology (601-961-5523). If a copy is submitted, provide the name of the quadrangle map that is found in upper right hand corner.

Additional submittals may include the following:

- Labeled site drawing noting the outfall(s) associated with hydrostatic test water discharge(s)
- List of chemical Additives,
- Appropriate Section 404 documentation from U.S. Army Corps of Engineers, or
- Written authorization from the MDEQ, Office of Land and Water, if water withdrawal from surface waters or ground waters is to be used for the testing. For information call the Office of Land and Water at 601/961-5202

ALL REQUESTED INFORMATION MUST BE PROVIDED (Answer "NA" if not applicable)

APPLICANT IS THE: OWNER OPERATOR (Must check one or both)

OWNER INFORMATION

OWNER CONTACT NAME & POSITION: Cale LeBlanc, Director, Environmental

OWNER EMAIL ADDRESS: Cale.Leb Blanc@bwpipelines.com

OWNER COMPANY NAME: Texas Gas Transmission, LLC

OWNER STREET (P.O. BOX): 9 Greenway Plaza, Suite 2800

OWNER CITY: Houston STATE: TX ZIP: 77046

OWNER PHONE # (INCLUDE AREA CODE): (225) 282-0389

O.C

OPERATOR INFORMATION

OPERATOR CONTACT NAME & POSITION: Cale LeBlanc, Director, Environmental
OPERATOR EMAIL: Cale.Leblanc@bwpipelines.com
OPERATOR COMPANY: Texas Gas Transmission, LLC
OPERATOR STREET (P.O. BOX): 9 Greenway Plaza, Suite 2800
OPERATOR CITY: Houston STATE: TX ZIP: 77046
OPERATOR PHONE # (INCLUDE AREA CODE): (225) 282-0389

FACILITY/PROJECT INFORMATION

FACILITY/PROJECT NAME: Hydrostatic Test Discharge PN 15127
PIPELINE, STORAGE TANK OR FLOWLINE BEING TESTED IS: NEW USED
IF USED, LIST PRIOR MATERIAL SERVICE OF EQUIPMENT: Natural Gas
PHYSICAL SITE ADDRESS (If not available, indicate nearest named road. Linear projects indicate beginning of project):
STREET: 2672 Wilson Mill Road CITY: Lake Cormorant
COUNTY: DeSoto ZIP: 38641
Facility site tribal land ID (NA if not applicable) NA
TYPE OF TREATMENT (IF PROVIDED): Filtration
SIC Code 4922, 4923 NAICS Code 21120, 486210

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fines and/or imprisonment for knowing violations.

Cale L. LeBlanc

August 5, 2024

Signature¹ (Must be signed by operator when different than owner)

Date Signed

Cale LeBlanc

Director, Environmental

Printed Name

Title

¹This application shall be signed according to ACT6, T-17 of the General Permit, as follows:

- For a corporation, by a responsible corporate officer.
- For a partnership, by a general partner.
- For a sole proprietorship, by the proprietor.
- For a municipal, state or other public facility, by principal executive officer, the mayor, or ranking elected official.

HTNOI forms must be submitted to: **Chief, Environmental Permits Division**
MS Dept of Environmental Quality, Office of Pollution Control
P.O. Box 2261
Jackson, Mississippi 39225

OUTFALL INFORMATION

(To be submitted with HTNOI and Major Modification Forms)

INSTRUCTIONS:

- For each outfall, complete the information in the table below (NOTE: Complete the last column of this form, only if it is being submitted with a Major Modification Form).
- All outfalls must be spotted and labeled on a USGS quadrangle map.

OUTFALL NO.	LATITUDE ¹ (deg/min/sec)	LONGITUDE ¹ (deg/min/sec)	SOURCE OF FILL WATER	NEAREST RECEIVING STREAM ²				EST. TOTAL DISCHARGE (MIL GAL)	STATUS OF TANK, PIPELINE, FLOWLINE ETC.		EXPECTED TEST DATE(S) (mm/dd/yr)	INDICATE WHETHER OUTFALL IS NEW OF EXISTING	
				NAME	ON MDEQ 303(D) LIST? ³		HAS TMDL? ³		New	Used			
					Yes	No	Yes						No
001	34° 54' 3.6324" N	90° 9' 55.8174" W	Municipal Fire Hydrant	Duck Pond Bayou	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	0.12		X	8/30/2024	Existing
002	34° 56' 36.1854" N	90° 7' 5.1168" W	Private Pond or Unnamed Lake	Johnson Creek	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	0.55		X	9/7/2024	Existing
003					<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>					
004					<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>					
005					<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>					
006					<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>					
007					<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>					
008					<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>					
009					<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>					
010					<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>					
011					<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>					
012					<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>					

Revised: 03/15/17

NOTE: To Comply with EPA's NPDES e-Reporting rule, MDEQ has implemented the use of U.S.EPA's NetDMR for the submittal of DMRs. Permittees required to submit DMRs must submit DMRs electronically using NetDMR. A training video and additional info can be found at <http://bit.ly/2gao6sW>. For additional information about NetDMR, please send an email to netdmrhelp@mdeq.ms.gov or contact Annette Brocks at 601-961-5252

¹ List the latitude and longitude of its location to the nearest 15 seconds.

² Name of the nearest named receiving stream as listed on a USGS Quad Map.

³ MDEQ's 303(d) List of Impaired Water Bodies and approved TMDLs can be found at: http://www.deq.state.ms.us/MDEQ.nsf/page/TWB_Total_Maximum_Daily_Load_Section

ATTACHMENT B

MISSISSIPPI SECRETARY OF STATE CERTIFICATE OF GOOD STANDING



Michael Watson

SECRETARY OF STATE

This is not an official certificate of good standing.

Name History

Name	Name Type
TEXAS GAS TRANSMISSION, LLC	Legal

Business Information

Business Type:	Limited Liability Company
Business ID:	733779
Status:	Good Standing
Effective Date:	05/16/2003
State of Incorporation:	DE
Principal Office Address:	9 GREENWAY PLAZA SUITE 2800 HOUSTON, TX 77046

Registered Agent

Name
CORPORATION SERVICE COMPANY
109 Executive Drive, Suite 3
Madison, MS 39110

Officers & Directors

Name	Title
James D Jones 9 GREENWAY PLAZA STE. 2800 HOUSTON, TX 77046	Manager
H DEAN JONES II 3800 FREDERICA ST OWENSBORO, KY 42304	
Stanley C Horton 9 GREENWAY PLAZA STE. 2800 HOUSTON, TX 77046	President
Steven Barkauskus 9 Greenway Plaza Suite 2800 Houston, MS 77046	Treasurer

ATTACHMENT C

**MISSISSIPPI DEPARTMENT OF ENVIRONMENTAL QUALITY APPROVED
HYDROSTATIC SURFACE WATER WITHDRAWAL REQUESTS**



State of Mississippi

TATE REEVES

Governor

MISSISSIPPI DEPARTMENT OF ENVIRONMENTAL QUALITY

CHRIS WELLS, EXECUTIVE DIRECTOR

August 2, 2024

Cale Leblanc
Texas Gas Transmission, LLC
9 Greenway Plaza, Suite 2800
Houston, Texas 77046

Re: Letter of Authorization
Texas Gas Transmission, LLC
Hydrostatic Surface Water Withdrawal Request
Providence Project No. 196-679
Tunica County, Mississippi

Mr. Leblanc:

This letter will serve as authorization from the Mississippi Department of Environmental Quality (MDEQ) for Texas Gas Transmission, LLC to withdraw surface water from a stormwater retention pond, which drains into an unnamed ditch, which drains into King's View Lake, for the purpose of hydrostatic testing in Desoto County, Mississippi, subject to the following terms and conditions:

1. The withdrawal point shall be limited to the stormwater retention pond at approximately 34.958097°N, -90.092353°W.
2. The withdrawal shall be limited to a maximum pumping rate of **500 gpm**. The total cumulative withdrawal volume for the project shall be limited to **550,000 gallons**.
3. The intake of the withdrawal pipe or hose must be screened to protect aquatic life.
4. Coverage under the Hydrostatic Test General Permit must be received from MDEQ's Office of Pollution Control prior to withdrawing water for the project.
5. This authorization shall expire on **October 31, 2024**.

OFFICE OF LAND AND WATER RESOURCES

POST OFFICE BOX 2309 • JACKSON, MISSISSIPPI 39225-2309 • TEL: (601) 961-5555 • FAX: (601) 961-5228 • www.mdeq.ms.gov

Facebook: @mdeq.ms • Twitter: @MDEQ • Instagram: @MDEQ

AN EQUAL OPPORTUNITY EMPLOYER

Mr. Leblanc
August 2, 2024
Page 2 of 2

If you have any questions regarding the authorization or need further assistance, please contact me at (601) 961-5775.

Sincerely,

A handwritten signature in blue ink, appearing to read "Chris Hawkins", with a long horizontal flourish extending to the right.

Chris Hawkins, PE, Chief
Permitting, Certification and Compliance Division

Cc: Thomas Kelly - MDEQ



State of Mississippi

TATE REEVES
Governor

MISSISSIPPI DEPARTMENT OF ENVIRONMENTAL QUALITY

CHRIS WELLS, EXECUTIVE DIRECTOR

August 2, 2024

Cale Leblanc
Texas Gas Transmission, LLC
9 Greenway Plaza, Suite 2800
Houston, Texas 77046

Re: Letter of Authorization
Texas Gas Transmission, LLC
Hydrostatic Surface Water Withdrawal Request
Providence Project No. 196-679
Tunica County, Mississippi

Mr. Leblanc:

This letter will serve as authorization from the Mississippi Department of Environmental Quality (MDEQ) for Texas Gas Transmission, LLC to withdraw surface water from an unnamed lake, which drains into an unnamed tributary, which drains into Horn Lake Creek for the purpose of hydrostatic testing in Desoto County, Mississippi, subject to the following terms and conditions:

1. The withdrawal point shall be limited to the unnamed lake at approximately 34.960066°N, -90.082643°W.
2. The withdrawal shall be limited to a maximum pumping rate of **500 gpm**. The total cumulative withdrawal volume for the project shall be limited to **550,000 gallons**.
3. The intake of the withdrawal pipe or hose must be screened to protect aquatic life.
4. Coverage under the Hydrostatic Test General Permit must be received from MDEQ's Office of Pollution Control prior to withdrawing water for the project.
5. This authorization shall expire on **October 31, 2024**.

OFFICE OF LAND AND WATER RESOURCES

POST OFFICE BOX 2309 • JACKSON, MISSISSIPPI 39225-2309 • TEL: (601) 961-5555 • FAX: (601) 961-5228 • www.mdeq.ms.gov

Facebook: [@mdeq.ms](https://www.facebook.com/mdeq.ms) • Twitter: [@MDEQ](https://twitter.com/MDEQ) • Instagram: [@MDEQ](https://www.instagram.com/MDEQ)

AN EQUAL OPPORTUNITY EMPLOYER

Mr. Leblanc
August 2, 2024
Page 2 of 2

If you have any questions regarding the authorization or need further assistance, please contact me at (601) 961-5775.

Sincerely,



Chris Hawkins, PE, Chief
Permitting, Certification and Compliance Division

Cc: Thomas Kelly - MDEQ