AI#23071

Mississippi Department of Environmental Quality

Office of Pollution Control – Environmental Permits Division POST OFFICE BOX 10385 • JACKSON, MS 39289-0385

TEL: (601) 961-5171 • FAX: (601) 354-6612

www.deq.state.ms.us

NOTICE OF INTENT (NOI)
FOR COVERAGE UNDER

JAN 17 2008



GENERAL NPDES PERMIT NUMBER MSG150 4460

(Number to be assigned by State)

INSTRUCTIONS

APPLICANT MUST BE THE OWNER AND/OR OPERATOR OF THE PROPERTY ASSOCIATED WITH THE REGULATED ACTIVITY. ALL SUBMITTALS MUST INCLUDE THE FOLLOWING:

- A NUTRIENT MANAGEMENT PLAN
- A USGS QUAD MAP OR A COPY SHOWING THE SITE LOCATION
- A SITE DRAWING
- A STORM WATER POLLUTION PREVENTION PLAN (SWPPP), IF THERE IS TO BE CONSTRUCTION WORK TOTALING ONE ACRE OR MORE.

USGS QUAD MAPS SUBMITTED MUST EXTEND AT LEAST ONE MILE BEYOND THE PROPERTY BOUNDARIES OF THE FACILITY AND MUST CLEARLY SHOW ALL SPRINGS AND SURFACE WATER BODIES IN THE AREA, PLUS ALL DRINKING WATER WELLS WITHIN ¼ MILE OF THE FACILITY. ADDITIONALLY, ALL PUBLIC DRINKING WELLS WITHIN ONE MILE OF THE FACILITY MUST BE IDENTIFIED.

THE SITE DRAWING MUST SHOW THE PROPERTY BOUNDARIES AND MUST INDICATE THE APPROXIMATE LOCATION OF EACH EXISTING AND PROPOSED STRUCTURE (HOUSE, INCINERATOR, DEAD BOX, LAND APPLICATION FIELD, COMPOSTING AREA, ETC). THE SITE DRAWING MUST INCLUDE A COMPASS DIRECTION HEADER.

SUBMIT AT LEAST 180 DAYS PRIOR TO COMMENCEMENT OF CONSTRUCTION OR PLANNED OPERATIONS. ALL FORMS MUST BE SUBMITTED TO: CHIEF, ENVIRONMENTAL PERMITS DIVISION, MISSISSIPPI DEPARTMENT OF ENVIRONMENTAL QUALITY, P.O. BOX 10385, JACKSON, MISSISSIPPI 39289-0385.

<u>ALL QUESTIONS MUST BE ANSWERED.</u> FOR THIS APPLICATION TO BE CONSIDERED, ALL QUESTIONS ON THIS FORM MUST BE ANSWERED. IF AN ITEM DOES NOT APPLY, ENTER "N/A" (NOT APPLICABLE) TO SHOW THAT YOU CONSIDERED THE QUESTION.

I. GENERAL INFORMATION:

CONTACT AND FACILITY INFORMATION

| Name of Owner:Gene Graves | |
|--|--|
| Facility Name:Gene Graves | |
| Mailing Address: | |
| Street or P.O. Box:33 Jackson Lane | |
| City:Bassfield | State:MSZip:39421 |
| Physical Site Address: (If the physical address is not avaintersection.) | ilable indicate the nearest named road or |
| Street (can not be a P.O. Box) _68 Santee Meth | nodist Rd. |
| City:Bassfield | State:MSZip:39421 |
| County:Jefferson Davis | |
| Latitude (degrees/min/sec):N 31 30 34.8 | |
| Longitude (degrees/min/sec):W089 44 08.6_ | |
| Nearest named receiving stream: _Bowie Creek_ | |
| Facility Telephone No. (Include Area Code): | The factor of th |
| Facility Fax No. (Include Area Code): | |
| Facility Cell Phone No. (Include Area Code): | _601-408-1474 |
| Other Contact Phone Numbers (Include Area Code): | 601-943-5827 |
| TYPES OF AC | TIVITY |
| Check all that apply: | |
| ☐ New dry litter poultry operation | |
| Proposed dry litter poultry operation | |
| Construction and/or operation of an incinerator | |
| X New or expanding operations that will require con | struction activities disturbing one acre or more |

II. CONCENTRATED POULTRY FEEDING OPERATION CHARACTERISTICS:

| TYPE AND AMOUNT OF CHICKENS Check all that apply and indicate the amounts X Boilers (SIC 0251): 195,200 Layers (SIC 0252): TOTAL AMOUNT: XHoused under roof Open confinement TYPES OF DRY LITTER CONTAINMENT, Check all that apply and indicate total days of storage and | Check any of the follow to control runoff and pro Buffers Setbacks Conservation ti Constructed we Infiltration field Grass filter Terrace STORAGE, AND CAPACI | llage etland i |
|---|---|--|
| Type of Storage | Total Number of Days | Total Capacity (tons) |
| ☐ Roofed Storage Shed | | 365 tons |
| Concrete Pad | | |
| ☐ Impervious Soil Pad | | |
| Other: Specify | | |
| Are all poultry houses, that have been constructed all occupied dwellings or commercial establishme all adjoining property lines? Yes Are all incinerators at least 150 feet from the neadlight commercial buildings not owned by the appropert Note: If answered no to any of these questions wavier must be completed by all affected propert Notary Public. A copy of the Dry Litter Buffer Zohttp://www.deq.state.ms.us/MDEQ.nsf/page/epd or call (601) 961-5171. CONTRACT INFOMATION Is this facility a contract operation? Yes | ents not owned by the applica No, attach wavier rest residential or recreational plicant? Yes s then attach a completed Poul by owners and notarized by a Sone Waiver can be found at | area, all dwellings, and all No, attach wavier try Buffer Zone Waiver. The State of Mississippi appointed |
| If yes, what is the name and address of the integra | ator? | |
| Name: Sanderson Farms | Address: | Laurel, MS |

| ATTACHMENTS |
|--|
| X Attach an USGS quad map or copy that extends at least one mile beyond the property boundaries of the facility and clearly show all springs and surface water bodies in the area, plus all drinking water wells within ¼ mile of the facility. Additionally, all public drinking wells within one mile of the facility must be identified. Quad maps can be obtained from MDEQ Office of Geology at (601) 961-5523. X Attach a site drawing showing the property boundaries and must indicate the approximate location of each existing and proposed structure (house, incinerator, dead box, land application field, composting area, etc). The site drawing must include a compass direction header. |
| NUTRIENT MANAGEMENT PLAN |
| Answer the following |
| Has a nutrient management plan been developed? X Yes No |
| If yes, when was the nutrient management plan submitted? Date:8/24/05 |
| If no, when will the nutrient management plan be developed? Date: |
| Is a nutrient management plan already being implemented for the facility? X Yes No |
| The date of the last revision of the nutrient management plan. Date: |
| What is the estimated amount of litter generated per year? tons/year |
| Total acreage needed for land application:_175 |
| Total acreage available for land application:85 |
| Will a third party remove litter off site? X Yes No |
| If yes, how much litter will be transferred to other persons per year?1095 tons/year |
| If not land applying, describe alternative use(s) of the litter: |
| |
| |
| |
| |
| |
| |
| |

III. CONSTRUCTION AND/OR OPERATION OF A POULTRY MORTALITY

INCINERATOR

X Check this box if this section does not apply

NOTE: Coverage for construction and/or operation of poultry mortality incinerators is for incinerators that have previously submitted approved stack test. For a list of incinerators that have approved stack tests on file please visit http://www.deq.state.ms.us/MDEQ.nsf/page/epd_AgriculturalBranchEPD?OpenDocument or call (601) 961-5171.

Carcasses generated at facilities other than the one identified in this NOI are not permitted for incineration under this coverage. Only chicken carcasses generated on site are permitted for incineration. All other materials such as leaves, trash, and construction debris, are strictly forbidden.

| MANUFACTURER'S INFORMATION | ON T | YPE OF INCINERATOR | |
|--|--|--|--|
| Manufacturer Name: | | ☐ Single chamber | |
| Model Number: | | Multiple chamber | |
| Capacity (tons/hour): | [| Other, describe | |
| Please provide the manufacture date for where installed on site in degrees, minural date(s): | teach incinerator and intes, and seconds. Latitude: Latitude: Latitude: | Longitude: Longitude: Longitude: Longitude: Longitude: Longitude: Longitude: | |
| FUEL TYPE AND INCINERATOR | TEMPERATURE RA | ANGE | |
| Fuel Type: | | | |
| If fuel oil is burned, what is the sulfur co | ontent of the oil? | % | |
| Incinerator operating temperature range | °F | | |

IV. CONSTRUCTION ACTIVITIES DISTURBING ON LACRE OR MORE X Check this box if this section does not apply

NOTE: If the project is rerouting, filling, or crossing a water conveyance of any kind, contact the U.S. Army Corps of Engineers regulatory branch for possible permitting requirements. If the project requires a Corps of Engineer Section 404 Permit, provide appropriate documentation from the Corps that the project has been approved.

Indicate any local storm water ordinance with which the project must comply and submit any documentation of approval.

| PROJECT INFORMATION |
|--|
| Total acreages that will be disturbed:6 |
| Description of the construction activity: 4 broiler houses will be built on approx. 6 ac. This includes slopes on the cut and fill areas. The houses are 500'x 44", there will be turn arounds on both ends of houses. |
| Nearest named receiving stream:Bowie Creek |
| Are there recreational streams, private/public ponds or lakes within ½ mile downstream of project boundary that may be impacted by the construction activity? Yes X No |
| Soil Characteristics: This is mapped Ruston on a D slope and Jena in the bottom. |
| X Attach a Storm Water Pollution Prevention Plan (SWPPP) that includes the minimum components found under "SWPPP Details" on pages 38 through 43 of the Multimedia General Pollution Control Permit to Construct/Operate Air Emission Equipment and/or Manage Manure and Discharge Storm Water in Accordance with the National Pollution Discharge Elimination System. |

V. CERTIFICATION

Note: This application shall be signed according to the General Permit, page 3, as follows:

- · For a corporation, by a responsible corporate officer.
- · For a partnership, by a general partner.
- For a sole proprietorship, by the proprietor.

I certify that to the best of my knowledge and belief formed after reasonable inquiry, the statements and information in this application are true, complete, and accurate, and that as a responsible official, my signature shall constitute an agreement that the applicant assumes the responsibility for any alteration, additions, or changes in operation that may be necessary to achieve and maintain compliance with all applicable Rules and Regulations. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Signature of Responsible Official

1-14-08 Date

Title