
AI# 49807 Conpla090001





MINING NOTICE OF INTENT (MNOI) FOR COVERAGE UNDER MINING STORM WATER, DEWATERING AND NO DISCHARGE GENERAL PERMIT MSR32 1924 (Number to be assigned by State)

File at least 30 days prior to the commencement of mining; 15 days if a Storm Water Pollution Prevention Plan (SWPPP) is already on file and mine dewatering is not proposed. Lateral expansion of an existing

mine that has general permit coverage requires the submittal MNOI. However, modification of the existing SWPPP to incl				
storm water or impounded water associated with mining or the				
system with no discharge without written notification of cover				
Please indicate the activities to be covered by this MNOI (che	ck all that apply).			
Storm Water Discharges Associated with Mining	Mine Dewatering			
Wastewater Recirculation System with No Discharge				
The appropriate section of the MNOI must be completed if the discharge impounded mine water (dewatering) and/or operate discharge.				
A USGS quadrangle map, or a copy, indicating the site location MNOI submittal. Additional submittals may include the follow				
SWPPP, in accordance with ACT 5 of the General Perm	it Section 404 Documentation			
Dam/Reservoir Safety Permit or Written Authorization Notice of Exempt Operations Form				
ALL INFORMATION MUST BE COMPLETED (indicate "N/A" where not applicable)				
APPLICANT INFORMATION				
IS APPLICANT THE OWNER OPERATOR	(Check one or both)			
OPERATOR CONTACT PERSON: Joe 74 orto				
OPERATOR CONFACT PERSON: Joe 74 orter OPERATOR COMPANY NAME: 74 orter 74 ulin	~			
OPERATOR STREET (P. O. BOX): 32/0 Terzh	, d			
OPERATORCHY: Bateville STATE	min 38606			
OPERATOR CITY: Bateville STATE OPERATOR TELEPHONE NUMBER (INCLUDE AREA CODE): (662) 9	34-8397 662561-1803			

GWNER CONTACT PERSON: Joseph J	
OWNER COMPANY: 74 July	OWNER CONTACT PERSON: for 71 orto
OWNER CITY: Beleville STATE: 71 62 19: 38664 OWNER TELEPHONE NUMBER (INCLUDE AREA CODE): 662-934-9397	OWNER COMPANY: 71 orton Haulin
OWNER CITY: Beleville MINE INFORMATION NAME OF MINE: Meacher MINE INFORMATION NAME OF MINE: Meacher Pit STREET ADDRESS OR NEAREST NAMED ROAD: H.W. & E. D. Bellulion NEAREST CITY: Beleville COUNTY: Panala ATTACH A USGS QUAD MAP. EXTENDING 9, MILE BEYOND FACILITY, OUTLINING THE MINE BOUNDARIES (Maps can be obtained from the Mississippi Office of Geology. For information call 601-961-5523). LATITUDE: degrees minutes seconds LONGITUDE: degrees minutes seconds METHOD USED TO DETERMINE LAT & LONG (GPS (Please GPS Entrance Gate) or Map Interpolation): TOTAL ACREAGE: MATERIAL TO BE MINED: WILL HYDRAULIC DREDGING BE USED? YES NO WASHING OF SANDIGRAVEL? YES NO RECEIVING STREAM: ESTIMATED START DATE: ESTIMATED END DATE: COMPLETE IF STORM WATER DISCHARGE IS PROPOSED STANDARD INDUSTRIAL CLASSIFICATION (SIC) CODE: ATTACH A STORM WATER POLLUTION PREVENTION PLAN (SEE PERMIT FOR REQUIREMENTS) IDENTIFY THE ASSOCIATION OR GENERIC SWPPP ON FILE AT MDEQ: COMPLETE IF WASTEWATER RECIRCULATION SYSTEM WITH NO DISCHARGE IS PROPOSED DISTANCE BEI WESTEWATER RECIRCULATION SYSTEM WITH NO DISCHARGE IS PROPOSED DISTANCE BEI WESTEWATER RECIRCULATION SYSTEM WITH NO DISCHARGE IS PROPOSED DISTANCE BEITWEN RECIRCULATION PONDIS): (FT) COMPLETE IF MINE DEWATERING IS PROPOSED DISTANCE BETTWEN THE RECIRCULATION PONDIS): (FT) COMPLETE IF MINE DEWATERING IS PROPOSED	OWNER STREET (P. O. BOX): 3210 TCYZA - Vd
MINE INFORMATION NAME OF MINE:	OWNER CITY: Balesulle STATE: Miss ZIP: 38604
NAME OF MINE:	OWNER TELEPHONE NUMBER (INCLUDE AREA CODE): 662-934-8397 ,662 561-1803
STREET ADDRESS OR NEAREST NAMED ROAD: HW. (& E) BURLEL / C NEAREST CITY: Parall. COUNTY: Parall. A W 40F N W 40F SECTION TOWNSHIP 95 RANGE (& W) ATTACHA USGS QUAD MAP, EXTENDING 1/2, MILE BEYOND FACILITY, OUTLINING THE MINE BOUNDARIES (Maps can be obtained from the Ministrippi Office of Geology. For information call 601-961-5523). LATITUDE: degrees minutes seconds LONGITUDE: degrees minutes seconds METHOD USED TO DETERMINE LAT & LONG (GPS (Please GPS Entrance Gate) or Map Interpolation): TOTAL ACREAGE: MATERIAL TO BE MINED: WILL HYDRAULIC DREDGING BE USED? YES NO WASHING OF SAND/GRAVEL? YES NO RECEIVING STREAM: ESTIMATED START DATE: ESTIMATED END DATE: COMPLETE IF STORM WATER DISCHARGE IS PROPOSED STANDARD INDUSTRIAL CLASSIFICATION (SIC) CODE: ATTACHA STORM WATER POLLUTION PREVENTION PLAN (SEE PERMIT FOR REQUIREMENTS) IDENTIFY THE ASSOCIATION OR GENERIC SWPPP ON FILE AT MDEQ: COMPLETE IF WASTEWATER RECIRCULATION SYSTEM WITH NO DISCHARGE IS PROPOSED DISTANCE BETWEEN RECIRCULATION POND(S) AND PROPERTY LINE: (FT) MUST BE AT I FAST 150 FEET) NO MUST BE AT I FAST 150 FEET) COMPLETE IF MINE DEWATERING IS PROPOSED ENTIMATED DEWATERING VOLUME: (FT)	MINE INFORMATION
NEARENT CITY: Batavill. COUNTY: Panol. W 406 N W 40 F SECTION S TOWNSHIP 9.5 RANGE W W	
NEARENT CITY: Batavill. COUNTY: Panol. W 406 N W 40 F SECTION S TOWNSHIP 9.5 RANGE W W	STREET ADDRESS OR NEAREST NAMED ROAD: H.W. G. E. J. Bethelen rd
ATTACH A USGS QUAD MAP, EXTENDING 1/4 MILE BEYOND FACILITY, OUTLINING THE MINE BOUNDARIES (Maps can be obtained from the Mississippl Office of Geology. For information call 601-961-5523). LATITUDE: degrees minutes seconds	NEAREST CITY: Bateswill County: Panola
ATTACH A USGS QUAD MAP, EXTENDING 1/4 MILE BEYOND FACILITY, OUTLINING THE MINE BOUNDARIES (Maps can be obtained from the Mississippl Office of Geology. For information call 601-961-5523). LATITUDE: degrees minutes seconds	NW 40F NW 40F SECTION 8, TOWNSHIP 95, RANGE 6 W
METHOD USED TO DETERMINE LAT & LONG (GPS (Please GPS Entrance Gate) or Map Interpolation): TOTAL ACREAGE: MATERIAL TO BE MINED: WILL HYDRAULIC DREDGING BE USED? YES NO WASHING OF SAND/GRAVEL? YES NO RECEIVING STREAM: ESTIMATED START DATE: ESTIMATED START DATE: COMPLETE IF STORM WATER DISCHARGE IS PROPOSED STANDARD INDUSTRIAL CLASSIFICATION (SIC) CODE: ATTACH A STORM WATER POLLUTION PREVENTION PLAN (SEE PERMIT FOR REQUIREMENTS) IDENTIFY THE ASSOCIATION OR GENERIC SWPPP ON FILE AT MDEQ: COMPLETE IF WASTEWATER RECIRCULATION SYSTEM WITH NO DISCHARGE IS PROPOSED DISTANCE BETWEEN RECIRCULATION POND(S) AND PROPERTY LINE: (MUST BE AT LEAST 150 FEET) NUMBER OF RECIRCULATION POND(S): COMPLETE IF MINE DEWATERING IS PROPOSED ESTIMATED DEWATERING VOLUME: (GAL/DAY)	ATTACH A USGS QUAD MAP, EXTENDING 1/2 MILE BEYOND FACILITY, OUTLINING THE MINE BOUNDARIES (Maps can be obtaine
METHOD USED TO DETERMINE LAT & LONG (GPS (Please GPS Entrance Gate) or Map Interpolation): TOTAL ACREAGE: MATERIAL TO BE MINED: WILL HYDRAULIC DREDGING BE USED? YES NO WASHING OF SAND/GRAVEL? YES NO RECEIVING STREAM: ESTIMATED START DATE: ESTIMATED END DATE: COMPLETE IF STORM WATER DISCHARGE IS PROPOSED STANDARD INDUSTRIAL CLASSIFICATION (SIC) CODE: ATTACH A STORM WATER POLLUTION PREVENTION PLAN (SEE PERMIT FOR REQUIREMENTS) IDENTIFY THE ASSOCIATION OR GENERIC SWPPP ON FILE AT MDEQ: COMPLETE IF WASTEWATER RECIRCULATION SYSTEM WITH NO DISCHARGE IS PROPOSED DISTANCE BETWEEN RECIRCULATION POND(S) AND PROPERTY LINE: (MUST BE AT LEAST 150 FEET) NUMBER OF RECIRCULATION POND(S): STORAGE CAPACITY OF EACH RECIRCULATION POND(S): (FT') COMPLETE IF MINE DEWATERING IS PROPOSED	LATITUDE:degreesminutesseconds LONGITUDE:degreesminutesseconds
WILL HYDRAULIC DREDGING BE USED? YES NO WASHING OF SAND/GRAVEL? YES NO RECEIVING STREAM: ESTIMATED START DATE: COMPLETE IF STORM WATER DISCHARGE IS PROPOSED STANDARD INDUSTRIAL CLASSIFICATION (SIC) CODE: AFTACH A STORM WATER POLLUTION PREVENTION PLAN (SEE PERMIT FOR REQUIREMENTS) IDENTIFY THE ASSOCIATION OR GENERIC SWPPP ON FILE AT MDEQ: COMPLETE IF WASTEWATER RECIRCULATION SYSTEM WITH NO DISCHARGE IS PROPOSED DISTANCE BETWEEN RECIRCULATION POND(S) AND PROPERTY LINE: (MUST BE AT LEAST 150 FEET) NUMBER OF RECIRCULATION POND(S): STORAGE CAPACITY OF EACH RECIRCULATION POND(S): (FT') COMPLETE IF MINE DEWATERING IS PROPOSED	
WILL HYDRAULIC DREDGING BE USED? YES NO WASHING OF SAND/GRAVEL? YES NO RECEIVING STREAM: ESTIMATED START DATE: COMPLETE IF STORM WATER DISCHARGE IS PROPOSED STANDARD INDUSTRIAL CLASSIFICATION (SIC) CODE: AFTACH A STORM WATER POLLUTION PREVENTION PLAN (SEE PERMIT FOR REQUIREMENTS) IDENTIFY THE ASSOCIATION OR GENERIC SWPPP ON FILE AT MDEQ: COMPLETE IF WASTEWATER RECIRCULATION SYSTEM WITH NO DISCHARGE IS PROPOSED DISTANCE BETWEEN RECIRCULATION POND(S) AND PROPERTY LINE: (PT) COMPLETE IF MINE DEWATERING IS PROPOSED ESTIMATED DEWATERING VOLUME: (GAL/DAY)	TOTAL ACREAGE: MATERIAL TO BE MINED:
RECEIVING STREAM: ESTIMATED START DATE: COMPLETE IF STORM WATER DISCHARGE IS PROPOSED STANDARD INDUSTRIAL CLASSIFICATION (SIC) CODE: ACTTACH A STORM WATER POLLUTION PREVENTION PLAN (SEE PERMIT FOR REQUIREMENTS) IDENTIFY THE ASSOCIATION OR GENERIC SWPPP ON FILE AT MDEQ: COMPLETE IF WASTEWATER RECIRCULATION SYSTEM WITH NO DISCHARGE IS PROPOSED DISTANCE BETWEEN RECIRCULATION POND(S) AND PROPERTY LINE: (FT) WASTEWATER OF FACH RECIRCULATION POND(S): (FT) COMPLETE IF MINE DEWATERING IS PROPOSED ESTIMATED DEWATERING VOLUME: (GAL/DAY)	
COMPLETE IF STORM WATER DISCHARGE IS PROPOSED STANDARD INDUSTRIAL CLASSIFICATION (SIC) CODE:	
STANDARD INDUSTRIAL CLASSIFICATION (SIC) CODE: A FTACH A STORM WATER POLLUTION PREVENTION PLAN (SEE PERMIT FOR REQUIREMENTS) IDENTIFY THE ASSOCIATION OR GENERIC SWPPP ON FILE AT MDEQ: COMPLETE IF WASTEWATER RECIRCULATION SYSTEM WITH NO DISCHARGE IS PROPOSED DISTANCE BETWEEN RECIRCULATION POND(S) AND PROPERTY LINE: (MUST BE AT LEAST 150 FEET) NUMBER OF RECIRCULATION POND(S): STORAGE CAPACITY OF EACH RECIRCULATION POND(S): COMPLETE IF MINE DEWATERING IS PROPOSED ESTIMATED DEWATERING VOLUME: (GAL/DAY)	ESTIMATED START DATE: ESTIMATED END DATE;
ACTACH A STORM WATER POLLUTION PREVENTION PLAN (SEE PERMIT FOR REQUIREMENTS) IDENTIFY THE ASSOCIATION OR GENERIC SWPPP ON FILE AT MDEQ: COMPLETE IF WASTEWATER RECIRCULATION SYSTEM WITH NO DISCHARGE IS PROPOSED DISTANCE BETWEEN RECIRCULATION POND(S) AND PROPERTY LINE:	COMPLETE IF STORM WATER DISCHARGE IS PROPOSED
COMPLETE IF WASTEWATER RECIRCULATION SYSTEM WITH NO DISCHARGE IS PROPOSED DISTANCE BETWEEN RECIRCULATION POND(S) AND PROPERTY LINE:	STANDARD INDUSTRIAL CLASSIFICATION (SIC) CODE:
COMPLETE IF WASTEWATER RECIRCULATION SYSTEM WITH NO DISCHARGE IS PROPOSED DISTANCE BETWEEN RECIRCULATION POND(S) AND PROPERTY LINE:	ATTACH A STORM WATER POLLUTION PREVENTION PLAN (SEE PERMIT FOR REQUIREMENTS)
DISTANCE BETWEEN RECIRCULATION POND(S) AND PROPERTY LINE:	IDENTIFY THE ASSOCIATION OR GENERIC SWPPP ON FILE AT MDEQ:
DISTANCE BETWEEN RECIRCULATION POND(S) AND PROPERTY LINE:	
DISTANCE BETWEEN RECIRCULATION POND(S) AND PROPERTY LINE:	COMBLETE IF WASTEWATER RECIPCULATION OVER IN MUTUAN OF BOOK A DODGE OF THE PROPOSED
(MUST BE AT LEAST 150 FEET) NUMBER OF RECIRCULATION POND(S): STORAGE CAPACITY OF EACH RECIRCULATION POND(S): COMPLETE IF MINE DEWATERING IS PROPOSED ESTIMATED DEWATERING VOLUME: (GAL/DAY) (GAL/DAY)	
COMPLETE IF MINE DEWATERING IS PROPOSED ESTIMATED DEWATERING VOLUME:	
COMPLETE IF MINE DEWATERING IS PROPOSED ESTIMATED DEWATERING VOLUME:(GAL/DAY) ### COMPLETE IF MINE DEWATERING IS PROPOSED ### COMPLETE IT MINE DE	NUMBER OF RECIRCULATION POND(S):
ESTIMATED DEWATERING VOLUME:(GAL/DAY)	STORAGE CAPACITY OF EACH RECIRCULATION POND(S): (FT
	COMPLETE IF MINE DEWATERING IS PROPOSED
NAME AND ADDRESS OF THE RECIPIENT OF THE DISCHARGE MONITORING REPORTS (DMRs), IF DIFFERENT FROM SIGNATORY	ESTIMATED DEWATERING VOLUME:(GAL/DAY)
	NAME AND ADDRESS OF THE RECIPIENT OF THE DISCHARGE MONITORING REPORTS (DMR9), IF DIFFERENT FROM SIGNATOR

DOCUMENTATION OF COMPLIANCE WITH OTHER REGULATIONS/REQUIREMENTS

Coverage under this general permit will not be granted until all other required MDEQ permits and approvals are addressed.

WILL THE C	ONSTRUCTION OR OPERATION OF THIS	MINE INVOLVE THE RE-ROUTING, FILLING OR CROSSING OF A WATER
CONVEYANO	E OF ANY KIND? YES NO	
404 permit, pr The mine The work	ovide appropriate documentation with this M. has been approved by Individual permit, or cwill be covered by a nationwide permit and N	y Branch for permitting requirements. If the mine requires a Corps of Engineers Section NOI that: SO NOTIFICATION to the Corps is required, or sermit and NOTIFICATION to the Corps is required.
LIST ANY NP	DES PERMIT NO(s).	GEOLOGY APPLICATION/PERMIT NO.
LIST OTHER	GEOLOGY PERMIT NUMBERS THAT AP	PLY TO COVERAGE AREA
IS THE MINE	LESS THAN 4 ACRES AND GREATER TH	AN 1320 FEET FROM ANOTHER MINE?
X YES	A "Notice of Exempt Operations" Form mus if previously submitted to the Office of Geolo	t be included with the MNOI or proof of prior submission,
NO NO	A "Notice of Intent to Mine Class I or Class I General Permit. For information on Office of	I Materials" Form must be filed before coverage will be granted under the Mining Geology requirements, call 601-961-5515.
LIST ANY LOCAL STORM WATER ORDINANCES WITH WHICH THE OPERATIONS MUST COMPLY AND SUBMIT ANY		
ASSOCIATED	APPROVAL DOCUMENTATION.	
FOLLOWING	APPI,Y.	NATURAL SURFACE ELEVATIONS, INDICATE WHICH, IF ANY, OF THE
The Imp	oundment will have a maximum storage volum	
The imp	oundment will impound a watercourse with a	continuous flow.
	poundments meet any of the above criteria, th coverage will be granted under the Mining Go	e applicant will be required to obtain written authorization from MDEQ, Dam Safety eneral Permit.
accordance w Based on my information, t	ith a system designed to assure that qua inquiry of the person or persons who he information submitted is, to the best	and all attachments were prepared under my direction or supervision in lifled personnel properly gathered and evaluated the information submitted. manage the system, or those persons directly responsible for gathering the of my knowledge and belief, true, accurate and complete. I am aware that oformation, including the possibility of fine and imprisonment for knowing
Authorized	Signature ¹	Date
Joe Printed Nat	Horton	Title Orun 2 O Perato
 For a co For a pa 	n shall be signed according to the General Per rporation, by a responsible corporate officer. rtnership, by a general partner. e proprietorship, by the proprietor.	nit, Act 14, T-4 as follows:

For a municipal, state or other public facility, by either a principal executive officer, the mayor, or ranking elected official.

Please submit this form to:

Chief, Environmental Permits Division MDEQ, Office of Pollution Control P.O. Box 2261 Jackson, Mississippi 39225