

MISSISSIPPI ASBESTOS DEMOLITION/RENOVATION NOTIFICATION FORM

Mail notification to: MDEQ Asbestos Section, 515 E. Amite Street, Jackson, MS 39201

Operator Project #	Postmark	Date Received (MDEQ use only)	Notification # (MDEQ use only)		
I. Type of Notification (O=Original R=Revised C=Canceled A= Annual) O					
II. TYPE OF OPERATION (D=Demo O= Ordered Demo R=Renovation E=Emer. Renovation) D					
III. FACILITY DESCRIPTION (Include building name, number and floor or room number)					
Bldg. Name: Residential House					
Address: 1049 Branch Street					
City: Jackson	State: MS	Zip: 39212			
Site Location: Same as above			Tel:		
Building Size: 1,380	# of Floors: 1	Age in Years: 54			
Present Use: Vacant		Prior Use:			
IV. FACILITY INFORMATION (Identify owner, removal contractor, and other operator)					
OWNER NAME: STATE OF MISSISSIPPI					
Address: 125 S. CONGRESS ST					
City: JACKSON	State: MS	Zip: 39212			
Contact: CITY OF JACKSON			Tel: 601-960-1054		
REMOVAL CONTRACTOR: TRIARC MANAGEMENT SERVICES					
Address: 644 E. Rhinewalt Road					
City: Lena	State: MS	Zip: 39094			
Contact: Stacey Stowers			Tel: 214-850-1264		
OTHER OPERATOR:					
Address: Xquisite Lawn Care, LLC					
City: Jackson	State: MS	Zip: 39211			
Contact: Steven Jones					
V. IS ASBESTOS PRESENT? (Yes/No) Yes					
VI. PROCEDURE INCLUDING ANALYTICAL METHOD IF APPROPRIATE, USED TO DETECT THE PRESENCE OF ASBESTOS MATERIAL (Include inspector name and date of inspection):					
WILLIAM LEONARD- ABI-00007365 /8-30-17/ (EPA 600/R-93/116)					
VII. APPROXIMATE AMOUNT OF ASBESTOS INCLUDING:					
1. Regulated ACM to be Removed 2. Category I ACM Not Removed 3. Category II ACM Not Removed	RACM To Be Removed	Nonfriable Asbestos Material Not To Be Removed		Indicate Unit of Measurement Below	
		Category I	Category II	UNIT	
Pipes				Ln Ft:	Ln M:
Surface Area			Ext-Siding	Sq Ft: 430-100	Sq M:
Vol RACM Off Facility Component				Cu Ft:	Cu M:
VIII. SCHEDULED DATES ASBESTOS REMOVAL (MM/DD/YY) Start: 11-30-2020 Complete: 11-30-2020					
IX. SCHEDULED DATES DEMO/RENOVATION (MM/DD/YY) Start: 12-01-2020 Complete: 12-01-2020					

RECEIVED

OCT 22 2020

Dept. of Environmental Quality

X. DESCRIPTION OF PLANNED DEMOLITION OR RENOVATION WORK, AND METHOD(S) TO BE USED:

Abate Siding then Demo Structure Remove Remains, Cut Grass

XI. DESCRIPTION OF WORK PRACTICES AND ENGINEERING CONTROLS TO BE USED TO PREVENT EMISSIONS OF ASBESTOS AT THE DEMOLITION OR RENOVATION SITE:

Wet Method and Remove Intact then Double Bag Asbestos and Transport to Approved Landfill

XII. WASTE TRANSPORTER #1

Name: **TRIARC MANAGEMENT SERVICES**

Address: **644 E. RHINEWALT RD**

City: **LENA**

State: **MS**

Zip: **39094**

Contact Person: **STACEY STOWERS**

Tel:

WASTE TRANSPORTER #2

Name: **SAME AS ABOVE**

Address:

City:

State:

Zip:

Contact Person:

Tel:

XIII. WASTE DISPOSAL SITE

Name: **BFI WASTE SYS OF MS, LLC**

Address: **1716 COUNTY LINE RD**

City: **RIDGELAND**

State: **MS**

Zip: **39157**

Tel: **(601) 982-9488**

XIV. IF DEMOLITION ORDERED BY A GOVERNMENT AGENCY, PLEASE IDENTIFY THE AGENCY BELOW:

Name: **ROBERT BRUNSON**

Title: **Code Enforcement Supervisor**

Authority: **CITY OF JACKSON**

Date of Order (MM/DD/YY): **8/18/2020**

Date Ordered to Begin (MM/DD/YY):

XV. FOR EMERGENCY RENOVATIONS:

Date and Hour of Emergency (MM/DD/YY):

Description of the sudden unexpected event:

Explanation of how the event caused unsafe conditions or would cause equipment damage or an unreasonable financial burden:

XVI. DESCRIPTION OF PROCEDURES TO BE FOLLOWED IN THE EVENT THAT UNEXPECTED ASBESTOS IS FOUND OR PREVIOUSLY NONFRIABLE ASBESTOS MATERIAL BECOMES CRUMBLER, PULVERIZED, OR REDUCED TO POWDER:

XVII. I CERTIFY THAT AN INDIVIDUAL TRAINED IN THE PROVISIONS OF THIS REGULATION (40 CFR PART 61, SUBPART M) WILL BE ONSITE DURING THE DEMOLITION OR RENOVATION, AND EVIDENCE THAT THE REQUIRED TRAINING HAS BEEN ACCOMPLISHED BY THIS PERSON WILL BE AVAILABLE FOR INSPECTION DURING NORMAL BUSINESS HOURS.

STACEY STOWERS

Type or Print Name

(Signature of Owner/Operator)

10-21-2020

(Date)

XVIII. I CERTIFY THAT THE ABOVE INFORMATION IS CORRECT:

STACEY STOWERS

Type or Print Name

(Signature of Owner/Operator)

10-21-2020

(Date)



EMSL Analytical, Inc.

16369 Petroleum Drive Baton Rouge, LA 70809

Tel/Fax: (225) 755-1920 / (225) 755-1989

http://www.EMSL.com / batonrougelab@emsl.com

EMSL Order: 251705074

Customer ID: COJA62

Customer PO:

Project ID:

Attention: William H. Leonard

City of Jackson

PO Box 17

Jackson, MS 39205-0017

Phone: (601) 960-1054

Fax: (601) 960-1700

Received Date: 09/05/2017 9:25 AM

Analysis Date: 09/07/2017

Collected Date: 08/30/2017

Project: 1049 BRANCH ST. #2016-1315

Test Report: Asbestos Analysis of Bulk Materials via EPA 600/R-93/116 Method using Polarized Light Microscopy

Sample	Description	Appearance	Non-Asbestos		Asbestos
			% Fibrous	% Non-Fibrous	% Type
B-1 251705074-0001	Shingles	Black Fibrous Homogeneous	10% Glass	90% Non-fibrous (Other)	None Detected
B-2 251705074-0002	Felt/Roof	Black Fibrous Homogeneous	60% Cellulose	40% Non-fibrous (Other)	None Detected
B-3 251705074-0003	Siding	Gray Non-Fibrous Homogeneous		75% Non-fibrous (Other)	25% Chrysotile
B-4 251705074-0004	Felt/Ext Wall	Black Fibrous Homogeneous	60% Cellulose	40% Non-fibrous (Other)	None Detected
B-5 251705074-0005	Sheetrock/Living Room	Gray/White Non-Fibrous Homogeneous		100% Non-fibrous (Other)	None Detected
B-6 251705074-0006	Burnt Debris/Garage	Black Non-Fibrous Homogeneous		100% Non-fibrous (Other)	None Detected

Analyst(s)

Jamie Laginess (6)

Jamie Laginess, Laboratory Operations Manager
or Other Approved Signatory

EMSL maintains liability limited to cost of analysis. This report relates only to the samples reported and may not be reproduced, except in full, without written approval by EMSL. EMSL bears no responsibility for sample collection activities or analytical method limitations. Interpretation and use of test results are the responsibility of the client. This report must not be used by the client to claim product certification, approval, or endorsement by NVLAP, NIST or any agency of the federal government. Non-friable organically bound materials present a problem matrix and therefore EMSL recommends gravimetric reduction prior to analysis. Samples received in good condition unless otherwise noted. Estimated accuracy, precision and uncertainty data available upon request. Unless requested by the client, building materials manufactured with multiple layers (i.e. linoleum, wallboard, etc.) are reported as a single sample. Reporting limit is 1%.

Samples analyzed by EMSL Analytical, Inc. Baton Rouge, LA NVLAP Lab Code 200375-0, LELAP 01850, TX 300236

Initial report from: 08/07/2017 17:12:26