



## INDUSTRIAL STORMWATER GENERAL PERMIT RE-COVERAGE FORM

FOR COVERAGE UNDER MISSISSIPPI'S REISSUED INDUSTRIAL STORMWATER GENERAL PERMIT MSR00 GENERAL NPDES COVERAGE NO. MSR00 \_\_200028\_\_

## INSTRUCTIONS

The submittal of this form is required to receive coverage under the reissued Industrial Stormwater General Permit. This form must be completed and returned to the address printed at the bottom of page 2.

The signatory of this form must be the owner or operator who is the current coverage recipient (rather than the plant/site manager or environmental consultant). The coverage recipient is responsible for permit compliance.

Amendments to the Storm Water Pollution Prevention Plan (SWPPP) are required to be attached if the plan is not current or is ineffective in controlling storm water pollutants.

If the facility is out of business or no longer a regulated facility, please request termination of coverage by completing the Request for Termination (RFT) Form found in the Industrial Stormwater Forms Package. Facilities that continue to discharge wastewater without applicable permit coverage are in violation of state law.

Do not submit this form if submitting a "Request for Termination" (RFT).

Do not submit this form if submitting a "No Exposure Certification."

ALL INFORMATION MUST BE COMPLETED (Enter "NA" if not applicable).

COVERAGE RECIPIENT INFORMATION	
CONTACT NAME & POSITION: Mike Keenan Plant Manager	
EMAIL ADDRESS:mkeenan@taberextrusions.com	
COMPANY NAME: Taber Extrusions, LLC	
STREET OR P.O. BOX: 1900 34th Street	
CITY: Gulfport STATE: Ms	ZIP: 39501
PHONE NUMBER (INCLUDE AREA CODE): 228-863-2852 ext. 225	
FACILITY INFORMATION	
FACILITY NAME:Taber Extrusions, LLC	
	Control of the Contro
CONTACT NAME & POSITION: Allan Sewell Plant Engineering Manager	
CONTACT PHONE NUMBER (INCLUDE AREA CODE): 228-863-2852 ext. 241	
PRIMARY STANDARD INDUSTRIAL CLASSIFICATION (SIC) CODE & DESCRIPTION OF 3 3 5 4 Aluminum Extruded Products	FINDUSTRIAL ACTIVITY:



•		South State Steel	ALTONIAL SITE ACCIONES STREET
39501		county: Hame to	cry: Galloot
		ates of the plant by the both.  20 made 20 colors	Sentencial de la completa de la comp
	•		* - * · · ·
100 - 100 -		A DAME OF A WARRANT HAR OF A	

Corfife outer provide at law tone, this decreases at last area to particular to a principal or any extension in accusal and accusation of the control of the property of the provided to receive that the property of the control of th

on dividual de servici de la dividual di della La di la producción della d

And the second of the second o

ing of the control of


16

PHYSICAL SITE ADDRESS STREET: 1900 34th Street			
CITY: Gulfport COUNTY: Harrison	ZIP: 39501		
PROVIDE THE COORDINATES OF THE PLANT ENTRANCE:			
	9 degrees 05 minutes 05 seconds		
NEAREST NAMED RECEIVING STREAM FOR STORM WATER LEAVING THE SITE: Brickyard Bayou			
IS RECEIVING STREAM ON MDEQ's 303(d) LIST?	YES X NO		
IF YES, HAS A TMDL BEEN ESTABLISHED FOR THE RECEIVING STREAM	SEGMENT? TYES TNO		
IF YES, HAS A INDUBEEN ESTABLISHED FOR THE RECEIVING STREET			
STORM WATER POLLUTION PREVENTION PLAN (SWPPP)			
IS A COPY OF THE SWPPP AT THE PERMITTED SITE?	X YES NO		
IS THE SWPPP UP-TO-DATE AND EFFECTIVE IN CONTROLLING STORM WATE	CR POLLUTANTS? X YES NO		
IF NO, PLEASE ATTACH REQUIRED SWPPP AMENDMENTS (see Instructions on fr			
AUTO SALVAGE FACILITIE	ES ONLY		
FOR AUTO SALVAGE FACILITIES, A REVISED SWPPP TO COMPLY WITH THE NEW PERMIT MUST BE SUBMITTED TO MDEQ NO LATER THAN JANUARY 31, 2022.			
DOES THE SWPPP REQUIRE CHANGES TO COMPLY WITH THE NEW PERMIT?	YES NO		
IS A REVISED COPY OF THE SWPPP ATTACHED?	YES NO		
I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fines and imprisonment for knowing violations.			
I further certify that I understand when coverage is terminated the facility is no longer authorized to discharge storm water associated with industrial activity under this general permit. I understand that discharging pollutants in storm water associated with industrial activity to waters of the state without NPDES coverage is in violation of state law.			
1/ lichal & Xiena	February 25, 2021		
Signature <sup>1</sup>	Date		
Mike Keenan	Plant Manager		
Printed Name <sup>1</sup>	Title		
This form shall be signed according to ACT16, T-9 of the General Permit, as follows:  - For a corporation, by a responsible corporate officer.  - For a partnership, by a general partner.  - For a sole proprietorship, by the proprietor.  - For a municipal, state or other public facility, by principal executive officer, mayor, or ranking elected official.			
After signing please mail to: Chief, Environmental Permits Division,			

MS Department of Environmental Quality, Office of Pollution Control P.O. Box 2261 Jackson, Mississippi 39225

MUNGLED IN THEODRAN

ing the second of the second o



in a sur la comparta de la comparta La comparta de la co

erandia e de la figlio de la colligación de la filipación de la colligación de la colligación de la colligación en la colligación de la en la colligación de la colligación del colligación de la colligación de la colligación de la colligación de la colligación del colligación de la colligación de la

ndado sobrio nego e tombera

Here is the common and the second of the sec

And Cellett and the baseling the paragraph

ena la la Tiggia de

F. 1.3 - F. .