

3261

CAS

Rec'd 3-25-21



INDUSTRIAL STORMWATER GENERAL PERMIT RE-COVERAGE FORM

FOR COVERAGE UNDER MISSISSIPPI'S REISSUED
INDUSTRIAL STORMWATER GENERAL PERMIT MSR00
GENERAL NPDES COVERAGE NO. MSR00 1 9 0 7

INSTRUCTIONS

The submittal of this form is required to receive coverage under the reissued Industrial Stormwater General Permit. This form must be completed and returned to the address printed at the bottom of page 2.

The signatory of this form must be the owner or operator who is the current coverage recipient (rather than the plant/site manager or environmental consultant). The coverage recipient is responsible for permit compliance.

Amendments to the Storm Water Pollution Prevention Plan (SWPPP) are required to be attached if the plan is not current or is ineffective in controlling storm water pollutants.

If the facility is out of business or no longer a regulated facility, please request termination of coverage by completing the Request for Termination (RFT) Form found in the Industrial Stormwater Forms Package. Facilities that continue to discharge wastewater without applicable permit coverage are in violation of state law.

Do not submit this form if submitting a "Request for Termination" (RFT).

Do not submit this form if submitting a "No Exposure Certification."

ALL INFORMATION MUST BE COMPLETED (Enter "NA" if not applicable).

COVERAGE RECIPIENT INFORMATION

CONTACT NAME & POSITION: Carolyn Melton

EMAIL ADDRESS: firstgroup@strataenv.com

COMPANY NAME: First Student, Inc. #20964

STREET OR P.O. BOX: 110 Perimeter Park, Suite E

CITY: Knoxville

STATE: Tennessee

ZIP: 37922

PHONE NUMBER (INCLUDE AREA CODE): 228-868-7720

FACILITY INFORMATION

FACILITY NAME: First Student, Inc. #20964

CONTACT NAME & POSITION: Carolyn Melton, Location Manager

CONTACT PHONE NUMBER (INCLUDE AREA CODE): 228-868-7720

PRIMARY STANDARD INDUSTRIAL CLASSIFICATION (SIC) CODE & DESCRIPTION OF INDUSTRIAL ACTIVITY:

4151

PHYSICAL SITE ADDRESS
STREET: 700 Pass Road
CITY: Gulfport **COUNTY:** Harrison **ZIP:** 39501

PROVIDE THE COORDINATES OF THE PLANT ENTRANCE:
LATITUDE: 30 degrees 23 minutes 23 seconds **LONGITUDE:** 89 degrees 03 minutes 50 seconds

NEAREST NAMED RECEIVING STREAM FOR STORM WATER LEAVING THE SITE: Unnamed Tributary of Big Lake Bayou

IS RECEIVING STREAM ON MDEQ's 303(d) LIST? ☐ YES ☒ NO

IF YES, HAS A TMDL BEEN ESTABLISHED FOR THE RECEIVING STREAM SEGMENT? ☐ YES ☒ NO

STORM WATER POLLUTION PREVENTION PLAN (SWPPP)

IS A COPY OF THE SWPPP AT THE PERMITTED SITE? ☒ YES ☐ NO

IS THE SWPPP UP-TO-DATE AND EFFECTIVE IN CONTROLLING STORM WATER POLLUTANTS? ☒ YES ☐ NO

IF NO, PLEASE ATTACH REQUIRED SWPPP AMENDMENTS (see Instructions on front page).

AUTO SALVAGE FACILITIES ONLY

FOR AUTO SALVAGE FACILITIES, A REVISED SWPPP TO COMPLY WITH THE NEW PERMIT MUST BE SUBMITTED TO MDEQ NO LATER THAN JANUARY 31, 2022.

DOES THE SWPPP REQUIRE CHANGES TO COMPLY WITH THE NEW PERMIT? ☐ YES ☐ NO

IS A REVISED COPY OF THE SWPPP ATTACHED? ☐ YES ☐ NO

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fines and imprisonment for knowing violations.

I further certify that I understand when coverage is terminated the facility is no longer authorized to discharge storm water associated with industrial activity under this general permit. I understand that discharging pollutants in storm water associated with industrial activity to waters of the state without NPDES coverage is in violation of state law.


 Signature¹

2/5/2021
 Date

Brian Beechem
 Printed Name¹

Sr. Director, Operational Taxes
 Title

¹This form shall be signed according to ACT16, T-9 of the General Permit, as follows:

- For a corporation, by a responsible corporate officer.
- For a partnership, by a general partner.
- For a sole proprietorship, by the proprietor.
- For a municipal, state or other public facility, by principal executive officer, mayor, or ranking elected official.

After signing please mail to: Chief, Environmental Permits Division,
 MS Department of Environmental Quality, Office of Pollution Control
 P.O. Box 2261
 Jackson, Mississippi 39225

March 23, 2021

Mississippi Department of Environmental Quality
Office of Pollution Control
Attn: Chief, Environmental Compliance and Enforcement Division
515 East Amite Street
Jackson, Mississippi 39201

Storm Water Permit Renewal Application (2021)
First Student, Inc. #20946 – Gulfport, Mississippi
Permit Number: MSR001907
Strata Environmental Project Number 0038401

Dear Staff Member:

Enclosed is the Industrial Storm Water General Permit Re-Coverage Form for renewed coverage under the Mississippi Reissued Industrial Storm Water General Permit MSR00 for the First Student, Inc. facility located at 700 Pass Road, Gulfport, Mississippi.

If you have any questions, please contact the undersigned at 865/539-2077 or via email at firstgroup@strataenv.com.

Sincerely,

STRATA ENVIRONMENTAL



Martha Terrell
Senior Environmental Scientist

MMT:dlj

Enclosures

cc (w/ Enclosures): Carolyn Melton, Location Manager, First Student, Inc.

RECEIVED
MAR 25 REC'D
Dept. of Environmental Quality