

Recorenage

A1:940

MISSISSIPPI DEPARTMENT OF
ENVIRONMENTAL QUALITY

BASELINE NOTICE OF INTENT (BNOI)
FOR COVERAGE UNDER THE BASELINE STORM WATER
GENERAL NPDES PERMIT MSR00 1 7 2 0
(NUMBER TO BE ASSIGNED BY STATE)

INSTRUCTIONS

Applicant must be the owner or operator (i.e., legal entity that controls the facility's operation, or the plant/site manager, not the environmental consultant). The owner or operator that receives coverage is responsible for permit compliance. File at least 60 days prior to the commencement of the regulated industrial activity.

Submittals with this BNOI must include a Storm Water Pollution Prevention Plan (SWPPP) with the minimum components found in ACTs 5 and 6 of the Baseline Storm Water General Permit. In addition, a United States Geological Survey (USGS) quadrangle map (or a copy) showing site location and extending at least 1/2 mile beyond the site's property boundary is required. If a copy is submitted, provide the name of the quadrangle map that is found in the upper right hand corner. Maps can be obtained from the MDEQ, Office of Geology at 601-961-5523.

ALL FORM BLANKS MUST BE COMPLETED (enter "NA" if not applicable)

THE APPLICANT IS: ☒ OWNER ☒ OPERATOR (PLEASE CHECK ONE OR BOTH)

OWNER INFORMATION

Owner Contact Name: John Comino Position: General Manager
Owner Company Name: Southern Hens, Inc.
Owner Street (P.O. Box): Post Office Box 8000
Owner City: Moselle State: MS Zip: 39459
Owner Phone Number: (601) 582-2262 Owner Email: jcomino@southernhens.com

OPERATOR INFORMATION (if different than owner)

Operator Contact Name: _____ Position: _____
Operator Company Name: _____
Operator Street (P.O. Box): _____
Operator City: _____ State: _____ Zip: _____
Operator Phone Number: (____) _____ Operator Email: _____

m

FACILITY INFORMATION

Facility Name: Southern Hens, Inc.

Nature of Business (Include 4-digit Standard Industrial Classification Code (SIC) and description):

SIC Code: 2 0 1 5 Fresh and Frozen Poultry

Receiving Stream: Leaf River

Is receiving stream on MDEQ's 303(d) List?

☒ Yes ☐ No

Has a TMDL been established for the receiving stream segment?

☒ Yes ☐ No

Physical Site Address:

Street: 329 Moselle-Seminary Road City: Moselle

County: Jones Zip: 39459

Latitude: 31 degrees 31 minutes 40 seconds Longitude: 89 degrees 18 minutes 12 seconds

Method Used to Determine Lat & Long (GPS of plant entrance) or Map Interpolation): GPS of Plant Entrance

Attach a copy of any existing laboratory data for each storm water outfall. If multiple sampling has been performed, provide a summary for each parameter, including sampling dates and the minimum, average and maximum values.

Is this a SARA Title III, Section 313 facility utilizing water priority chemicals at threshold amounts? ☒ Yes ☐ No
If yes, please attach a list of water priority chemicals present at the facility.

**DOCUMENTATION OF COMPLIANCE WITH OTHER
REGULATIONS/REQUIREMENTS**

Is this notice for a facility that will require other permits? ☒ Yes ☐ No

If yes, check which one(s): ☐ Air, ☐ Hazardous Waste, ☐ Pretreatment, ☐ Water State Operating,
☒ Individual NPDES, or list Other(s):

MS0046302

How will sanitary sewage be collected and treated? Collected & treated onsite (activated sludge)

Indicate any local storm water ordinance with which the facility must comply and submit any documentation of approval.

N/A

Is treatment of storm water provided at any outfall? ☐ Yes ☒ No

If yes, please describe: _____

CERTIFICATION

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.


Signature (Must be signed by operator when different than owner)

10/7/2021
Date Signed

John Comino
Printed Name¹

General Manager
Title

¹This application shall be signed according to the General Permit, ACT 14, T-9, as follows:

- For a corporation, by a responsible corporate officer.
- For a partnership, by a general partner.
- For a sole proprietorship, by the proprietor.
- For a municipal, state or other public facility, by principal executive officer, the mayor, or ranking elected official.

After signing please mail to: Chief, Environmental Permits Division
MS Department of Environmental Quality, Office of Pollution Control
P.O. Box 2261
Jackson, MS 39225



March 11, 2021

Chief, Environmental Permits Division
Mississippi Department of Environmental Quality
Office of Pollution Control
Post Office Box 2261
Jackson, Mississippi 39225

RE: Baseline Notice of Intent
Southern Hens, Inc.
Water Reference No. MSR001720

Dear Madam/Sir:

Enclosed please find the referenced Baseline Notice of Intent (BNOI) form. Should you have any questions, please contact Clearwater Consultants at (662) 323-8000. Thank you for your assistance in this matter.

Sincerely,

John Comino, General Manager
SOUTHERN HENS, INC.

Enclosure

Copy to: Clearwater Consultants, Inc.

