

NEAREST NAMED RECEIVING STREAM: Hollis Creek

IS RECEIVING STREAM ON MISSISSIPPI'S 303(d) LIST OF IMPAIRED WATER BODIES? (The 303(d) list of impaired waters and TMDL stream segments may be found on MDEQ's web site: http://www.deq.state.ms.us/MDEQ.nsf/page/TWB_Total_Maximum_Daily_Load_Section) YES NO

HAS A TMDL BEEN ESTABLISHED FOR THE RECEIVING STREAM SEGMENT? YES NO

ARE THERE RECREATIONAL STREAMS, PRIVATE/PUBLIC PONDS OR LAKES WITHIN 1/2 MILE DOWNSTREAM OF PROJECT BOUNDARY THAT MAY BE IMPACTED BY THE CONSTRUCTION ACTIVITY? YES NO

EXISTING DATA DESCRIBING THE SOIL (for linear projects please describe in SWPPP):

CL (Lean clay), CH (Fat Clay) according to USCS classification per Geotech report

WILL FLOCCULANTS BE USED TO TREAT TURBIDITY IN STORM WATER? YES NO

IF YES, INDICATE THE TYPE OF FLOCCULANT. ANIONIC POLYACRYLAMIDE (PAM)
 OTHER _____

IF YES, DOES THE SWPPP DESCRIBE THE METHOD OF INTRODUCTION, THE LOCATION OF INTRODUCTION AND THE LOCATION OF WHERE FLOCCULATED MATERIAL WILL SETTLE? YES NO

¹Acreage for subdivision development includes areas disturbed by construction of roads, utilities and drainage. Additionally, a housesite of at least 10,000 ft² per lot (entire lot, if smaller) shall be included in calculating acreage disturbed.

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Thomas Crowson

Signature of Applicant¹ (owner or prime contractor)

3/15/22

Date Signed

Thomas Crowson

Printed Name¹

owner

Title

¹This application shall be signed as follows:

- For a corporation, by a responsible corporate officer.
- For a partnership, by a general partner.
- For a sole proprietorship, by the proprietor.

For a municipal, state or other public facility, by principal executive officer, mayor, or ranking elected official

Please submit the LCNOI form to:

Chief, Environmental Permits Division
MS Department of Environmental Quality, Office of Pollution Control
P.O. Box 2261
Jackson, Mississippi 39225



RECEIVED

APR 06 2022

Transmittal

Dept. of Environmental Quality

Date: 4/1/2022 Job Number: 115357000

Project Name: Preserve at Starkville

To: Chief, Environmental Permits Division

MS Department of Environmental Quality, Office of Pollution Control

P.O. Box 2261 Jackson, Mississippi 39225

We are sending these by

- US Mail FedEx UPS
- Hand Deliver Courier Other

We are sending you

- Attached Under separate cover via _____ the following items
- Shop drawings Prints/Plans Samples Specifications Change Order Other

Number	Date	Copy	Description
1	4/1/22	1	Strom Water Pollution Prevention Plan
2	4/1/22	1	Erosion Control Plan and Details
3	4/1/22	1	Transmittal Letter

These are transmitted as checked below:

- For your use Approved as submitted Resubmit
- As requested Approved as noted Submit
- For review and comment Returned for corrections Return
- Copies for approval Copies for distribution Corrected prints

Remarks:

Copy to: henry.minor@kimley-horn.com

Signed: Henry Minor

Phone: (601) 927-8727