



MISSISSIPPI DEPARTMENT OF ENVIRONMENTAL QUALITY

LARGE CONSTRUCTION GENERAL PERMIT FOR LAND DISTURBING ACTIVITIES OF FIVE (5) OR MORE ACRES RE-COVERAGE FORM

FOR COVERAGE UNDER MISSISSIPPI'S REISSUED
LARGE CONSTRUCTION STORM WATER GENERAL PERMIT MSR10
GENERAL NPDES COVERAGE NO. MSR10 8567

INSTRUCTIONS

The submittal of this form is required to receive coverage under the reissued Large Construction General Permit. This form must be completed and returned to the address printed at the bottom of the back page of this form by April 30, 2022.

The signatory of this form must be the owner or operator (prime contractor) who is the current coverage recipient (rather than the project manager or environmental consultant).

If the company seeking coverage is a corporation, a limited liability company, a partnership, or a business trust, attach proof of its registration with the Mississippi Secretary of State and/or its Certificate of Good Standing. This registration or Certificate of Good Standing must be dated within twelve (12) months of the date of the submittal of this coverage form. Permits will be issued in the company name as it is registered with the Mississippi Secretary of State.

Amendments to the Storm Water Pollution Prevention Plan (SWPPP) are required to be attached if the plan is not current or is ineffective in controlling storm water pollutants. SWPPP amendments with the sole intent of incorporating new permit conditions do not need to be submitted to MDEQ for review and/or approval.

If the project is complete and final stabilization has been achieved, please request termination of coverage by completing the Request for Termination (RFT) Form found in the Large Construction Forms Package. Projects that continue to discharge storm water associated with construction activity without applicable permit coverage are in violation of state law.

Do not submit this form if submitting a Request for Termination (RFT) Form.

ALL INFORMATION REQUESTS MUST BE ANSWERED (Answer "NA" if not applicable)

COVERAGE RECIPIENT INFORMATION

CONTACT NAME & POSITION: Matt McWilliams Secretary

COMPANY LEGAL NAME: Thrash Commercial Contractors, Inc.

STREET OR P.O. BOX: 211 Commerce Drive

CITY: Brandon STATE: MS ZIP: 39042

PHONE NUMBER: (601) 825-8967 E-MAIL: matt@thrashco.com

m- received via email 4.13.22

FACILITY SITE INFORMATION

FACILITY SITE NAME: Harris Rebar Facility

CONTACT NAME & POSITION: Zack Jennings, Superintendent

CONTACT PHONE NUMBER: ~~(662)~~ 662-242-2981

FACILITY PHYSICAL SITE ADDRESS (IF NOT AVAILABLE INDICATE NEAREST NAMED ROAD):

STREET: 2000 Underwood Drive

CITY: Flowood COUNTY: Rankin ZIP: 39232

PROVIDE THE COORDINATES OF THE PROJECT ENTRANCE OR START POINT:

LATITUDE: 32 degrees 18 minutes 27 seconds LONGITUDE: 90 degrees 08 minutes 11 seconds

LAT & LONG DATA SOURCE (GPS (Please GPS Project Entrance/Start Point) or Map Interpolation): Map Interpolation

TOTAL ACREAGE DISTURBED: 24.13 ESTIMATED CONSTRUCTION PROJECT END DATE: 2022-11-16
YYYY-MM-DD

STORM WATER POLLUTION PREVENTION PLAN (SWPPP)

THE GENERAL PERMIT REQUIRES THE SWPPP TO BE ONSITE, UP-TO-DATE AND EFFECTIVE IN CONTROLLING STORM WATER POLLUTANTS. ACCORDINGLY, THE FOLLOWING QUESTIONS MUST BE ANSWERED YES or N.A. TO RECEIVE RECOVERY.

1. IS A COPY OF THE SWPPP AT THE PERMITTED SITE OR LOCALLY AVAILABLE? YES NO

2. DOES SWPPP CONTAIN AN UP-TO-DATE ASSESSMENT OF POTENTIAL STORM WATER POLLUTANT SOURCES AND IDENTIFY BMPS TO EFFECTIVELY CONTROL THEM? YES NO

3. IF A SEDIMENT BASIN IS A PROJECT BMP, IS IT EQUIPPED WITH AN OUTLET STRUCTURE THAT DISCHARGES ONLY FROM THE SURFACE OF THE BASIN (ACT5, T-6 (A))? YES or N.A. NO

4. DOES SWPPP PROHIBIT THE DISCHARGES LISTED IN ACT2, T-3 (3) OF THE PERMIT? YES NO

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fines and imprisonment for knowing violations.

I further certify that the project continues as described in the original notice of intent. Also, I certify that I understand when coverage is terminated I am no longer authorized to discharge storm water associated with construction activity under this general permit. I understand that discharging pollutants associated with construction activity to waters of the State without proper permit coverage is in violation of state law.

I am aware of the significant changes in the renewed Large Construction Storm Water General Permit and certify the SWPPP for this project has been modified to incorporate these changes.

Matt McWilliams
 Signature¹
MATT MCWILLIAMS
 Printed Name¹

4/12/21
 Date Signed
SECRETARY
 Title

¹This application for re-coverage shall be signed according to ACT11, T-7 of the General Permit, as follows:

- For a corporation, by a responsible corporate officer.
- For a partnership, by a general partner.
- For a sole proprietorship, by the proprietor.
- For a municipal, state or other public facility, by principal executive officer, mayor, or ranking elected official.

After signing please mail to: Chief, Environmental Permits Division,
 MS Department of Environmental Quality, Office of Pollution Control
 P.O. Box 2261
 Jackson, Mississippi 39225

Electronically: <https://www.mdeq.ms.gov/construction-stormwater/>



11/19/2021
CONSTRUCTION
DOCUMENTS

REVISIONS
1 THE 14 DEC 2021
2 THE 08 APRIL 2022


PROJECT NUMBER	
PROJECT NAME	
DATE	
SCALE	
DESIGNER	
CHECKER	
DATE	

ACREAGE SUMMARY	
TOTAL PROJECT AREA	11.26 ACRES
CONCRETE FOOTPRINT	2.27 ACRES
ASPHALT DRIVEWAY	0.10 ACRES
TOTAL IMPAVED AREA	2.37 ACRES
TOTAL UNIMPAVED AREA	8.89 ACRES

THE DESIGNER HAS CONDUCTED VISUAL INSPECTION AND PHOTOGRAPHY OF THE PROJECT SITE AND HAS FOUND THAT THE EXISTING EROSION CONTROL MEASURES ARE IN POOR CONDITION AND NEED TO BE REPLACED OR IMPROVED. THE DESIGNER HAS CONDUCTED VISUAL INSPECTION AND PHOTOGRAPHY OF THE PROJECT SITE AND HAS FOUND THAT THE EXISTING EROSION CONTROL MEASURES ARE IN POOR CONDITION AND NEED TO BE REPLACED OR IMPROVED. THE DESIGNER HAS CONDUCTED VISUAL INSPECTION AND PHOTOGRAPHY OF THE PROJECT SITE AND HAS FOUND THAT THE EXISTING EROSION CONTROL MEASURES ARE IN POOR CONDITION AND NEED TO BE REPLACED OR IMPROVED.

EROSION CONTROL LEGEND

- 1. CONCRETE FOOTPRINT
- 2. ASPHALT DRIVEWAY
- 3. EXISTING EROSION CONTROL MEASURES
- 4. NEW EROSION CONTROL MEASURES
- 5. NEW CONCRETE FOOTPRINT
- 6. NEW ASPHALT DRIVEWAY
- 7. NEW CONCRETE FOOTPRINT WITH CURB
- 8. NEW ASPHALT DRIVEWAY WITH CURB
- 9. NEW CONCRETE FOOTPRINT WITH CURB AND SIDEWALK
- 10. NEW ASPHALT DRIVEWAY WITH CURB AND SIDEWALK
- 11. NEW CONCRETE FOOTPRINT WITH CURB AND SIDEWALK AND BIOWASH
- 12. NEW ASPHALT DRIVEWAY WITH CURB AND SIDEWALK AND BIOWASH
- 13. NEW CONCRETE FOOTPRINT WITH CURB AND SIDEWALK AND BIOWASH
- 14. NEW ASPHALT DRIVEWAY WITH CURB AND SIDEWALK AND BIOWASH
- 15. NEW CONCRETE FOOTPRINT WITH CURB AND SIDEWALK AND BIOWASH
- 16. NEW ASPHALT DRIVEWAY WITH CURB AND SIDEWALK AND BIOWASH
- 17. NEW CONCRETE FOOTPRINT WITH CURB AND SIDEWALK AND BIOWASH
- 18. NEW ASPHALT DRIVEWAY WITH CURB AND SIDEWALK AND BIOWASH
- 19. NEW CONCRETE FOOTPRINT WITH CURB AND SIDEWALK AND BIOWASH
- 20. NEW ASPHALT DRIVEWAY WITH CURB AND SIDEWALK AND BIOWASH
- 21. NEW CONCRETE FOOTPRINT WITH CURB AND SIDEWALK AND BIOWASH
- 22. NEW ASPHALT DRIVEWAY WITH CURB AND SIDEWALK AND BIOWASH
- 23. NEW CONCRETE FOOTPRINT WITH CURB AND SIDEWALK AND BIOWASH
- 24. NEW ASPHALT DRIVEWAY WITH CURB AND SIDEWALK AND BIOWASH
- 25. NEW CONCRETE FOOTPRINT WITH CURB AND SIDEWALK AND BIOWASH
- 26. NEW ASPHALT DRIVEWAY WITH CURB AND SIDEWALK AND BIOWASH
- 27. NEW CONCRETE FOOTPRINT WITH CURB AND SIDEWALK AND BIOWASH
- 28. NEW ASPHALT DRIVEWAY WITH CURB AND SIDEWALK AND BIOWASH
- 29. NEW CONCRETE FOOTPRINT WITH CURB AND SIDEWALK AND BIOWASH
- 30. NEW ASPHALT DRIVEWAY WITH CURB AND SIDEWALK AND BIOWASH
- 31. NEW CONCRETE FOOTPRINT WITH CURB AND SIDEWALK AND BIOWASH
- 32. NEW ASPHALT DRIVEWAY WITH CURB AND SIDEWALK AND BIOWASH
- 33. NEW CONCRETE FOOTPRINT WITH CURB AND SIDEWALK AND BIOWASH
- 34. NEW ASPHALT DRIVEWAY WITH CURB AND SIDEWALK AND BIOWASH
- 35. NEW CONCRETE FOOTPRINT WITH CURB AND SIDEWALK AND BIOWASH
- 36. NEW ASPHALT DRIVEWAY WITH CURB AND SIDEWALK AND BIOWASH
- 37. NEW CONCRETE FOOTPRINT WITH CURB AND SIDEWALK AND BIOWASH
- 38. NEW ASPHALT DRIVEWAY WITH CURB AND SIDEWALK AND BIOWASH
- 39. NEW CONCRETE FOOTPRINT WITH CURB AND SIDEWALK AND BIOWASH
- 40. NEW ASPHALT DRIVEWAY WITH CURB AND SIDEWALK AND BIOWASH
- 41. NEW CONCRETE FOOTPRINT WITH CURB AND SIDEWALK AND BIOWASH
- 42. NEW ASPHALT DRIVEWAY WITH CURB AND SIDEWALK AND BIOWASH
- 43. NEW CONCRETE FOOTPRINT WITH CURB AND SIDEWALK AND BIOWASH
- 44. NEW ASPHALT DRIVEWAY WITH CURB AND SIDEWALK AND BIOWASH
- 45. NEW CONCRETE FOOTPRINT WITH CURB AND SIDEWALK AND BIOWASH
- 46. NEW ASPHALT DRIVEWAY WITH CURB AND SIDEWALK AND BIOWASH
- 47. NEW CONCRETE FOOTPRINT WITH CURB AND SIDEWALK AND BIOWASH
- 48. NEW ASPHALT DRIVEWAY WITH CURB AND SIDEWALK AND BIOWASH
- 49. NEW CONCRETE FOOTPRINT WITH CURB AND SIDEWALK AND BIOWASH
- 50. NEW ASPHALT DRIVEWAY WITH CURB AND SIDEWALK AND BIOWASH
- 51. NEW CONCRETE FOOTPRINT WITH CURB AND SIDEWALK AND BIOWASH
- 52. NEW ASPHALT DRIVEWAY WITH CURB AND SIDEWALK AND BIOWASH
- 53. NEW CONCRETE FOOTPRINT WITH CURB AND SIDEWALK AND BIOWASH
- 54. NEW ASPHALT DRIVEWAY WITH CURB AND SIDEWALK AND BIOWASH
- 55. NEW CONCRETE FOOTPRINT WITH CURB AND SIDEWALK AND BIOWASH
- 56. NEW ASPHALT DRIVEWAY WITH CURB AND SIDEWALK AND BIOWASH
- 57. NEW CONCRETE FOOTPRINT WITH CURB AND SIDEWALK AND BIOWASH
- 58. NEW ASPHALT DRIVEWAY WITH CURB AND SIDEWALK AND BIOWASH
- 59. NEW CONCRETE FOOTPRINT WITH CURB AND SIDEWALK AND BIOWASH
- 60. NEW ASPHALT DRIVEWAY WITH CURB AND SIDEWALK AND BIOWASH
- 61. NEW CONCRETE FOOTPRINT WITH CURB AND SIDEWALK AND BIOWASH
- 62. NEW ASPHALT DRIVEWAY WITH CURB AND SIDEWALK AND BIOWASH
- 63. NEW CONCRETE FOOTPRINT WITH CURB AND SIDEWALK AND BIOWASH
- 64. NEW ASPHALT DRIVEWAY WITH CURB AND SIDEWALK AND BIOWASH
- 65. NEW CONCRETE FOOTPRINT WITH CURB AND SIDEWALK AND BIOWASH
- 66. NEW ASPHALT DRIVEWAY WITH CURB AND SIDEWALK AND BIOWASH
- 67. NEW CONCRETE FOOTPRINT WITH CURB AND SIDEWALK AND BIOWASH
- 68. NEW ASPHALT DRIVEWAY WITH CURB AND SIDEWALK AND BIOWASH
- 69. NEW CONCRETE FOOTPRINT WITH CURB AND SIDEWALK AND BIOWASH
- 70. NEW ASPHALT DRIVEWAY WITH CURB AND SIDEWALK AND BIOWASH
- 71. NEW CONCRETE FOOTPRINT WITH CURB AND SIDEWALK AND BIOWASH
- 72. NEW ASPHALT DRIVEWAY WITH CURB AND SIDEWALK AND BIOWASH
- 73. NEW CONCRETE FOOTPRINT WITH CURB AND SIDEWALK AND BIOWASH
- 74. NEW ASPHALT DRIVEWAY WITH CURB AND SIDEWALK AND BIOWASH
- 75. NEW CONCRETE FOOTPRINT WITH CURB AND SIDEWALK AND BIOWASH
- 76. NEW ASPHALT DRIVEWAY WITH CURB AND SIDEWALK AND BIOWASH
- 77. NEW CONCRETE FOOTPRINT WITH CURB AND SIDEWALK AND BIOWASH
- 78. NEW ASPHALT DRIVEWAY WITH CURB AND SIDEWALK AND BIOWASH
- 79. NEW CONCRETE FOOTPRINT WITH CURB AND SIDEWALK AND BIOWASH
- 80. NEW ASPHALT DRIVEWAY WITH CURB AND SIDEWALK AND BIOWASH
- 81. NEW CONCRETE FOOTPRINT WITH CURB AND SIDEWALK AND BIOWASH
- 82. NEW ASPHALT DRIVEWAY WITH CURB AND SIDEWALK AND BIOWASH
- 83. NEW CONCRETE FOOTPRINT WITH CURB AND SIDEWALK AND BIOWASH
- 84. NEW ASPHALT DRIVEWAY WITH CURB AND SIDEWALK AND BIOWASH
- 85. NEW CONCRETE FOOTPRINT WITH CURB AND SIDEWALK AND BIOWASH
- 86. NEW ASPHALT DRIVEWAY WITH CURB AND SIDEWALK AND BIOWASH
- 87. NEW CONCRETE FOOTPRINT WITH CURB AND SIDEWALK AND BIOWASH
- 88. NEW ASPHALT DRIVEWAY WITH CURB AND SIDEWALK AND BIOWASH
- 89. NEW CONCRETE FOOTPRINT WITH CURB AND SIDEWALK AND BIOWASH
- 90. NEW ASPHALT DRIVEWAY WITH CURB AND SIDEWALK AND BIOWASH
- 91. NEW CONCRETE FOOTPRINT WITH CURB AND SIDEWALK AND BIOWASH
- 92. NEW ASPHALT DRIVEWAY WITH CURB AND SIDEWALK AND BIOWASH
- 93. NEW CONCRETE FOOTPRINT WITH CURB AND SIDEWALK AND BIOWASH
- 94. NEW ASPHALT DRIVEWAY WITH CURB AND SIDEWALK AND BIOWASH
- 95. NEW CONCRETE FOOTPRINT WITH CURB AND SIDEWALK AND BIOWASH
- 96. NEW ASPHALT DRIVEWAY WITH CURB AND SIDEWALK AND BIOWASH
- 97. NEW CONCRETE FOOTPRINT WITH CURB AND SIDEWALK AND BIOWASH
- 98. NEW ASPHALT DRIVEWAY WITH CURB AND SIDEWALK AND BIOWASH
- 99. NEW CONCRETE FOOTPRINT WITH CURB AND SIDEWALK AND BIOWASH
- 100. NEW ASPHALT DRIVEWAY WITH CURB AND SIDEWALK AND BIOWASH



Mississippi 811
SMITHERS ENGINEERS + CONSULTANTS

EROSION CONTROL PLAN
SCALE: 1"=400'

GRAPHIC SCALE
1" = 40' (IN FEET)
1" = 100' (IN FEET)

North



ELM ST.

UNDERWOOD DR.