

# MISSISSIPPI ASBESTOS DEMOLITION/RENOVATION NOTIFICATION FORM

Mail notification to: MDEQ Asbestos and Lead Branch, 515 E. Amite Street, Jackson, MS 39201

MDEQ Use Only: <input type="checkbox"/> Email <input checked="" type="checkbox"/> Mail <input type="checkbox"/> Hand Delivery	Postmark (mail only) 4.8.2022	Date Received 4/11/2022	AI Number
<b>I. Type of Notification</b> (O=Original R=Revised C=Canceled A= Annual): <span style="float: right;">O = ORIGINAL</span>			
<b>II. TYPE OF OPERATION</b> (D=Demo O= Ordered Demo R=Renovation E=Emer. Renovation): <span style="float: right;">R = RENOVATION</span>			
<b>III. FACILITY DESCRIPTION</b> (Include building name, number and floor or room number):			
Bldg. Name: <u>MS CENTER FOR JUSTICE BUILDING</u>			
Address: <u>120 COURT AVENUE</u>			
City: <u>INDIANOLA</u>	State: <u>MS</u>	Zip: <u>38751</u>	
Site Location: <u>120 COURT AVENUE, INDIANOLA, MS 38751</u>		Tel: <u>662-931-1222</u>	
Building Size: <u>3200 SF</u>	# of Floors: <u>1</u>	Age in Years: <u>50+</u>	
Present Use: <u>LAWYER OFFICE</u>	Prior Use: <u>LAWYER OFFICE</u>		
<b>IV. FACILITY INFORMATION</b> (Identify owner, asbestos removal contractor, and other operator)			
OWNER NAME: <u>MS CENTER FOR JUSTICE</u>			
Address: <u>120 COURT AVENUE</u>			
City: <u>INDIANOLA</u>	State: <u>MS</u>	Zip: <u>38751</u>	
Contact: <u>YUMEKIA JONES</u>		Tel: <u>662-931-1222</u>	
ASBESTOS REMOVAL CONTRACTOR: <u>BELL ENVIRONMENTAL SERVICES, LLC</u>			
Address: <u>P.O. BOX 133</u>			
City: <u>DELTA CITY</u>	State: <u>MS</u>	Zip: <u>39061</u>	
Contact: <u>JIMMY BELL</u>		Tel: <u>662-820-2124</u>	
Certification Number: <u>ABC-00001282</u>		Expiration Date: <u>1/5/2023</u>	
OTHER OPERATOR: <u>MS CENTER FOR JUSTICE MAINTENANCE DEPARTMENT</u>			
Address: <u>120 COURT AVENUE</u>			
City: <u>INDIANOLA</u>	State: <u>MS</u>	Zip: <u>38751</u>	
Contact: <u>RENFRED JOHNSON</u>		Tel: <u>662-931-1222</u>	
<b>V. WAS SITE INSPECTED TO DETERMINE PRESENCE OF ASBESTOS? (Yes/No):</b>			
WAS ASBESTOS PRESENT? (Yes/No): <u>YES</u>		Inspection Date: <u>4/9/2022</u>	
Inspector: <u>PAUL ANDERSON</u>	Certification Number: <u>ABI-00001686</u>	Expiration Date: <u>7/9/2022</u>	
<b>VI. SUSPECT MATERIALS SAMPLED AND PROCEDURES USED TO DETECT THE PRESENCE OF ASBESTOS MATERIAL:</b>			
<u>Asbestos containing 9x9 floor tile/black mastic, PLM method</u> <u>EURDTINS - CEI - 730 SE MAYNARD ROAD, CARY, NC 27511</u>			
<b>VII. QUANTITY OF RACM TO BE REMOVED:</b>			
Pipes (LN FT): <u>0</u>	Surface Area (SQ FT): <u>2400</u>	Volume of Facility Components (CU FT):	
<b>VIII. QUANTITY OF NONFRIABLE ASBESTOS NOT REMOVED:</b>			
Category I: <u>2400 SF</u>	Category II:		
<b>IX. SCHEDULED DATES ASBESTOS REMOVAL (MM/DD/YY) Start:</b> <u>4/21/2022</u>		<b>Complete:</b> <u>4/24/2022</u>	
<b>X. SCHEDULED DATES DEMO/RENOVATION (MM/DD/YY) Start:</b> <u>4/25/2022</u>		<b>Complete:</b> <u>6/25/2022</u>	

RECEIVED  
 APR 11 2022  
 Dept. of Environmental Quality

XI. DESCRIPTION OF PLANNED DEMOLITION OR RENOVATION WORK, AND METHOD(S) TO BE USED:

WET METHOD, CONTAINMENT, NEG-AIR UNITS, SIGNS INDEPENDENT AIR MONITORING/AIR CLEARANCE

XII. DESCRIPTION OF WORK PRACTICES AND ENGINEERING CONTROLS TO BE USED TO PREVENT EMISSIONS OF ASBESTOS AT THE DEMOLITION OR RENOVATION SITE:

KEEP WET, REMOVE MOSTLY INTACT, 6 ML BAAS, LABELS, TAPE, PLACE INTO LINED 20yd DUMPSTER, TAKE TO APPROVED LANDFILL AWAIT AIR CLEARANCE BEFORE RE-ENTRY

XIII. WASTE TRANSPORTER #1

Name: HORTON WASTE SERVICES

Address: P.O. BOX 305

City: BOYLE

State: MS

Zip: 38730

Contact Person: STEVE HORTON

Tel: 662-588-5092

WASTE TRANSPORTER #2 N/A

Name:

Address:

City:

State:

Zip:

Contact Person:

Tel:

XIV. WASTE DISPOSAL SITE

Name: LEFLORE COUNTY LANDFILL

Address: 15200 US Hwy 49E South

City: SIDOW

State: MS

Zip: 38954

Contact Person: MABEL BROWN

Tel: 662-455-6477

XV. IF DEMOLITION ORDERED BY A GOVERNMENT AGENCY, PLEASE IDENTIFY THE AGENCY BELOW: N/A

Name:

Title:

Authority:

Date of Order (MM/DD/YY):

Date Ordered to Begin (MM/DD/YY):

XVI. FOR EMERGENCY RENOVATIONS: N/A

Date and Hour of Emergency (MM/DD/YY):

Description of the sudden unexpected event:

Explanation of how the event caused unsafe conditions or would cause equipment damage or an unreasonable financial burden:

XVII. DESCRIPTION OF PROCEDURES TO BE FOLLOWED IN THE EVENT THAT UNEXPECTED ASBESTOS IS FOUND OR PREVIOUSLY NONFRIABLE ASBESTOS MATERIAL BECOMES CRUMBLER, PULVERIZED, OR REDUCED TO POWDER: STOP REMOVAL,

WET AREA, REMAIN UNDER NEG-AIR PRESSURE. CONTACT OWNER AND MDEQ OF CHANGE. FOLLOW MDEQ DIRECTIONS

XVIII. I CERTIFY THAT AN INDIVIDUAL TRAINED IN THE PROVISIONS OF THIS REGULATION (40 CFR PART 61, SUBPART M) WILL BE ONSITE DURING THE DEMOLITION OR RENOVATION, AND EVIDENCE THAT THE REQUIRED TRAINING HAS BEEN ACCOMPLISHED BY THIS PERSON WILL BE AVAILABLE FOR INSPECTION DURING NORMAL BUSINESS HOURS.

Jimmy Bell

Type or Print Name

Jimmy Bell  
(Signature of Owner/Operator)

4/7/2022

(Date)

XIX. I CERTIFY THAT THE ABOVE INFORMATION IS CORRECT:

Jimmy Bell

Type or Print Name

Jimmy Bell  
(Signature of Owner/Operator)

4/7/2022

(Date)