

Jaricus Whitlock

From: Thompson, Elizabeth (APAC) <Elizabeth.Thompson@apac.com>
Sent: Friday, March 25, 2022 1:26 PM
To: Jaricus Whitlock
Subject: RE: [EXT] RE: Permit # MSR 700044: Major Modification Form
Attachments: 3-15-22 Corinth Portable Fly Ash Silo Construction.pdf

This Message Is From an External Sender

This message came from outside your organization.

This pdf should contain all the required documents for the Major Modification. The letters were sent to the four adjacent landowners via certified mail on 3/16/2022. The USPS has not yet updated the status. Please let me know if I am missing anything.

Thank you,

Elizabeth Thompson
Environmental Representative
APAC-MS/TN
Office (601) 317-4794

From: Jaricus Whitlock <jwhitlock@mdeq.ms.gov>
Sent: Friday, March 25, 2022 11:36 AM
To: Thompson, Elizabeth (APAC) <Elizabeth.Thompson@apac.com>
Subject: [EXT] RE: Permit # MSR 700044: Major Modification Form

Ms. Thompson,

If it proves more convenient (and if possible), you may transmit the information digitally to me. If you have any other questions / concerns, please do not hesitate to contact me.

Best Regards,

Jaricus Whitlock, P.E.
Air II Branch Chief
Environmental Permits Division
Office of Pollution Control
Mississippi Dept. of Environmental Quality
P.O. Box 2261
Jackson, MS 39225

Office: (601) 961-5303 Fax: (601) 961-5703

From: Thompson, Elizabeth (APAC) <Elizabeth.Thompson@apac.com>
Sent: Friday, March 25, 2022 10:13 AM
To: Jaricus Whitlock <jwhitlock@mdeq.ms.gov>
Subject: Permit # MSR 700044: Major Modification Form

This Message Is From an External Sender

This message came from outside your organization.

Mr. Whitlock,

I have completed the Major Modification Form for the installation of a portable fly ash silo at the existing Corinth Asphalt Plant (Permit # MSR 700044). The required public notice is also complete. What would be the ideal way for me to deliver this information?

Sincerely,

Elizabeth Thompson
Environmental Representative
APAC-MS/TN
Office (601) 317-4794

CAUTION: This email originated from outside of the organization. Do not click links or open attachments unless you are expecting this email and know the contents are safe. ATTENTION: Ce courriel vient de l'exterieur de l'entreprise. Ne cliquez pas sur les liens, et n'ouvrez pas les pièces jointes, à moins que vous ne connaissiez l'expéditeur du courriel et savez que le contenu est sécuritaire.



APAC - Mississippi, Inc.
A CRH Company

Post Office Box 24508
Jackson, MS 39225-4508
Tel: (601) 376-4000
Fax: (601) 376-4099

March 25, 2022

Mr. Jaricus Whitlock, P.E.
Air II Branch Chief
Environmental Permits Division
Office of Pollution Control
Mississippi Dept. of Environmental Quality
P.O. Box 2261
Jackson, MS 39225

Re: APAC-Mississippi, Inc.
Modification to Corinth, MS asphalt Plant
Permit # MSR 700044

Dear Mr. Whitlock,

APAC-Mississippi, Inc. would like to install a portable mineral silo (fly ash) at its existing plant in Corinth, MS. The installation of this portable fly ash silo will help meet the requirements for specific hot mix asphalt designs for work awarded to APAC by the Mississippi Department of Transportation.

Enclosed, you will find the major modification form along with the required public notice information. You will also find a description of the Portable Self Erecting 750 BBL Filler Silo. If you need additional information related to this request, you may call me at (601) 376-4000.

Sincerely,

APAC-Mississippi, Inc.

Brian Moore,
Environmental Manager

**MAJOR MODIFICATION FORM
FOR HOT MIX ASPHALT
GENERAL PERMIT MSR70**



INSTRUCTIONS

Coverage recipients shall notify the Mississippi Department of Environmental Quality of plans to expand the acreage or "footprint" of an existing hot mix asphalt facility, waive the siting criteria of an existing operation, or construct a new air emissions source. This form must be submitted when any of the following activities is/are being proposed (check all that apply). Copies of the signed Return-Receipts and Contiguous Landowner Notification Forms shall accompany this Major Modification Form in accordance with ACT4, S-7 of the General Permit.

- ☐ "Footprint" identified in the original HMANOI is proposed to be enlarged (a modified SWPPP and an updated USGS topographic map must be submitted).
- ☐ Applicant requests waiver of facility siting criteria prescribed in ACT5 of the General Permit.
- ☒ Applicant intends to construct new air emissions source(s)

This form must be signed by the current coverage recipient under Mississippi's Hot Mix Asphalt General Permit. A different operator must have general permit coverage transferred prior to coverage being modified. Coverage recipients are authorized to implement the proposed modifications, under the conditions of the General Permit, only upon receipt of written notification of approval by the MDEQ.

ALL INFORMATION MUST BE COMPLETED (indicate "N/A" where not applicable)

COVERAGE RECIPIENT INFORMATION

COVERAGE RECIPIENT CONTACT PERSON: Brian Moore - Environmental Manager

COMPANY NAME: APAC-Mississippi, Inc

STREET OR P.O. BOX: P.O. Box 24508

CITY: Jackson STATE: MS ZIP: 39225

PHONE # (INCLUDE AREA CODE): (601) 3 7 4 0 0

PROJECT INFORMATION

HOT MIX ASPHALT GENERAL PERMIT COVERAGE NUMBER: MSR70 0 0 4 4

ADDITIONAL ACREAGE TO BE DISTURBED: None TOTAL ACREAGE: N/A

DESCRIBE PROPOSED SITING CRITERIA WAIVER: N/A

LIST NEW AIR EMISSIONS SOURCES: Addition of Mineral Silo (fly Ash)

FACILITY NAME: APAC- Mississippi, Inc. Corinth Asphalt Plant

CITY: Glen COUNTY: Alcorn

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

B. Moore
Signature (must be signed by coverage recipient)

3/15/22
Date

Brian Moore
Printed Name

Environmental Manager
Title

Please submit this form to:

Chief, Environmental Permits Division
MS Department of Environmental Quality, Office of Pollution Control
P.O. Box 2261
Jackson, Mississippi 39225



APAC - Mississippi, Inc.
A CRH Company

Post Office Box 24508
Jackson, MS 39225-4508
Tel: (601) 376-4000
Fax: (601) 376-4099

March 15, 2022

Corinth Public Library
1023 N Fillmore Street
Corinth, MS 38834
Attn: Dee Hare

RE: APAC-Mississippi, Inc.
Corinth, MS

Dear Librarian,

Enclosed is a copy of the public notice for comment on the request by APAC-Mississippi, Inc. for modification of coverage under the State of Mississippi's Hot Mix Asphalt Facility Multimedia General Permit at 2700 Highway 72 East Glen, MS. Please post this notice in the library.

Also, enclosed is a copy of the information pertinent to the above request. This information should be kept on hand for review by the public until April 18th, 2022, after which it may be discarded. The public may photocopy all or any portion of this information, but it should not leave the library.

Finally, enclosed please find a duplication of this letter with a place for your signature and the date acknowledging your receipt of the package and your agreement to carry out our request.

We are attempting to better keep the public informed of and involved in this action regarding permitting of expanding industry. Since access to the public library is so convenient for so many we hope to use these facilities as often as possible. Your cooperation in this matter is greatly appreciated.

If you have any questions, please contact me at (601) 376-4000 or contact the Construction and Building Materials Branch of the Mississippi Department of Environmental Quality at (601) 961-5171.

Sincerely,

APAC-Mississippi, Inc.

Attachment

Received & Agreed to by:

Brian Moore
Delia Hare
(Signature)
Delia Hare
(Printed Name)

3/15/22
(Date)

Director - NERL
(Title)



APAC - Mississippi, Inc.
A CRH Company

Post Office Box 24508
Jackson, MS 39225-4508
Tel: (601) 376-4000
Fax: (601) 376-4099

March 15, 2022

Corinth Public Library
1023 N Fillmore Street
Corinth, MS 38834
Attn: Dee Hare

RE: APAC-Mississippi, Inc.
Corinth, MS

Dear Librarian,

Enclosed is a copy of the public notice for comment on the request by APAC-Mississippi, Inc. for modification of coverage under the State of Mississippi's Hot Mix Asphalt Facility Multimedia General Permit at 2700 Highway 72 East Glen, MS. Please post this notice in the library.

Also, enclosed is a copy of the information pertinent to the above request. This information should be kept on hand for review by the public until April 18th, 2022, after which it may be discarded. The public may photocopy all or any portion of this information, but it should not leave the library.

Finally, enclosed please find a duplication of this letter with a place for your signature and the date acknowledging your receipt of the package and your agreement to carry out our request.

We are attempting to better keep the public informed of and involved in this action regarding permitting of expanding industry. Since access to the public library is so convenient for so many we hope to use these facilities as often as possible. Your cooperation in this matter is greatly appreciated.

If you have any questions, please contact me at (601) 376-4000 or contact the Construction and Building Materials Branch of the Mississippi Department of Environmental Quality at (601) 961-5171.

Sincerely,

APAC-Mississippi, Inc.

Brian Moore
Environmental Manager

Attachment

Public Notice
Mississippi Environmental Quality Permit Board
P. O. Box 2261
Jackson, MS. 39225
Telephone No. 601 961-5171

To appear Friday, March 18th, 2022, in The Daily Corinthian

APAC-Mississippi, Inc. at 101 Riverview Drive in Richland, MS has applied to the Mississippi Department of Environmental Quality (MDEQ) for a modification under MDEQ's Multimedia Hot Mix Asphalt Facility General Permit MSR 70 for operation of its asphalt plant at 2700 Highway 72 East Glen, MS 38846. Such operation will involve the discharge of storm water and the operation of air emissions equipment during the operation of the facility.

General Permit MSR 70 has been developed to ensure compliance with all State and Federal regulations. Facilities granted coverage under this permit and adhering to the conditions contained therein should operate within State and Federal environmental laws and standards concerning storm water discharges and the operation of air emissions equipment.

The staff of the Mississippi Environmental Quality Permit Board is soliciting all relative information pertaining to the facility, including public comment, to ensure that the above referenced facility meets the eligibility requirements of the general permit. An important element of staff evaluation is public review and comment. The staff recommendation to the Board, as well as the Board decision, will be made only after a thorough consideration of all public comments.

Persons wishing to comment upon the proposed determinations are invited to submit comments in writing to the Chief, Environmental Permits Division at the Permit Board's address shown above, no later than thirty (30) days from the date of publication of this notice. All comments received by that date will be considered in the formulation of final determinations regarding the application. A public hearing will be held if the Permit Board finds a significant degree of public interest in the proposed project. The Permit Board is limited in the scope of its analysis to environmental impact. Any comments relative to zoning or economic and social impacts are within the jurisdiction of local zoning and planning authorities and should be addressed to those authorities.

A copy of the general permit is available on the Mississippi Department of Environmental Quality's website at <http://www.deq.state.ms.us/wp-content/uploads/2017/06/HMAFinalGeneralPermit.pdf> or by writing or calling the above Permit Board address and telephone number. This general permit is also available for review at the following locations during normal business hours.

Mississippi Department of Environmental Quality
Office of Pollution Control
515 East Amite Street
Jackson, MS 39201

Corinth Public Library
1023 N Fillmore Street
Corinth, MS 38834

Please bring the foregoing to the attention of persons who you know will be interested.



APAC - Mississippi, Inc.
Corinth Facility
2700 Highway 72 East, Glen, MS 38846

Aerial Map
Site Location
Glen, Mississippi
Alcorn County
Scale 1"=300feet



APAC-Mississippi, Inc.

Corinth Facility
2700 Highway 72 East, Glen, MS 38846

FC&E Engineering, LLC

Brandon, MS 39042
(601) 824-1860

FIGURE 3 - Aerial Map
SITE LOCATION

Corinth, Mississippi

Alcorn County

Scale 1" = 1,740 feet

Map Info: 2004



AFFP

18088-Mod. asphalt plant

Affidavit of Publication

STATE OF MS }
COUNTY OF ALCORN }

SS

Reece Terry, being duly sworn, says:

That he is Publisher of the The Daily Corinthian, a daily newspaper of general circulation, printed and published in Corinth, Alcorn County, MS; that the publication, a copy of which is attached hereto, was published in the said newspaper on the following dates:

March 18, 2022

Publisher's Fee: \$ 53.52

That said newspaper was regularly issued and circulated on those dates.

SIGNED:



Subscribed to and sworn to me this 18th day of March 2022.



Teresa Smith, Notary Public 06/20/2022

70059776 70317559



APAC-Mississippi, Inc.
P. O. Box 24508
JACKSON, MS 39225

Public Notice
Mississippi Environmental
Quality Permit Board
P. O. Box 2261
Jackson, MS. 39225
Telephone No. 601 961-5171

APAC-Mississippi, Inc. at 101 Riverview Drive in Richland, MS has applied to the Mississippi Department of Environmental Quality (MDEQ) for a modification under MDEQ's Multimedia Hot Mix Asphalt Facility General Permit MSR 70 for operation of its asphalt plant at 2700 Highway 72 East Glen, MS 38846. Such operation will involve the discharge of storm water and the operation of air emissions equipment during the operation of the facility.

General Permit MSR 70 has been developed to ensure compliance with all State and Federal regulations. Facilities granted coverage under this permit and adhering to the conditions contained therein should operate within State and Federal environmental laws and standards concerning storm water discharges and the operation of air emissions equipment.

The staff of the Mississippi Environmental Quality Permit Board is soliciting all relative information pertaining to the facility, including public comment, to ensure that the above referenced facility meets the eligibility requirements of the general permit. An important element of staff evaluation is public review and comment. The staff recommendation to the Board, as well as the Board decision, will be made only after a thorough consideration of all public comments.

Persons wishing to comment upon the proposed determinations are invited to submit comments in writing to the Chief, Environmental Permits Division at the Permit Board's address shown above, no later than thirty (30) days from the date of publication of this notice. All comments received by that date will be considered in the formulation of final determinations regarding the application. A public hearing will be held if the Permit Board finds a significant degree of public interest in the proposed project. The Permit Board is limited in the scope of its analysis to environmental impact. Any comments relative to zoning or economic and social impacts are within the jurisdiction of local zoning and planning authorities and should be addressed to those authorities.

A copy of the general permit is available on the Mississippi Department of Environmental Quality's website at <http://www.deq.state.ms.us/wp-content/uploads/2017/06/HMAFinalGeneralPermit.pdf> or by writing or calling the above Permit Board address and telephone number. This general permit is also available for review at the following locations during normal business hours.

Mississippi Department of
Environmental Quality
Office of Pollution Control
515 East Amite Street
Jackson, MS 39201

Corinth Public Library
1023 N Fillmore Street
Corinth, MS 38834

Please bring the foregoing to the attention of persons who you know will be interested.

1t 3/18/22
18088



APAC - Mississippi, Inc.
A CRH Company

Post Office Box 24508
Jackson, MS 39225-4508
Tel: (601) 376-4000
Fax: (601) 376-4099

March 15, 2022

Corinth Gas & Water Department
City of Corinth
P.O. Box 1870
Corinth, MS 38834

Dear Mr. Little,

This letter is being sent in an effort to comply with the Mississippi Department of Environmental Quality's public notice requirements for modification of a Hot-Mix Asphalt Facility Multimedia General Permit for the APAC-Mississippi, Inc. asphalt plant located at 2700 Highway 72 East Glen, Mississippi. APAC seeks to modify its existing hot-mix asphalt general permit by adding a portable fly ash silo to help meet the requirements for a specific hot mix asphalt design for possible work awarded to APAC by the Mississippi Department of Transportation project.

As part of this permit modification process, the enclosed contiguous landowner notification form puts you on notice of this proposed permit modification and tells you how to make comments concerning it. If you would like to speak with someone with APAC concerning this permit modification request, you may contact me directly at (601) 376-4020.

Sincerely,

APAC-Mississippi, Inc.

Brian Moore
Environmental Manager

Enclosure

CONTIGUOUS LANDOWNER NOTIFICATION OF A HOT MIX ASPHALT FACILITY

APAC-Mississippi, Inc., is proposing to modify its Hot Mix Asphalt facility at **2700 Highway 72 East Glen, Mississippi**. The facility processes will continue to include the operation of air emissions equipment and the discharge of storm water. This notification is to provide you with an opportunity to comment to the Mississippi Department of Environmental Quality Permit Board regarding the modification of coverage under the Multimedia Hot Mix Asphalt Facility General Permit.

This notice has been sent to you by Certified Mail-Return Receipt Requested. If you have no comments regarding this proposed permit modification, no response is necessary and the permitting process will continue. If you have any comments, they must be received by the Mississippi Department of Environmental Quality within 10 days of receipt. **The Department of Environmental Quality is limited in its review of this project to those environmental issues in which statutory authority has been given.** Any comments related to zoning or economic and social impacts are within the jurisdiction of local zoning and planning authorities and should be addressed to those authorities. Comments are to be mailed to the following address:

**Chief, Environmental Permits Division
Mississippi Department of Environmental Quality
P.O. Box 2261
Jackson, MS 39225**

Public Notice
Mississippi Environmental Quality Permit Board
P. O. Box 2261
Jackson, MS. 39225
Telephone No. 601 961-5171

To appear Friday, March 18th, 2022, in The Daily Corinthian

APAC-Mississippi, Inc. at 101 Riverview Drive in Richland, MS has applied to the Mississippi Department of Environmental Quality (MDEQ) for a modification under MDEQ's Multimedia Hot Mix Asphalt Facility General Permit MSR 70 for operation of its asphalt plant at 2700 Highway 72 East Glen, MS 38846. Such operation will involve the discharge of storm water and the operation of air emissions equipment during the operation of the facility:

General Permit MSR 70 has been developed to ensure compliance with all State and Federal regulations. Facilities granted coverage under this permit and adhering to the conditions contained therein should operate within State and Federal environmental laws and standards concerning storm water discharges and the operation of air emissions equipment.

The staff of the Mississippi Environmental Quality Permit Board is soliciting all relative information pertaining to the facility, including public comment, to ensure that the above referenced facility meets the eligibility requirements of the general permit. An important element of staff evaluation is public review and comment. The staff recommendation to the Board, as well as the Board decision, will be made only after a thorough consideration of all public comments.

Persons wishing to comment upon the proposed determinations are invited to submit comments in writing to the Chief, Environmental Permits Division at the Permit Board's address shown above, no later than thirty (30) days from the date of publication of this notice. All comments received by that date will be considered in the formulation of final determinations regarding the application. A public hearing will be held if the Permit Board finds a significant degree of public interest in the proposed project. The Permit Board is limited in the scope of its analysis to environmental impact. Any comments relative to zoning or economic and social impacts are within the jurisdiction of local zoning and planning authorities and should be addressed to those authorities.

A copy of the general permit is available on the Mississippi Department of Environmental Quality's website at <http://www.deq.state.ms.us/wp-content/uploads/2017/06/HMAFinalGeneralPermit.pdf> or by writing or calling the above Permit Board address and telephone number. This general permit is also available for review at the following locations during normal business hours.

Mississippi Department of Environmental Quality
Office of Pollution Control
515 East Amite Street
Jackson, MS 39201

Corinth Public Library
1023 N Fillmore Street
Corinth, MS 38834

Please bring the foregoing to the attention of persons who you know will be interested.

7020 2450 0000 4973 8092

U.S. Postal Service™
CERTIFIED MAIL® RECEIPT
Domestic Mail Only

For delivery information, visit our website at www.usps.com®.

OFFICIAL USE

Certified Mail Fee \$	Postmark Here
Extra Services & Fees (check box, add fee as appropriate)	
<input type="checkbox"/> Return Receipt (hardcopy) \$	
<input type="checkbox"/> Return Receipt (electronic) \$	
<input type="checkbox"/> Certified Mail Restricted Delivery \$	
<input type="checkbox"/> Adult Signature Required \$	
<input type="checkbox"/> Adult Signature Restricted Delivery \$	
Postage \$	
Total Postage and Fees \$	

Sent To
 Corinth Gas & Water Dept. / City of Corinth
 P.O. Box 1870
 Corinth, MS 38834
 City, State, ZIP+4®

PS Form 3800, April 2015 PSN 7530-02-000-9047 See Reverse for Instructions

U.S. Postal Service™
CERTIFIED MAIL® RECEIPT
Domestic Mail Only

For delivery information, visit our website at www.usps.com®.

OFFICIAL USE

Certified Mail Fee \$	Postmark Here
Extra Services & Fees (check box, add fee as appropriate)	
<input type="checkbox"/> Return Receipt (hardcopy) \$	
<input type="checkbox"/> Return Receipt (electronic) \$	
<input type="checkbox"/> Certified Mail Restricted Delivery \$	
<input type="checkbox"/> Adult Signature Required \$	
<input type="checkbox"/> Adult Signature Restricted Delivery \$	
Postage \$	
Total Postage and Fees \$	

Sent To
 Corinth Gas & Water Dept. / City of Corinth
 P.O. Box 1870
 Corinth, MS 38834
 City, State, ZIP+4®

PS Form 3800, April 2015 PSN 7530-02-000-9047 See Reverse for Instructions

SENDER: COMPLETE THIS SECTION	COMPLETE THIS SECTION ON DELIVERY												
<ul style="list-style-type: none"> Complete items 1, 2, and 3. Print your name and address on the reverse so that we can return the card to you. Attach this card to the back of the mailpiece, or on the front if space permits. 	<p>A. Signature X <input type="checkbox"/> Agent <input type="checkbox"/> Addressee</p> <p>B. Received by (Printed Name) C. Date of Delivery</p> <p>D. Is delivery address different from item 1? <input type="checkbox"/> Yes If YES, enter delivery address below: <input type="checkbox"/> No</p>												
<p>1. Article Addressed to: Corinth Gas & Water Dept. City of Corinth P.O. Box 1870 Corinth, MS 38834</p> <p>2. Barcode 9590 9402 6289 0274 1076 84</p>	<p>3. Service Type</p> <table border="0"> <tr> <td><input type="checkbox"/> Adult Signature</td> <td><input type="checkbox"/> Priority Mail Express®</td> </tr> <tr> <td><input type="checkbox"/> Adult Signature Restricted Delivery</td> <td><input type="checkbox"/> Registered Mail™</td> </tr> <tr> <td><input checked="" type="checkbox"/> Certified Mail®</td> <td><input type="checkbox"/> Registered Mail Restricted Delivery</td> </tr> <tr> <td><input type="checkbox"/> Certified Mail Restricted Delivery</td> <td><input checked="" type="checkbox"/> Signature Confirmation™</td> </tr> <tr> <td><input type="checkbox"/> Collect on Delivery</td> <td><input type="checkbox"/> Signature Confirmation Restricted Delivery</td> </tr> <tr> <td><input type="checkbox"/> Collect on Delivery Restricted Delivery</td> <td></td> </tr> </table>	<input type="checkbox"/> Adult Signature	<input type="checkbox"/> Priority Mail Express®	<input type="checkbox"/> Adult Signature Restricted Delivery	<input type="checkbox"/> Registered Mail™	<input checked="" type="checkbox"/> Certified Mail®	<input type="checkbox"/> Registered Mail Restricted Delivery	<input type="checkbox"/> Certified Mail Restricted Delivery	<input checked="" type="checkbox"/> Signature Confirmation™	<input type="checkbox"/> Collect on Delivery	<input type="checkbox"/> Signature Confirmation Restricted Delivery	<input type="checkbox"/> Collect on Delivery Restricted Delivery	
<input type="checkbox"/> Adult Signature	<input type="checkbox"/> Priority Mail Express®												
<input type="checkbox"/> Adult Signature Restricted Delivery	<input type="checkbox"/> Registered Mail™												
<input checked="" type="checkbox"/> Certified Mail®	<input type="checkbox"/> Registered Mail Restricted Delivery												
<input type="checkbox"/> Certified Mail Restricted Delivery	<input checked="" type="checkbox"/> Signature Confirmation™												
<input type="checkbox"/> Collect on Delivery	<input type="checkbox"/> Signature Confirmation Restricted Delivery												
<input type="checkbox"/> Collect on Delivery Restricted Delivery													
<p>Article Number (Transfer from sender label) 7020 2450 0000 4973 8092</p>	<p>(over \$500)</p>												

PS Form 3811, July 2020 PSN 7530-02-000-9053 Domestic Return Receipt



[FAQs >](#)

[Track Another Package +](#)

Tracking Number: 70202450000049738092

[Remove X](#)

Status Not Available

The tracking number may be incorrect or the status update is not yet available. Please verify your tracking number and try again later.

Can't find what you're looking for?

Go to our [FAQs](#) section to find answers to your tracking questions.

[FAQs](#)



APAC - Mississippi, Inc.
A CRH Company

Post Office Box 24508
Jackson, MS 39225-4508
Tel: (601) 376-4000
Fax: (601) 376-4099

March 15, 2022

Mr. Travis Little
163 CR 305
Corinth, MS 38834

Dear Mr. Little,

This letter is being sent in an effort to comply with the Mississippi Department of Environmental Quality's public notice requirements for modification of a Hot-Mix Asphalt Facility Multimedia General Permit for the APAC-Mississippi, Inc. asphalt plant located at 2700 Highway 72 East Glen, Mississippi. APAC seeks to modify its existing hot-mix asphalt general permit by adding a portable fly ash silo to help meet the requirements for a specific hot mix asphalt design for possible work awarded to APAC by the Mississippi Department of Transportation project.

As part of this permit modification process, the enclosed contiguous landowner notification form puts you on notice of this proposed permit modification and tells you how to make comments concerning it. If you would like to speak with someone with APAC concerning this permit modification request, you may contact me directly at (601) 376-4020.

Sincerely,

APAC-Mississippi, Inc.

Brian Moore
Environmental Manager

Enclosure

CONTIGUOUS LANDOWNER NOTIFICATION OF A HOT MIX ASPHALT FACILITY

APAC-Mississippi, Inc., is proposing to modify its Hot Mix Asphalt facility at **2700 Highway 72 East Glen, Mississippi**. The facility processes will continue to include the operation of air emissions equipment and the discharge of storm water. This notification is to provide you with an opportunity to comment to the Mississippi Department of Environmental Quality Permit Board regarding the modification of coverage under the Multimedia Hot Mix Asphalt Facility General Permit.

This notice has been sent to you by Certified Mail-Return Receipt Requested. If you have no comments regarding this proposed permit modification, no response is necessary and the permitting process will continue. If you have any comments, they must be received by the Mississippi Department of Environmental Quality within 10 days of receipt. **The Department of Environmental Quality is limited in its review of this project to those environmental issues in which statutory authority has been given.** Any comments related to zoning or economic and social impacts are within the jurisdiction of local zoning and planning authorities and should be addressed to those authorities. Comments are to be mailed to the following address:

**Chief, Environmental Permits Division
Mississippi Department of Environmental Quality
P.O. Box 2261
Jackson, MS 39225**

Public Notice
Mississippi Environmental Quality Permit Board
P. O. Box 2261
Jackson, MS. 39225
Telephone No. 601 961-5171

To appear Friday, March 18th, 2022, in The Daily Corinthian

APAC-Mississippi, Inc. at 101 Riverview Drive in Richland, MS has applied to the Mississippi Department of Environmental Quality (MDEQ) for a modification under MDEQ's Multimedia Hot Mix Asphalt Facility General Permit MSR 70 for operation of its asphalt plant at 2700 Highway 72 East Glen, MS 38846. Such operation will involve the discharge of storm water and the operation of air emissions equipment during the operation of the facility.

General Permit MSR 70 has been developed to ensure compliance with all State and Federal regulations. Facilities granted coverage under this permit and adhering to the conditions contained therein should operate within State and Federal environmental laws and standards concerning storm water discharges and the operation of air emissions equipment.

The staff of the Mississippi Environmental Quality Permit Board is soliciting all relative information pertaining to the facility, including public comment, to ensure that the above referenced facility meets the eligibility requirements of the general permit. An important element of staff evaluation is public review and comment. The staff recommendation to the Board, as well as the Board decision, will be made only after a thorough consideration of all public comments.

Persons wishing to comment upon the proposed determinations are invited to submit comments in writing to the Chief, Environmental Permits Division at the Permit Board's address shown above, no later than thirty (30) days from the date of publication of this notice. All comments received by that date will be considered in the formulation of final determinations regarding the application. A public hearing will be held if the Permit Board finds a significant degree of public interest in the proposed project. The Permit Board is limited in the scope of its analysis to environmental impact. Any comments relative to zoning or economic and social impacts are within the jurisdiction of local zoning and planning authorities and should be addressed to those authorities.

A copy of the general permit is available on the Mississippi Department of Environmental Quality's website at <http://www.deq.state.ms.us/wp-content/uploads/2017/06/HMAFinalGeneralPermit.pdf> or by writing or calling the above Permit Board address and telephone number. This general permit is also available for review at the following locations during normal business hours.

Mississippi Department of Environmental Quality
Office of Pollution Control
515 East Amite Street
Jackson, MS 39201

Corinth Public Library
1023 N Fillmore Street
Corinth, MS 38834

Please bring the foregoing to the attention of persons who you know will be interested.

7020 2450 0000 4973 8085

U.S. Postal ServiceTM
CERTIFIED MAIL® RECEIPT
Domestic Mail Only

For delivery information, visit our website at www.usps.com®.

OFFICIAL USE

Certified Mail Fee

Extra Services & Fees (check box, add fee as appropriate)

<input type="checkbox"/> Return Receipt (hardcopy)	\$
<input type="checkbox"/> Return Receipt (electronic)	\$
<input type="checkbox"/> Certified Mail Restricted Delivery	\$
<input type="checkbox"/> Adult Signature Required	\$
<input type="checkbox"/> Adult Signature Restricted Delivery	\$

Postage

Total Postage and Fees

Sent To
Mr. Travis Little
Street and Apt. No., or PO Box No.
163 CR 305
City, State, ZIP+4®
Corinth, MS 38834

Postmark
Here

PS Form 3800, April 2015 PSN 7530-02-000-9047

See Reverse for Instructions

U.S. Postal ServiceTM
CERTIFIED MAIL® RECEIPT
Domestic Mail Only

For delivery information, visit our website at www.usps.com®.

OFFICIAL USE

Certified Mail Fee

Extra Services & Fees (check box, add fee as appropriate)

<input type="checkbox"/> Return Receipt (hardcopy)	\$
<input type="checkbox"/> Return Receipt (electronic)	\$
<input type="checkbox"/> Certified Mail Restricted Delivery	\$
<input type="checkbox"/> Adult Signature Required	\$
<input type="checkbox"/> Adult Signature Restricted Delivery	\$

Postage

Total Postage and Fees

Sent To
Mr. Travis Little
Street and Apt. No., or PO Box No.
163 CR 305
City, State, ZIP+4®
Corinth, MS 38834

PS Form 3800, April 2015 PSN 7530-02-000-9047

See Reverse for Instructions

Postmark
Here

SENDER: COMPLETE THIS SECTION

- Complete items 1, 2, and 3.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:

Mr. Travis Little
163 CR 305
Corinth, MS 38834



9590 9402 6289 0274 1076 91

2. Article Number (Transfer from service label)

7020 2450 0000 4973 8085

COMPLETE THIS SECTION ON DELIVERY

A. Signature

X

☐ Agent
☐ Addressee

B. Received by (Printed Name)

C. Date of Delivery

D. Is delivery address different from item 1? ☐ Yes
If YES, enter delivery address below: ☐ No

3. Service Type

☐ Adult Signature
☐ Adult Signature Restricted Delivery
☒ Certified Mail®
☐ Certified Mail Restricted Delivery
☐ Collect on Delivery
☐ Collect on Delivery Restricted Delivery

☐ Priority Mail Express®
☐ Registered MailTM
☐ Registered Mail Restricted Delivery
☒ Signature ConfirmationTM
☐ Signature Confirmation Restricted Delivery

all
all Restricted Delivery

PS Form 3811, July 2020 PSN 7530-02-000-9053

Domestic Return Receipt

USPS Tracking®

FAQs >

Track Another Package +

Tracking Number: 70202450000049738085

Remove X

Status Not Available

The tracking number may be incorrect or the status update is not yet available. Please verify your tracking number and try again later.

Can't find what you're looking for?

Go to our FAQs section to find answers to your tracking questions.

FAQs

Feedback



APAC - Mississippi, Inc.
A CRH Company

Post Office Box 24508
Jackson, MS 39225-4508
Tel: (601) 376-4000
Fax: (601) 376-4099

March 15, 2022

Mr. Scotty Little
315 CR 300
Glen, MS 38846

Dear Mr. Little,

This letter is being sent in an effort to comply with the Mississippi Department of Environmental Quality's public notice requirements for modification of a Hot-Mix Asphalt Facility Multimedia General Permit for the APAC-Mississippi, Inc. asphalt plant located at 2700 Highway 72 East Glen, Mississippi. APAC seeks to modify its existing hot-mix asphalt general permit by adding a portable fly ash silo to help meet the requirements for a specific hot mix asphalt design for possible work awarded to APAC by the Mississippi Department of Transportation project.

As part of this permit modification process, the enclosed contiguous landowner notification form puts you on notice of this proposed permit modification and tells you how to make comments concerning it. If you would like to speak with someone with APAC concerning this permit modification request, you may contact me directly at (601) 376-4020.

Sincerely,

APAC-Mississippi, Inc.

Brian Moore
Environmental Manager

Enclosure

CONTIGUOUS LANDOWNER NOTIFICATION OF A HOT MIX ASPHALT FACILITY

APAC-Mississippi, Inc., is proposing to modify its Hot Mix Asphalt facility at **2700 Highway 72 East Glen, Mississippi**. The facility processes will continue to include the operation of air emissions equipment and the discharge of storm water. This notification is to provide you with an opportunity to comment to the Mississippi Department of Environmental Quality Permit Board regarding the modification of coverage under the Multimedia Hot Mix Asphalt Facility General Permit.

This notice has been sent to you by Certified Mail-Return Receipt Requested. If you have no comments regarding this proposed permit modification, no response is necessary and the permitting process will continue. If you have any comments, they must be received by the Mississippi Department of Environmental Quality within 10 days of receipt. **The Department of Environmental Quality is limited in its review of this project to those environmental issues in which statutory authority has been given.** Any comments related to zoning or economic and social impacts are within the jurisdiction of local zoning and planning authorities and should be addressed to those authorities. Comments are to be mailed to the following address:

**Chief, Environmental Permits Division
Mississippi Department of Environmental Quality
P.O. Box 2261
Jackson, MS 39225**

Public Notice
Mississippi Environmental Quality Permit Board
P. O. Box 2261
Jackson, MS. 39225
Telephone No. 601 961-5171

To appear Friday, March 18th, 2022, in The Daily Corinthian

APAC-Mississippi, Inc. at 101 Riverview Drive in Richland, MS has applied to the Mississippi Department of Environmental Quality (MDEQ) for a modification under MDEQ's Multimedia Hot Mix Asphalt Facility General Permit MSR 70 for operation of its asphalt plant at 2700 Highway 72 East Glen, MS 38846. Such operation will involve the discharge of storm water and the operation of air emissions equipment during the operation of the facility.

General Permit MSR 70 has been developed to ensure compliance with all State and Federal regulations. Facilities granted coverage under this permit and adhering to the conditions contained therein should operate within State and Federal environmental laws and standards concerning storm water discharges and the operation of air emissions equipment.

The staff of the Mississippi Environmental Quality Permit Board is soliciting all relative information pertaining to the facility, including public comment, to ensure that the above referenced facility meets the eligibility requirements of the general permit. An important element of staff evaluation is public review and comment. The staff recommendation to the Board, as well as the Board decision, will be made only after a thorough consideration of all public comments.

Persons wishing to comment upon the proposed determinations are invited to submit comments in writing to the Chief, Environmental Permits Division at the Permit Board's address shown above, no later than thirty (30) days from the date of publication of this notice. All comments received by that date will be considered in the formulation of final determinations regarding the application. A public hearing will be held if the Permit Board finds a significant degree of public interest in the proposed project. The Permit Board is limited in the scope of its analysis to environmental impact. Any comments relative to zoning or economic and social impacts are within the jurisdiction of local zoning and planning authorities and should be addressed to those authorities.

A copy of the general permit is available on the Mississippi Department of Environmental Quality's website at <http://www.deq.state.ms.us/wp-content/uploads/2017/06/HMAFinalGeneralPermit.pdf> or by writing or calling the above Permit Board address and telephone number. This general permit is also available for review at the following locations during normal business hours.

Mississippi Department of Environmental Quality
Office of Pollution Control
515 East Amite Street
Jackson, MS 39201

Corinth Public Library
1023 N Fillmore Street
Corinth, MS 38834

Please bring the foregoing to the attention of persons who you know will be interested.

7020 2450 0000 4973 8108

U.S. Postal Service™
CERTIFIED MAIL® RECEIPT
Domestic Mail Only

For delivery information, visit our website at www.usps.com®.

OFFICIAL USE

Certified Mail Fee

\$
Extra Services & Fees (check box, add fee as appropriate)
☐ Return Receipt (hardcopy) \$
☐ Return Receipt (electronic) \$
☐ Certified Mail Restricted Delivery \$
☐ Adult Signature Required \$
☐ Adult Signature Restricted Delivery \$

Postage

\$
Total Postage and Fees

Sent To **Mr. Scotty Little**
Street and Apt. No., or PO Box No. **315 CR 300**
City, State, ZIP+4® **Glen, MS 38846**

PS Form 3800, April 2015 PSN 7530-02-000-9047

See Reverse for Instructions

Postmark
Here

U.S. Postal Service™
CERTIFIED MAIL® RECEIPT
Domestic Mail Only

For delivery information, visit our website at www.usps.com®.

OFFICIAL USE

Certified Mail Fee

Extra Services & Fees (check box, add fee as appropriate)
☐ Return Receipt (hardcopy) \$
☐ Return Receipt (electronic) \$
☐ Certified Mail Restricted Delivery \$
☐ Adult Signature Required \$
☐ Adult Signature Restricted Delivery \$

Postage

Total Postage and Fees

Sent To **Mr. Scotty Little**
Street and Apt. No., or PO Box No. **315 CR 300**
City, State, ZIP+4® **Glen, MS 38846**

PS Form 3800, April 2015 PSN 7530-02-000-9047

See Reverse for Instructions

Postmark
Here

SENDER: COMPLETE THIS SECTION

- Complete items 1, 2, and 3.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:

Mr. Scotty Little
315 CR 300
Glen, MS 38846



9590 9402 6289 0274 1076 77

7020 2450 0000 4973 8108

PS Form 3811, July 2020 PSN 7530-02-000-9053

COMPLETE THIS SECTION ON DELIVERY

A. Signature

X

☐ Agent
☐ Addressee

B. Received by (Printed Name)

C. Date of Delivery

D. Is delivery address different from item 1? ☐ Yes
If YES, enter delivery address below: ☐ No

3. Service Type

☐ Adult Signature
☐ Adult Signature Restricted Delivery
☒ Certified Mail®
☐ Certified Mail Restricted Delivery
☐ Collect on Delivery
☐ Collect on Delivery Restricted Delivery
☐ Priority Mail Express®
☐ Registered Mail™
☐ Registered Mail Restricted Delivery
☒ Signature Confirmation™
☐ Signature Confirmation Restricted Delivery

Domestic Return Receipt

USPS Tracking®

[FAQs >](#)

Track Another Package +

Tracking Number: 70202450000049738108

[Remove X](#)

Status Not Available

The tracking number may be incorrect or the status update is not yet available. Please verify your tracking number and try again later.

Can't find what you're looking for?

Go to our [FAQs](#) section to find answers to your tracking questions.

[FAQs](#)

[Feedback](#)



APAC - Mississippi, Inc.
A CRH Company

Post Office Box 24508
Jackson, MS 39225-4508
Tel: (601) 376-4000
Fax: (601) 376-4099

March 15, 2022

Mr. Iver Vandiver
315 CR 300
Glen, MS 38846

Dear Mr. Vandiver,

This letter is being sent in an effort to comply with the Mississippi Department of Environmental Quality's public notice requirements for modification of a Hot-Mix Asphalt Facility Multimedia General Permit for the APAC-Mississippi, Inc. asphalt plant located at 2700 Highway 72 East Glen, Mississippi. APAC seeks to modify its existing hot-mix asphalt general permit by adding a portable fly ash silo to help meet the requirements for a specific hot mix asphalt design for possible work awarded to APAC by the Mississippi Department of Transportation project.

As part of this permit modification process, the enclosed contiguous landowner notification form puts you on notice of this proposed permit modification and tells you how to make comments concerning it. If you would like to speak with someone with APAC concerning this permit modification request, you may contact me directly at (601) 376-4020.

Sincerely,

APAC-Mississippi, Inc.

Brian Moore
Environmental Manager

Enclosure

CONTIGUOUS LANDOWNER NOTIFICATION OF A HOT MIX ASPHALT FACILITY

APAC-Mississippi, Inc., is proposing to modify its Hot Mix Asphalt facility at **2700 Highway 72 East Glen, Mississippi**. The facility processes will continue to include the operation of air emissions equipment and the discharge of storm water. This notification is to provide you with an opportunity to comment to the Mississippi Department of Environmental Quality Permit Board regarding the modification of coverage under the Multimedia Hot Mix Asphalt Facility General Permit.

This notice has been sent to you by Certified Mail-Return Receipt Requested. If you have no comments regarding this proposed permit modification, no response is necessary and the permitting process will continue. If you have any comments, they must be received by the Mississippi Department of Environmental Quality within 10 days of receipt. **The Department of Environmental Quality is limited in its review of this project to those environmental issues in which statutory authority has been given.** Any comments related to zoning or economic and social impacts are within the jurisdiction of local zoning and planning authorities and should be addressed to those authorities. Comments are to be mailed to the following address:

**Chief, Environmental Permits Division
Mississippi Department of Environmental Quality
P.O. Box 2261
Jackson, MS 39225**

Public Notice
Mississippi Environmental Quality Permit Board
P. O. Box 2261
Jackson, MS. 39225
Telephone No. 601 961-5171

To appear Friday, March 18th, 2022, in The Daily Corinthian

APAC-Mississippi, Inc. at 101 Riverview Drive in Richland, MS has applied to the Mississippi Department of Environmental Quality (MDEQ) for a modification under MDEQ's Multimedia Hot Mix Asphalt Facility General Permit MSR 70 for operation of its asphalt plant at 2700 Highway 72 East Glen, MS 38846. Such operation will involve the discharge of storm water and the operation of air emissions equipment during the operation of the facility.

General Permit MSR 70 has been developed to ensure compliance with all State and Federal regulations. Facilities granted coverage under this permit and adhering to the conditions contained therein should operate within State and Federal environmental laws and standards concerning storm water discharges and the operation of air emissions equipment.

The staff of the Mississippi Environmental Quality Permit Board is soliciting all relative information pertaining to the facility, including public comment, to ensure that the above referenced facility meets the eligibility requirements of the general permit. An important element of staff evaluation is public review and comment. The staff recommendation to the Board, as well as the Board decision, will be made only after a thorough consideration of all public comments.

Persons wishing to comment upon the proposed determinations are invited to submit comments in writing to the Chief, Environmental Permits Division at the Permit Board's address shown above, no later than thirty (30) days from the date of publication of this notice. All comments received by that date will be considered in the formulation of final determinations regarding the application. A public hearing will be held if the Permit Board finds a significant degree of public interest in the proposed project. The Permit Board is limited in the scope of its analysis to environmental impact. Any comments relative to zoning or economic and social impacts are within the jurisdiction of local zoning and planning authorities and should be addressed to those authorities.

A copy of the general permit is available on the Mississippi Department of Environmental Quality's website at <http://www.deq.state.ms.us/wp-content/uploads/2017/06/HMAFinalGeneralPermit.pdf> or by writing or calling the above Permit Board address and telephone number. This general permit is also available for review at the following locations during normal business hours.

Mississippi Department of Environmental Quality
Office of Pollution Control
515 East Amite Street
Jackson, MS 39201

Corinth Public Library
1023 N Fillmore Street
Corinth, MS 38834

Please bring the foregoing to the attention of persons who you know will be interested.

7020 2450 0000 4973 8115

U.S. Postal ServiceTM CERTIFIED MAIL[®] RECEIPT

Domestic Mail Only

For delivery information, visit our website at www.usps.com[®].

OFFICIAL USE

Certified Mail Fee

Extra Services & Fees (check box, add fee as appropriate)

<input type="checkbox"/> Return Receipt (hardcopy)	\$
<input type="checkbox"/> Return Receipt (electronic)	\$
<input type="checkbox"/> Certified Mail Restricted Delivery	\$
<input type="checkbox"/> Adult Signature Required	\$
<input type="checkbox"/> Adult Signature Restricted Delivery	\$

Postage

Total Postage and Fees

Sent to
Mr. Iver Vandiver

Street and Apt. No., or PO Box No.

315 CR 300
Glen, MS 38846

City, State, ZIP+4[®]

PS Form 3800, April 2015 PSN 7530-02-000-9047 See Reverse for Instructions

Postmark
Here

U.S. Postal ServiceTM MAIL[®] RECEIPT

For delivery information, visit our website at www.usps.com[®].

OFFICIAL USE

Extra Services & Fees (check box, add fee as appropriate)

<input type="checkbox"/> Return Receipt (hardcopy)	\$
<input type="checkbox"/> Return Receipt (electronic)	\$
<input type="checkbox"/> Certified Mail Restricted Delivery	\$
<input type="checkbox"/> Adult Signature Required	\$
<input type="checkbox"/> Adult Signature Restricted Delivery	\$

Postmark
Here

Vandiver
88
8846

PS Form 3800, April 2015 PSN 7530-02-000-9047 See Reverse for Instructions

SENDER: COMPLETE THIS SECTION

- Complete items 1, 2, and 3.
- Print your name and address on the reverse so that we can return the card to you.
- Attach this card to the back of the mailpiece, or on the front if space permits.

1. Article Addressed to:

Mr. Iver Vandiver
315 CR 300
Glen, MS 38846



9590 9402 6289 0274 1077 07

2 7020 2450 0000 4973 8115

COMPLETE THIS SECTION ON DELIVERY

A. Signature

X

- ☐ Agent
☐ Addressee

B. Received by (Printed Name)

C. Date of Delivery

D. Is delivery address different from item 1? ☐ Yes
If YES, enter delivery address below: ☐ No

3. Service Type

- | | |
|--|--|
| <input type="checkbox"/> Adult Signature | <input type="checkbox"/> Priority Mail Express [®] |
| <input type="checkbox"/> Adult Signature Restricted Delivery | <input type="checkbox"/> Registered Mail TM |
| <input checked="" type="checkbox"/> Certified Mail [®] | <input type="checkbox"/> Registered Mail Restricted Delivery |
| <input type="checkbox"/> Certified Mail Restricted Delivery | <input checked="" type="checkbox"/> Signature Confirmation TM |
| <input type="checkbox"/> Collect on Delivery | <input type="checkbox"/> Signature Confirmation Restricted Delivery |
| <input type="checkbox"/> Collect on Delivery Restricted Delivery | |

☐ Restricted Delivery

PS Form 3811, July 2020 PSN 7530-02-000-9053

Domestic Return Receipt



[FAQs >](#)

[Track Another Package +](#)

Tracking Number: 70202450000049738115

[Remove X](#)

Status Not Available

The tracking number may be incorrect or the status update is not yet available. Please verify your tracking number and try again later.

Can't find what you're looking for?

Go to our [FAQs](#) section to find answers to your tracking questions.

[FAQs](#)

PORTABLE SELF-ERECTING 750 BBL FILLER SILO
as per the following specifications:

1 DA-750 750 BBL Dry (Flyash) Additive System

The 750 bbl dry additive silo is designed for use with drum mix plants and can be used to store numerous additives such as hydrated lime, mineral filler, baghouse fines, granulated rubber, and others. Features include a 4" diameter fill line, loading receiver, 4" weatherproof vent, an 18" inspection port and high-low bin indicators. The silo spool is constructed with 3/16", A-36 steel, and the cone is constructed with 1/4" thick, A-36 steel plate. The cone has a 10" round discharge opening with manual shut-off valve to interrupt material flow. The 60° cone and a 2 HP aeration blower system contribute to excellent material flow from the bin. The blower package includes blower, 2 HP 1800 RPM motor, v-belt drive, filter silencer, pressure relief valve, curves boot, eight (8) aerators, and 3/8" aerator tubing. The blower with drive is factory mounted on a small steel frame base. The silo is 11'-8" diameter.

Includes

- 1 OF.01 Ladder with harness and handrails atop silo
- 1 OF.05 Self-erect portability (Portable frame with running gear)
- 1 OF.07 Jet vent baghouse; 24 bag vent
- 1 OF.12 Mass flow weighing system (over 200 TPH)
- 1 OF.13SP 14" diameter x 24' dust auger
- 1 EQ.04 PM- Electrical in power panel, cables
- 1 EQ.05 Jet vent baghouse electrical
- 1 EQ.10A PM 24' Dust auger electrical in power center, cables
- 1 EQ.16A PM Mass flow electrical in power center, cables

Notes:

The weight will be 50 cu.ft. and the airlock will be 14" with a VFD drive. Cables are included from the Astec panel to the new components. The customer is responsible for incoming power and control wiring to our panel.

Net Price, FCA Astec, Inc. Factory:

THE