

AI: WWS



RECEIVED
JAN 17 2023
MDEQ

INDUSTRIAL STORMWATER GENERAL PERMIT RE-COVERAGE FORM

FOR COVERAGE UNDER MISSISSIPPI'S REISSUED
INDUSTRIAL STORMWATER GENERAL PERMIT MSR00
GENERAL NPDES COVERAGE NO. MSR00 0 0 0 9

INSTRUCTIONS

The submittal of this form is required to receive coverage under the reissued Industrial Stormwater General Permit. This form must be completed and returned to the address printed at the bottom of page 2.

The signatory of this form must be the owner or operator who is the current coverage recipient (rather than the plant/site manager or environmental consultant). The coverage recipient is responsible for permit compliance.

Amendments to the Storm Water Pollution Prevention Plan (SWPPP) are required to be attached if the plan is not current or is ineffective in controlling storm water pollutants.

If the facility is out of business or no longer a regulated facility, please request termination of coverage by completing the Request for Termination (RFT) Form found in the Industrial Stormwater Forms Package. Facilities that continue to discharge wastewater without applicable permit coverage are in violation of state law.

Do not submit this form if submitting a "Request for Termination" (RFT).

Do not submit this form if submitting a "No Exposure Certification."

ALL INFORMATION MUST BE COMPLETED (Enter "NA" if not applicable).

COVERAGE RECIPIENT INFORMATION

CONTACT NAME & POSITION: Jamie Holder
EMAIL ADDRESS: holder.jamie@anelcorp.com
COMPANY NAME: Anel Corporation
STREET OR P.O. BOX: P.O. Box 600
CITY: Winona STATE: Mississippi ZIP: 38967
PHONE NUMBER (INCLUDE AREA CODE): 662-283-1540

FACILITY INFORMATION

FACILITY NAME: Anel Corporation
CONTACT NAME & POSITION: Kathryn Jordan, Product Engineer

CONTACT PHONE NUMBER (INCLUDE AREA CODE): 662-283-1540

PRIMARY STANDARD INDUSTRIAL CLASSIFICATION (SIC) CODE & DESCRIPTION OF INDUSTRIAL ACTIVITY:
MSR000009

DC

PHYSICAL SITE ADDRESS

STREET: 3244 Highway 51

CITY: Winona

COUNTY: Carroll

ZIP: 38967

PROVIDE THE COORDINATES OF THE PLANT ENTRANCE:

LATITUDE: 33 degrees 24 minutes 836 seconds

LONGITUDE: 89 degrees 45 minutes 451 seconds

NEAREST NAMED RECEIVING STREAM FOR STORM WATER LEAVING THE SITE: Hayes Creek

IS RECEIVING STREAM ON MDEQ's 303(d) LIST?

YES

NO

IF YES, HAS A TMDL BEEN ESTABLISHED FOR THE RECEIVING STREAM SEGMENT?

YES

NO

STORM WATER POLLUTION PREVENTION PLAN (SWPPP)

IS A COPY OF THE SWPPP AT THE PERMITTED SITE?

YES

NO

IS THE SWPPP UP-TO-DATE AND EFFECTIVE IN CONTROLLING STORM WATER POLLUTANTS?

YES

NO

IF NO, PLEASE ATTACH REQUIRED SWPPP AMENDMENTS (see Instructions on front page).

AUTO SALVAGE FACILITIES ONLY

FOR AUTO SALVAGE FACILITIES, A REVISED SWPPP TO COMPLY WITH THE NEW PERMIT MUST BE SUBMITTED TO MDEQ NO LATER THAN JANUARY 31, 2022.

DOES THE SWPPP REQUIRE CHANGES TO COMPLY WITH THE NEW PERMIT?

YES

NO

IS A REVISED COPY OF THE SWPPP ATTACHED?

YES

NO

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fines and imprisonment for knowing violations.

I further certify that I understand when coverage is terminated the facility is no longer authorized to discharge storm water associated with industrial activity under this general permit. I understand that discharging pollutants in storm water associated with industrial activity to waters of the state without NPDES coverage is in violation of state law.


Signature¹

1/12/2023
Date

Bryan Marshall
Printed Name¹

General Manager
Title

¹This form shall be signed according to ACT16, T-9 of the General Permit, as follows:

- For a corporation, by a responsible corporate officer.
- For a partnership, by a general partner.
- For a sole proprietorship, by the proprietor.
- For a municipal, state or other public facility, by principal executive officer, mayor, or ranking elected official.

After signing please mail to: Chief, Environmental Permits Division,
MS Department of Environmental Quality, Office of Pollution Control
P.O. Box 2261
Jackson, Mississippi 39225

January 10, 2023

Chief Environmental Compliance and Enforcement Division
Mississippi Department of Environmental Quality
Office of Pollution Control
Post Office Box 2261
Jackson, Mississippi 39225


Re: Baseline Storm Water General NPDES Permit Number MSR000009
Annual Comprehensive Site Inspection and SWPPP Evaluation Report Form

Dear Sir/Madam:

The attached documents are being submitted by Anel Corporation to comply with reporting requirements of NPDES Permit No. MSR000009. The annual report, along with a copy of the annual inspection and corrective actions taken is enclosed.

You may contact me at (662) 283-1540 with any questions or request for any additional information.

Sincerely,



Kathryn Jordan
Product Engineer/Environmental Manager

Cc: Bryan Marshall

