



REV

MISSISSIPPI ASBESTOS DEMOLITION/RENOVATION NOTIFICATION FORM

Mail notification to: **MDEQ Asbestos and Lead Branch, 515 E. Amite Street, Jackson, MS 39201**

MDEQ Use Only: <input checked="" type="checkbox"/> Email <input type="checkbox"/> Mail <input type="checkbox"/> Hand Delivery		Postmark (mail only)		Date Received 05/10/24 & 05/13/24		AI Number		
I. Type of Notification (O=Original R=Revised C=Canceled A= Annual) R								
II. TYPE OF OPERATION (D=Demo O= Ordered Demo R=Renovation E=Emer. Renovation) partial demo								
III. FACILITY DESCRIPTION (Include building name, number and floor or room number) Church of Restoration/ Education building								
Bldg. Name: education building between church & gym								
Address: 2650 belvedere dr								
City: Jackson			State: MS		Zip: 39212		County: hinds	
Site Location: sanctuary, kitchen, dining area					Tel: 769 572 7833			
Building Size: approx 3,600 sq ft			# of Floors: 1		Age in Years: 50+			
Present Use: vacant			Prior Use: church					
IV. FACILITY INFORMATION (Identify owner, asbestos removal contractor, and other operator)								
OWNER NAME: New Horizon Church								
Address: 1750 ellis ave # 200								
City: Jackson			State: ms		Zip: 39204			
Contact: Ronnie Crudup Jr					Tel: 601953-3276			
ASBESTOS REMOVAL CONTRACTOR: Forrest Construction LLC								
Address: 591 Raymond rd								
City: Jackson			State: ms		Zip: 39204			
Contact: Darius Forrest					Tel: 601720-5684			
Certification Number: Abc-00008477					Expiration Date: 7/8/24			
OTHER OPERATOR: Socrates Garrett Enterprises								
Address: 2659 livingston rd								
City: Jackson			State: ms		Zip: 39213			
Contact: socrates garrett					Tel: 6018960084			
V. WAS SITE INSPECTED TO DETERMINE PRESENCE OF ASBESTOS? (Yes/No): yes								
WAS ASBESTOS PRESENT? (Yes/No): yes					Inspection Date: 5/2/24			
Inspector: Rosie R Jackson			Certification Number: ABI-00011405			Expiration Date: 4/27/24		
VI. SUSPECT MATERIALS SAMPLED AND PROCEDURES USED TO DETECT THE PRESENCE OF ASBESTOS MATERIAL: lab tests, pcm technique, plm technique, floor tile, mastic, linoleum flooring								
VII. QUANTITY OF RACM TO BE REMOVED: interior floor tile mastic, linoleum flooring, sanctuary, kitchen, dining area								
Pipes (LN FT):			Surface Area (SQ FT): 3,600			Volume of Facility Components (CU FT):		
VIII. QUANTITY OF NONFRIABLE ASBESTOS NOT REMOVED:								
Category I: X					Category II:			
IX. SCHEDULED DATES ASBESTOS REMOVAL (MM/DD/YY) Start: 5/20/24					Complete: 7/20/24			
X. SCHEDULED DATES DEMO/RENOVATION (MM/DD/YY) Start: 7/20/24					Complete: 9/20/24			

XI. DESCRIPTION OF PLANNED DEMOLITION OR RENOVATION WORK, AND METHOD(S) TO BE USED: utility knife, razor scraper, spray bottle, poly sheeting, waste bags, personal protective, negation air machine		
XII. DESCRIPTION OF WORK PRACTICES AND ENGINEERING CONTROLS TO BE USED TO PREVENT EMISSIONS OF ASBESTOS AT THE DEMOLITION OR RENOVATION SITE: poly doors, windows, build an containment		
XIII. WASTE TRANSPORTER #1		
Name: <u>forrest construction llc</u>		
Address: <u>591 Raymond rd</u>		
City: <u>Jackson</u>	State: <u>ms</u>	Zip: <u>39204</u>
Contact Person: <u>Darius Forrest</u>		Tel: <u>6017205684</u>
WASTE TRANSPORTER #2		
Name: _____		
Address: _____		
City: _____	State: _____	Zip: _____
Contact Person: _____		Tel: _____
XIV. WASTE DISPOSAL SITE		
Name: <u>Clearview landfill</u>		
Address: <u>2253 mudline road lake</u>		
City: <u>lake</u>	State: <u>ms</u>	Zip: <u>39092</u>
Contact Person: <u>none specific person</u>		Tel: <u>6015363240</u>
XV. IF DEMOLITION ORDERED BY A GOVERNMENT AGENCY, PLEASE IDENTIFY THE AGENCY BELOW:		
Name: _____		Title: _____
Authority: _____		
Date of Order (MM/DD/YY): _____		Date Ordered to Begin (MM/DD/YY): _____
XVI. FOR EMERGENCY RENOVATIONS:		
Date and Hour of Emergency (MM/DD/YY): _____		
Description of the sudden unexpected event: <div style="text-align: center;">call MDEQ</div>		
Explanation of how the event caused unsafe conditions or would cause equipment damage or an unreasonable financial burden: 		
XVII. DESCRIPTION OF PROCEDURES TO BE FOLLOWED IN THE EVENT THAT UNEXPECTED ASBESTOS IS FOUND OR PREVIOUSLY NONFRIABLE ASBESTOS MATERIAL BECOMES CRUMBLED, PULVERIZED, OR REDUCED TO POWDER: call MDEQ		
XVIII. I CERTIFY THAT AN INDIVIDUAL TRAINED IN THE PROVISIONS OF THIS REGULATION (40 CFR PART 61, SUBPART M) WILL BE ONSITE DURING THE DEMOLITION OR RENOVATION, AND EVIDENCE THAT THE REQUIRED TRAINING HAS BEEN ACCOMPLISHED BY THIS PERSON WILL BE AVAILABLE FOR INSPECTION DURING NORMAL BUSINESS HOURS.		
<u>Darius Forrest</u> <small>Type or Print Name</small>	 <small>(Signature of Owner/Operator)</small>	<u>5/13/24</u> <small>(Date)</small>
XIX. I CERTIFY THAT THE ABOVE INFORMATION IS CORRECT:		
<u>Darius Forrest</u> <small>Type or Print Name</small>	 <small>(Signature of Owner/Operator)</small>	<u>5/13/24</u> <small>(Date)</small>



J & R ENVIRONMENTAL, LLC

May 4, 2024

J&R Environmental, LLC
P.O. Box 112
York, AL 36925
Email: rjacks898990@yahoo.com
PH: 334-830-0042

RE: Asbestos Survey and Assessment
New Horizon Church
2650 Belvedera Dr.
Jackson, MS

To Whom It May Concern:

We conducted a site inspection of the above referenced facilities on March 26, 2024. This Asbestos-Containing Material (ACM) survey and assessment was performed to identify and assess the condition of suspect building materials. The inspection included the collection and analysis of suspect components.

Following our site inspection, sample collection activity, and laboratory analysis, three (3) suspect materials were identified as ACM. This conclusion is based on the Environmental Protection Agency's (EPA) definition of an ACM as material composed of "...greater than 1% asbestos. The ACMs identified are: The floor tile, linoleum and the black mastic..


Considering these findings, NESHAP Regulations 40 CFR 61, Subpart M, requires the removal of ACMs before any renovation or demolition takes place that will disturb those materials and render them friable. Therefore, any future expansion, demolition, or renovation activities at the facility that would impact any of these ACMs should follow the NESHAP regulations. A renovation project of this type will also require a written notification to be submitted to the Mississippi Department of Environmental Management (MDEQ) ten (10) days prior to the beginning of the project.

Please find attached a report of findings that includes information regarding the asbestos containing material. Should you have any questions concerning this report, please contact me.

Sincerely

Rosie Jackson

Cert #: ABI-00011405



Safety Environmental Laboratories and Consulting, Inc.

SELC

Asbestos Bulk Sample Analysis Report

989 Yeager Pkwy.
Pelham, AL 35124

Phone: (205) 823-6200
Fax: (205) 823-9066



Customer: J&R Environmental LLC

P.O. Box 112
York, AL 36925

Telephone: 205-392-9308

Fax: 205-392-9309

Project Number: None Given

Project Name: New Horizon Church

Project Location: 2650 Belvedere Dr. Jackson, MS

SELC Project #: 2024-0971

Analysis: Asbestos Identification in Bulk Materials by Polarized Light Microscopy

Methods: EPA - Appendix E to Subpart E of 40 CFR Part 763, EPA Method 600/R-93/116

Note: See Attached Notes and Descriptions Sheet for Applicable Abbreviations and Notes

Sample Receipt Date: 05/02/2024

Sample Analysis Date: 05/02/2024

Sample Report Date: 05/02/2024

Customer Sample No.	Lab Sample No.	Sub-sample No.	Layer No.	Sample Location / Description	Homogeneous (yes/no)	Asbestos % and Type	% Non-Asbestos Fibers	% Non-Fibrous Material
1	1	N/A		Ceiling Tile				
			1	Ceiling Tile - Off-white, Soft, Fibrous	Y	None Detected	65% Mineral Wool	35%
			2	Backing - Light Brown, Fibrous	Y	None Detected	95% Cellulose Fibers	5%
2	2	N/A		Office Floor Tile				
			1	Floor Tile - Turquoise, Resinously Bound	Y	None Detected	None Detected	100%
			2	Mastic - Yellow, Soft, Brittle	Y	None Detected	3% Cellulose Fibers	97%
3	3	N/A		Hallway Tile				
			1	Floor Tile - Turquoise, Resinously Bound	Y	None Detected	None Detected	100%
			2	Mastic - Yellow, Soft	Y	None Detected	3% Synthetic Fibers 2% Cellulose Fibers	95%
4	4	N/A		Floor Tile (1 st Room to Left)				
			1	Floor Tile - Light Gray, Resinously Bound	Y	None Detected	None Detected	100%
			2	Mastic - Black, Bituminous	Y	4% Chrysotile	None Detected	96%

Template-QMS-012 ver. 1.7

Carly Glidewell

Aubrey Taylor

Christy McKee

Analyst

Carly Glidewell - Technical Manager

Technical Review

Aubrey Taylor - Laboratory Analyst

Quality Review

Christy McKee - Laboratory Director



Safety Environmental Laboratories and Consulting, Inc.

Asbestos Bulk Sample Analysis Report

989 Yeager Pkwy.
Pelham, AL 35124

Phone: (205) 823-6200
Fax: (205) 823-9066

TESTING
LAB CODE: 200873-0



Customer: J&R Environmental LLC

P.O. Box 112
York, AL 36925

Telephone: 205-392-9308

Fax: 205-392-9309

Project Number:

None Given

Project Name:

New Horizon Church

Project Location:

2650 Belvedere Dr. Jackson, MS

SELIC Project #: 2024-0971

Analysis: Asbestos Identification in Bulk Materials by Polarized Light Microscopy
Methods: EPA - Appendix E to Subpart E of 40 CFR Part 763, EPA Method 600/R-93/116
Note: See Attached Notes and Descriptions Sheet for Applicable Abbreviations and Notes

Customer Sample No.	Lab Sample No.	Sub-sample No.	Layer No.	Sample Location / Description	Homo-geneous (yes/no)	Asbestos % and Type	% Non-Asbestos Fibers	% Non-Fibrous Material
5	5	N/A		Floor Tile (Back Closet)				
			1	Floor Tile - Cream, Resinously Bound	Y	3% Chrysotile	None Detected	97%
			2	Mastic - Black, Bituminous	Y	3% Chrysotile	None Detected	97%
6	6	N/A	1	Office Floor (Linoleum) Sheet Flooring - Gray/Brown, Resinously Bound, Fibrous	Y	None Detected	5% Fiberglass 3% Cellulose Fibers	92%
7	7	N/A	1	Bathroom Floor (Linoleum) Sheet Flooring/Mastic - Tan/Gray/Cream, Resinously Bound, Fibrous	N	20% Chrysotile	None Detected	80%

☒ This report is FINAL ☐ This report is PRELIMINARY - pending final QC

Template-QMS-012 ver. 1.7

Page 2 of 3

Analyst


Carly Gildewell - Technical Manager

Technical Review

Aubrey Taylor - Laboratory Analyst

Quality Review

Christy McKee - Laboratory Director



Safety Environmental Laboratories and Consulting, Inc.

SELC

Asbestos Bulk Sample Analysis Report

989 Yeager Pkwy.
Pelham, AL 35124

Phone: (205) 823-6200
Fax: (205) 823-9066

TESTING
LAB CODE: 200873-0

NVLAP®

LM Notes and Descriptions

1. Upper detection limit: 100%. Lower detection limit: <1%.
2. Bulk Samples will be stored for 3 months and will then be disposed of in an approved EPA landfill.
3. Analysis of floor tile or any other resinously bound materials by polarized light microscopy (PLM) using EPA – Appendix E to Subpart E of 40 CFR Part 763, EPA Method 600/R-93/116 may yield false-negative results because of method limitations in separating closely bound fibers from matrix material and in detecting fibers of small length and/or diameter. When analysis of such materials by the EPA PLM Method yields negative results for the presence of asbestos we recommend utilizing alternative methods of identification such as Gravimetry, XRD or AEM.
4. Analysis of vermiculite samples by polarized light microscopy (PLM) using EPA – Appendix E to Subpart E of 40 CFR Part 763, EPA Method 600/R-93/116 may yield false-negative results because of method limitations in separating particulate materials from the vermiculite as well as limitations in detecting fibers of small length and/or diameter. It is recommended that vermiculite samples identified as negative be analyzed further by alternative methods such as the Cincinnati method.
5. Samples are not homogenized by SELC prior to analysis. Distinct material layers within a sample are analyzed and reported separately by SELC. When multiple products are submitted by the customer under one sample number, SELC indicates those distinct products as sub-samples. SELC retains all samples numbers but will designate a sample number to those that are not given a sample number by the customer.
6. Percentages given are based on a visual estimated calibration.
7. Safety Environmental Laboratories and Consulting, Inc. is a NVLAP accredited laboratory, Lab Code: 200873-0 (SO/IEC Standard 17025:2017 Compliant).
8. All tests were performed under the scope of SELC's NVLAP accreditation, unless indicated otherwise.
9. All samples were tested in the condition received ("Good", unless otherwise noted).
10. This report must not be used to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the Federal Government.
11. Analysis performed using a Leica DM750P Polarized Light Microscope.
12. These results only apply to samples tested with customer provided information. Please see attached Chain of Custody.

Template-QMS-012 ver. 1.7

Carly Glidewell

Aubrey Taylor

Christy McKee

Page 3 of 3

Analyst

Carly Glidewell – Technical Manager

Technical Review

Aubrey Taylor – Laboratory Analyst

Quality Review

Christy McKee – Laboratory Director

State of Mississippi

*Department of Environmental Quality
Office of Pollution Control*

Certificate of Licensure


In accordance with the Asbestos Abatement Accreditation and Certification Act,
Enacted as 1989 Mississippi Law, Chapter 505

Be it known that

Rosie R Jackson

Having submitted acceptable evidence of qualifications and
training and other appropriate information, is hereby granted this

***Asbestos Air Monitor
Certification***



Chief, Asbestos & Lead Branch

*Certificate No.: ABM-00011299
Expiration Date: Dec 14th, 2024
Training Expires on Dec 14th, 2024*

81089 LIC20240001

State of Mississippi

*Department of Environmental Quality
Office of Pollution Control*

Certificate of Licensure


In accordance with the Asbestos Abatement Accreditation and Certification Act,
Enacted as 1989 Mississippi Law, Chapter 505

Be it known that

Rosie R Jackson

Having submitted acceptable evidence of qualifications and
training and other appropriate information, is hereby granted this

***Asbestos Inspector
Certification***



*Certificate No.: ABI-00011405
Expiration Date: Apr 27th, 2024
Training Expires on Apr 27th, 2024*

Chief, Asbestos & Lead Branch

81089 LIC20240002

