



April 28, 2025

Chief, Environmental Permits Division
MS Department of Environmental Quality, Office of Pollution Control
P.O. Box 2261
Jackson, Mississippi 39225
nois@mdeq.ms.gov

Amazon.com Services LLC – JAN1
219 Madison County Parkway
Canton, Mississippi 39046

RE: Major Modification Form for Industrial Stormwater General Permit

Amazon.com Services, LLC – JAN1, Permit MSR002454.

To Whom It May Concern,

Several modifications were made at Amazon.com Services LLC – JAN1, Permit No. MSR002454, to better reflect stormwater discharges.

The Facility Operator is Vimal Vijaykumar, Business Environmental Leader – First Mile.

Outfall ID	Outfall Latitude / Longitude	Modification
Outfall 001	N/A	Removed
Outfall 004	N/A	Removed
Outfall 005	32.597091, -90.100235	Added on the central-east property boundary.
Outfall 006	32.595207, -90.106018	Added north of former Outfall 001.
Outfall 007	32.593815, -90.100808	Added west of former Outfall 004.

Please refer to the attached Major Modification Form and the updated Stormwater Pollution Prevention Plan (SWPPP) for additional details.

Please contact Amazon.com Services, LLC at (800) 575-0171 or amazon-eap-northamerica@amazon.com if you have any questions.

Sincerely
Apex Companies, LLC

**MAJOR MODIFICATION FORM
FOR INDUSTRIAL STORMWATER GENERAL PERMIT**
Coverage No. MSR00²⁴⁵⁴ County Madison



INSTRUCTIONS

Coverage recipients shall notify the Mississippi Department of Environmental Quality at least 30 days in advance of the following activities (check all that apply). This form should be submitted with a modified Storm Water Pollution Prevention Plan (SWPPP), updated USGS topographic map, Corps of Engineers Section 404 documentation and wastewater collection and treatment information, as appropriate.

- ☐ Facility operations are proposed to change.
- ☐ "Footprint" identified in the original ISNOI is proposed to be enlarged.
- ☒ Stormwater Quality BMPs are proposed to be modified.

This form must be signed by the current coverage recipient under Mississippi's Industrial Stormwater General Permit, an attached SWPPP must be included, and documentation of the changes compared to the previous approved SWPPP are attached.

Coverage recipients are authorized to discharge storm water associated with proposed new operations, additional areas of activity, or modified BMPs, under the conditions of the General Permit, only upon receipt of written notification of approval by MDEQ. All other modifications must be in accordance with ACT9, S-1 (6) and S-2 (7) of the General Permit.

ALL INFORMATION MUST BE COMPLETED (indicate "N/A" where not applicable)

COVERAGE RECIPIENT INFORMATION

COVERAGE RECIPIENT CONTACT NAME: Vimal Vijaykumar TEL # 800) 575-0171

COMPANY NAME: Amazon.com Services, LLC - JAN1

STREET OR P.O. BOX: P.O. Box 80842


CITY: Seattle STATE: WA ZIP: 98108 E-MAIL: amazon-eap-northamerica@amazon.com

PROJECT INFORMATION

PROJECT NAME: Amazon.com Services, LLC - JAN1

CITY: Canton

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.



Signature (must be signed by coverage recipient)

4/28/2025

Date

Vimal Vijaykumar

Printed Name

Business Environmental Leader-First Mile

Title

Please submit this form to:

Chief, Environmental Permits Division
MS Department of Environmental Quality, Office of Pollution Control
P.O. Box 2261
Jackson, Mississippi 39225

O.C