



MISSISSIPPI DEPARTMENT OF  
ENVIRONMENTAL QUALITY

RECEIVED  
MAR 12 2021

MDEQ

**MINING NOTICE OF INTENT (MNOI)  
FOR COVERAGE UNDER  
MINING STORM WATER, DEWATERING AND NO DISCHARGE  
GENERAL PERMIT MSR32 2801  
(Number to be assigned by State)**

File at least 30 days prior to the commencement of mining; 15 days if a Storm Water Pollution Prevention Plan (SWPPP) is already on file and mine dewatering is not proposed. Lateral expansion of an existing mine that has general permit coverage requires the submittal of the Major Modification Form, not a new MNOI. However, modification of the existing SWPPP to include the expansion is required. Discharge of storm water or impounded water associated with mining or the operation of a wastewater recirculation system with no discharge without written notification of coverage from MDEQ is a violation of State Law.

If the company seeking coverage is a corporation, a limited liability company, a partnership, or a business trust, attach proof of its registration with the Mississippi Secretary of State and/or its Certificate of Good Standing. This registration or Certificate of Good Standing must be dated within twelve (12) months of the date of the submittal of this coverage form. Coverage will be issued in the company name as it is registered with the Mississippi Secretary of State.

Please indicate the activities to be covered by this MNOI (check all that apply).

- ☒ Storm Water Discharges Associated with Mining      ☐ Mine Dewatering  
☐ Wastewater Recirculation System with No Discharge

The appropriate section of the MNOI must be completed if the applicant proposes to discharge storm water, discharge impounded mine water (dewatering) and/or operate a wastewater recirculation system with no discharge.

A site-specific Storm Water Pollution Prevention Plan (SWPPP) developed in accordance with ACT5 of the General Permit and a United States Geological Survey (USGS) quadrangle map or photocopy, indicating the site location and outfalls must be included with the MNOI submittal. The name of the quadrangle map must be shown on all copies. Quadrangle maps can be obtained from the MDEQ, Office of Geology at 601-961-5523. Additional submittals may include the following (check all that apply).

- ☐ Section 404 Documentation      ☐ Notice of Exempt Operations Form  
☐ Dam/Reservoir Safety Permit or Written Authorization

**ALL INFORMATION MUST BE COMPLETED (indicate "N/A" where not applicable)**

MSR32 2881

(NUMBER TO BE ASSIGNED BY STATE)

APPLICANT IS THE: ☒ OWNER ☒ OPERATOR

**OWNER CONTACT INFORMATION**

OWNER CONTACT PERSON: Greg Prine  
OWNER COMPANY LEGAL NAME: Prine Properties, LLC  
OWNER STREET OR P. O. BOX: 60 Dyess Circle  
OWNER CITY: Columbia STATE: MS ZIP: 39429  
OWNER PHONE #: (601) 441-6246 OWNER EMAIL: gregprine@bellsouth.net

**OPERATOR CONTACT INFORMATION**

OPERATOR CONTACT PERSON: Greg Prine  
OPERATOR COMPANY LEGAL NAME: Prine Properties, LLC  
OPERATOR STREET OR P. O. BOX: 60 Dyess Circle  
OPERATOR CITY: Columbia STATE: MS ZIP: 39429  
OPERATOR PHONE #: (601) 441-6246 OPERATOR EMAIL: gregprine@bellsouth.net

**MINE INFORMATION**

MINE NAME: Airport Road Mine  
MINE SITE ADDRESS (If the physical address is not available, please indicate nearest named road.)  
Street: Airport Road  
City: Prentiss State: MS County: Jefferson Davis Zip: 39474  
NW        /4 OF SE        /4 OF SECTION 4 , TOWNSHIP 7-N , RANGE 19-W  
MINE SITE TRIBAL LAND ID (N/A If not applicable): N/A  
ATTACH A USGS QUAD MAP, EXTENDING ½ MILE BEYOND FACILITY, OUTLINING THE MINE BOUNDARIES  
(Maps can be obtained from the Mississippi Office of Geology. For information call 601-961-5523).  
LATITUDE: 31 degrees 35 minutes 58 seconds LONGITUDE: 89 degrees 54 minutes 40 seconds  
LAT & LONG DATA SOURCE (GPS (Please GPS Entrance Gate) or Map Interpolation): www.latlong.net  
TOTAL ACREAGE: 4 MATERIAL TO BE MINED: Clay Gravel  
WILL HYDRAULIC DREDGING BE USED? ☐ YES ☒ NO  
WASHING OF SAND/GRAVEL? ☐ YES ☒ NO

SIC CODE \_\_\_\_\_

NAICS CODE \_\_\_\_\_

**NEAREST NAMED RECEIVING STREAM:** Dry Creek

**IS RECEIVING STREAM ON MISSISSIPPI'S 303(D) LIST OF IMPAIRED WATER BODIES?** (The 303(d) list of impaired waters and TMDL stream segments may be found of MDEQ's website: [http://www.deq.state.ms.us/MDEQ.nsf/page/TWB\\_Total\\_Maximum\\_Daily\\_Load\\_Section](http://www.deq.state.ms.us/MDEQ.nsf/page/TWB_Total_Maximum_Daily_Load_Section)) ☐ YES ☒ NO

**HAS A TMDL BEEN ESTABLISHED FOR THE RECEIVING STREAM SEGMENT?** ☐ YES ☒ NO

ATTACH A STORM WATER POLLUTION PREVENTION PLAN (SEE PERMIT FOR REQUIREMENTS)

IDENTIFY THE ASSOCIATION OR GENERIC SWPPP ON FILE AT MDEQ: See Attached.

**DISTANCE BETWEEN RECIRCULATION POND(S) AND PROPERTY LINE:** NA (FT)  
(MUST BE AT LEAST 150 FEET)

**NUMBER OF RECIRCULATION POND(S):** 0

**STORAGE CAPACITY OF EACH RECIRCULATION POND(S):** NA (FT<sup>3</sup>)

ESTIMATED DEWATERING VOLUME: NA (GAL/DAY)

NAME AND ADDRESS OF THE RECIPIENT OF THE DISCHARGE MONITORING REPORTS (DMRs), IF DIFFERENT FROM SIGNATORY: \_\_\_\_\_

\_\_\_\_\_

**DOCUMENTATION OF COMPLIANCE WITH OTHER REGULATIONS/REQUIREMENTS**  
Coverage under this general permit will not be granted until all other required MDEQ permits and approvals are addressed.

WILL THE CONSTRUCTION OR OPERATION OF THIS MINE INVOLVE THE RE-ROUTING, FILLING OR CROSSING OF A WATER CONVEYANCE OF ANY KIND? ☐ YES ☒ NO

If yes, contact the U.S. Army Corps of Engineers' Regulatory Branch for permitting requirements. If the mine requires a Corps of Engineers Section 404 permit, provide appropriate documentation with this MNOI that:

- The mine has been approved by individual permit, or
- The work will be covered by a nationwide permit and NO NOTIFICATION to the Corps is required, or
- The work will be covered by a nationwide or general permit and NOTIFICATION to the Corps is required.

LIST ANY NPDES PERMIT NO(s). \_\_\_\_\_ GEOLOGY APPLICATION/PERMIT NO. \_\_\_\_\_

LIST OTHER GEOLOGY PERMIT NUMBERS THAT APPLY TO COVERAGE AREA \_\_\_\_\_

IS THE MINE LESS THAN 4 ACRES AND GREATER THAN 1320 FEET FROM ANOTHER MINE?

- ☒ YES A "Notice of Exempt Operations" Form must be included with the MNOI or proof of prior submission, if previously submitted to the Office of Geology.
- ☐ NO A "Notice of Intent to Mine Class I or Class II Materials" Form must be filed before coverage will be granted under the Mining General Permit. For information on Office of Geology requirements, call 601-961-5515.

LIST ANY LOCAL STORM WATER ORDINANCES WITH WHICH THE OPERATIONS MUST COMPLY AND SUBMIT ANY

ASSOCIATED APPROVAL DOCUMENTATION. \_\_\_\_\_

IF IMPOUNDMENTS WILL BE CONSTRUCTED ABOVE NATURAL SURFACE ELEVATIONS, INDICATE WHICH, IF ANY, OF THE FOLLOWING APPLY.

- ☐ The impoundment will be constructed with a peripheral dam or levee 8 feet or greater in height, measured from the lowest elevation of its toe.
- ☐ The impoundment will have a maximum storage volume greater than 25 acre-feet.
- ☐ The impoundment will impound a watercourse with a continuous flow.
- ☐ The impoundment has the potential to threaten downstream lives or man-made structures.

If any of the impoundments meet any of the above criteria, the applicant will be required to obtain written authorization from MDEQ, Dam Safety Division before coverage will be granted under the Mining General Permit.

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

  
Authorized Signature<sup>1</sup>

3/9/21

Date

Greg Prine

Owner

Printed Name

Title

<sup>1</sup>This application shall be signed according to the General Permit, Act 15, T-4 as follows:

- For a corporation, by a responsible corporate officer.
- For a partnership, by a general partner.
- For a sole proprietorship, by the proprietor.
- For a municipal, state or other public facility, by either a principal executive officer, the mayor, or ranking elected official.
- Duly Authorized Representative

Please submit this form to: Chief, Environmental Permits Division  
MDEQ, Office of Pollution Control  
P.O. Box 2261  
Jackson, Mississippi 39225

**Prine Properties, LLC  
Airport Road Mine  
Storm Water Pollution Prevention Plan**

This location generally slopes toward the Northwest corner of the Pit. We intend to install silt fence along the boundary of the pit where a small amount of storm water may exit the location. The majority of the storm water runoff will be directed into a detention basin located at the northwest side of the pit. The water collected in the detention basin will be collected by a faircloth skimmer that intakes the water from the surface and will allow the sediment to settle to the bottom of the detention basin. Maintenance will be done on the silt fence when the sediment reaches  $\frac{1}{3}$  to  $\frac{1}{2}$  the height of the silt fence. Also, Maintenance of the detention basin will be done when sediment begins to accumulate and can be removed when the basin is dry by an excavator. When disturbed area not actively being mined will be left undisturbed for 30 days or more, the appropriate temporary or permanent vegetative practices shall be implemented within seven (7) calendar days. A construction exit will be constructed of large opened grade stone at the end of the pit entrance road adjacent to the paved main road. Procedures shall provide that all erosion controls and outfalls/discharge points are inspected a minimum of once per month and after rain events in accordance with ACT7, S-1.

A sediment basin will be constructed to control out flow of rain water. Sediment basin will have an emergency spillway 24" above the normal operating water level and the spill way flow line will be a minimum of 24" below the top of the levee for the basin.

Once the area has been mined, topsoil will be replaced on the area and Pine trees will be planted to reclaim the area.