

AI #23844

Deanna

RECEIVED  
FEB 23 2011  
MDEQ



MISSISSIPPI DEPARTMENT OF ENVIRONMENTAL QUALITY

# LARGE CONSTRUCTION GENERAL PERMIT FOR LAND DISTURBING ACTIVITIES OF FIVE (5) OR MORE ACRES

## RE-COVERAGE FORM

FOR COVERAGE UNDER MISSISSIPPI'S REISSUED  
LARGE CONSTRUCTION STORM WATER GENERAL PERMIT MSR10  
GENERAL NPDES COVERAGE NO. MSR10 4346

### INSTRUCTIONS

The submittal of this form is required to receive coverage under the reissued Large Construction General Permit. This form must be completed and returned to the address printed at the bottom of the back page of this form within 30 days of the date of the Letter of Instruction for Re-Coverage.

The signatory of this form must be the owner or operator (prime contractor) who is the current coverage recipient (rather than the project manager or environmental consultant).

Amendments to the Storm Water Pollution Prevention Plan (SWPPP) are required to be attached if the plan is not current or is ineffective in controlling storm water pollutants. SWPPP amendments with the sole intent of incorporating new permit conditions do not need to be submitted to MDEQ for review and/or approval.

If the project is complete and final stabilization has been achieved, please request termination of coverage by completing the Request for Termination (RFT) Form found in the Large Construction Forms Package. Projects that continue to discharge storm water associated with construction activity without applicable permit coverage are in violation of state law.

Do not submit this form if submitting a Request for Termination (RFT) Form.

**ALL INFORMATION REQUESTS MUST BE ANSWERED** (Answer "NA" if not applicable).

### COVERAGE RECIPIENT INFORMATION

CONTACT NAME & POSITION: John McCutchen, Chief Operating Officer

COMPANY NAME: Gulf LNG Energy LLC

STREET OR P.O. BOX: 2902 Louise Street

CITY: Pascagoula STATE: MS ZIP: 39581

PHONE NUMBER (INCLUDE AREA CODE): 228-762-1762

PROJECT/SITE INFORMATION

PROJECT NAME: Gulf LNG Clean Energy Project

CONTACT NAME & POSITION: Keith Carter

CONTACT PHONE NUMBER (INCLUDE AREA CODE): 228-769-5785

PHYSICAL SITE ADDRESS (IF NOT AVAILABLE INDICATE NEAREST NAMED ROAD):

STREET: 125 Industrial Road

CITY: Pascagoula COUNTY: Jackson ZIP: 39581

PROVIDE THE COORDINATES OF THE PROJECT ENTRANCE OR START POINT:

LATITUDE: 30 degrees 19 minutes 56 seconds LONGITUDE: 88 degrees 29 minutes 41 seconds

STORM WATER POLLUTION PREVENTION PLAN (SWPPP)

THE GENERAL PERMIT REQUIRES THE SWPPP TO BE ONSITE, UP-TO-DATE AND EFFECTIVE IN CONTROLLING STORM WATER POLLUTANTS. ACCORDINGLY, THE FOLLOWING QUESTIONS MUST BE ANSWERED YES or N.A. TO RECEIVE RECOVERY.

- 1. IS A COPY OF THE SWPPP AT THE PERMITTED SITE OR LOCALLY AVAILABLE? [X] YES [ ] NO
2. DOES SWPPP CONTAIN AN UP-TO-DATE ASSESSMENT OF POTENTIAL STORM WATER POLLUTANT SOURCES AND IDENTIFY BMPS TO EFFECTIVELY CONTROL THEM? [X] YES [ ] NO
3. IF A SEDIMENT BASIN IS A PROJECT BMP, IS IT EQUIPPED WITH AN OUTLET STRUCTURE THAT DISCHARGES ONLY FROM THE SURFACE OF THE BASIN (ACT5, T-5 (A))? [X] YES or N.A. [ ] NO
4. DOES SWPPP PROHIBIT THE DISCHARGES LISTED IN ACT2, T-3 (3) OF THE PERMIT? [X] YES [ ] NO
5. DOES THE SWPPP REQUIRE VEGETATIVE PRACTICES TO BEGIN WITHIN 7 DAYS WHEN A DISTURBED AREA WILL BE LEFT FOR 14 DAYS (ACT5, T-4 (1)), INSTEAD OF 30 DAYS AS REQUIRED BY THE PREVIOUS PERMIT? [X] YES [ ] NO

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fines and imprisonment for knowing violations.

I further certify that the project continues as described in the original notice of intent. Also, I certify that I understand when coverage is terminated I am no longer authorized to discharge storm water associated with construction activity under this general permit. I understand that discharging pollutants associated with construction activity to waters of the State without proper permit coverage is in violation of state law.

I am aware of the significant changes in the renewed Large Construction Storm Water General Permit and certify the SWPPP for this project has been modified to incorporate these changes.

Signature: [Handwritten Signature]
Chris Neff
Printed Name

February 22, 2011
Date Signed
Vice President Houston Operations
Title

This application for re-coverage shall be signed according to ACT12, T-7 of the General Permit, as follows:
- For a corporation, by a responsible corporate officer.
- For a partnership, by a general partner.
- For a sole proprietorship, by the proprietor.
- For a municipal, state or other public facility, by principal executive officer, mayor, or ranking elected official.

After signing please mail to: Chief, Environmental Permits Division, MS Department of Environmental Quality, Office of Pollution Control P.O. Box 2261 Jackson, Mississippi 39225

22 February 2011

Gulf LNG Clean Energy Project  
AK|IHI Job No. H0691000 / 5021-465  
Response Required: Yes

Mr. Jim Morris  
Chief, General Permits Branch  
Environmental Permits Division  
Mississippi Department of Environmental Quality, Office of Pollution Control  
P.O. Box 2261  
Jackson, Mississippi 39225-2261

Ref: MSR104346

Re: Re-Coverage of Large Construction General Permit  
Gulf LNG Clean Energy Terminal NPDES No. MSR104346

Dear Mr. Morris:

The Project is applying for re-coverage of our Large Construction General Permit. Please find attached the completed Re-Coverage Form.

Please contact Mark Witlam at (228) 769-5720 with questions or concerns.

Sincerely,

AKER KVAERNER | IHI GULF



Chris Neff  
Vice President Houston Operations

**RECEIVED**

**FEB 23 2011**

**Dept of Environmental Quality**

Attachment

cc: J. McCutchen (GLNG) / S. Wagner (GLNG) / C. Smith (GLNG) / J. Coleman (GLNG) /  
D. Stillson (GLNG) / S. Mori / T. Longer / L. Snyder / M. Witlam / K. Carter / G. Okerson