

AI #14419

Rachel



MISSISSIPPI DEPARTMENT OF ENVIRONMENTAL QUALITY

RECEIVED

MAR 02 2011

MDEQ

LARGE CONSTRUCTION GENERAL PERMIT FOR LAND DISTURBING ACTIVITIES OF FIVE (5) OR MORE ACRES

RE-COVERAGE FORM

FOR COVERAGE UNDER MISSISSIPPI'S REISSUED
LARGE CONSTRUCTION STORM WATER GENERAL PERMIT MSR10
GENERAL NPDES COVERAGE NO. MSR10 2 6 8 6

INSTRUCTIONS

The submittal of this form is required to receive coverage under the reissued Large Construction General Permit. This form must be completed and returned to the address printed at the bottom of the back page of this form within 30 days of the date of the Letter of Instruction for Re-Coverage.

The signatory of this form must be the owner or operator (prime contractor) who is the current coverage recipient (rather than the project manager or environmental consultant).

Amendments to the Storm Water Pollution Prevention Plan (SWPPP) are required to be attached if the plan is not current or is ineffective in controlling storm water pollutants. SWPPP amendments with the sole intent of incorporating new permit conditions do not need to be submitted to MDEQ for review and/or approval.

If the project is complete and final stabilization has been achieved, please request termination of coverage by completing the Request for Termination (RFT) Form found in the Large Construction Forms Package. Projects that continue to discharge storm water associated with construction activity without applicable permit coverage are in violation of state law.

Do not submit this form if submitting a Request for Termination (RFT) Form.

ALL INFORMATION REQUESTS MUST BE ANSWERED (Answer "NA" if not applicable).

COVERAGE RECIPIENT INFORMATION

CONTACT NAME & POSITION: Gary Fordham, Partner

COMPANY NAME: Fordham-Thompson Development, LLC

STREET OR P.O. BOX: P.O. Box 307

CITY: Hattiesburg

STATE: Mississippi

ZIP: 39403

PHONE NUMBER (INCLUDE AREA CODE): 601-544-0297

PROJECT/SITE INFORMATION

PROJECT NAME: Pecan Lakes Subdivision

CONTACT NAME & POSITION: Gary Fordham, Partner

CONTACT PHONE NUMBER (INCLUDE AREA CODE): 601-544-0297

PHYSICAL SITE ADDRESS (IF NOT AVAILABLE INDICATE NEAREST NAMED ROAD):

STREET: Sunrise Road

CITY: Petal COUNTY: Forrest ZIP: 39465

PROVIDE THE COORDINATES OF THE PROJECT ENTRANCE OR START POINT:

LATITUDE: 31 degrees 19 minutes 17 seconds LONGITUDE: 89 degrees 11 minutes 11 seconds

STORM WATER POLLUTION PREVENTION PLAN (SWPPP)


THE GENERAL PERMIT REQUIRES THE SWPPP TO BE ONSITE, UP-TO-DATE AND EFFECTIVE IN CONTROLLING STORM WATER POLLUTANTS. ACCORDINGLY, THE FOLLOWING QUESTIONS MUST BE ANSWERED YES or N.A. TO RECEIVE RECOVERY.

- | | | |
|--|---|-----------------------------|
| 1. IS A COPY OF THE SWPPP AT THE PERMITTED SITE OR LOCALLY AVAILABLE? | <input checked="" type="checkbox"/> YES | <input type="checkbox"/> NO |
| 2. DOES SWPPP CONTAIN AN UP-TO-DATE ASSESSMENT OF POTENTIAL STORM WATER POLLUTANT SOURCES AND IDENTIFY BMPS TO EFFECTIVELY CONTROL THEM? | <input checked="" type="checkbox"/> YES | <input type="checkbox"/> NO |
| 3. IF A SEDIMENT BASIN IS A PROJECT BMP, IS IT EQUIPPED WITH AN OUTLET STRUCTURE THAT DISCHARGES <u>ONLY</u> FROM THE SURFACE OF THE BASIN (ACT5, T-5 (A))? | <input checked="" type="checkbox"/> YES or N.A. | <input type="checkbox"/> NO |
| 4. DOES SWPPP PROHIBIT THE DISCHARGES LISTED IN ACT2, T-3 (3) OF THE PERMIT? | <input checked="" type="checkbox"/> YES | <input type="checkbox"/> NO |
| 5. DOES THE SWPPP REQUIRE VEGETATIVE PRACTICES TO BEGIN WITHIN 7 DAYS WHEN A DISTURBED AREA WILL BE LEFT FOR 14 DAYS (ACT5, T-4 (1)), INSTEAD OF 30 DAYS AS REQUIRED BY THE PREVIOUS PERMIT? | <input checked="" type="checkbox"/> YES | <input type="checkbox"/> NO |

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fines and imprisonment for knowing violations.

I further certify that the project continues as described in the original notice of intent. Also, I certify that I understand when coverage is terminated I am no longer authorized to discharge storm water associated with construction activity under this general permit. I understand that discharging pollutants associated with construction activity to waters of the State without proper permit coverage is in violation of state law.

I am aware of the significant changes in the renewed Large Construction Storm Water General Permit and certify the SWPPP for this project has been modified to incorporate these changes.

Signature: 
 Printed Name: GARY W FORDHAM

Date Signed: 2/25/11
 Title: MEMBER/MANAGER

- ¹This application for re-coverage shall be signed according to ACT12, T-7 of the General Permit, as follows:
- For a corporation, by a responsible corporate officer.
 - For a partnership, by a general partner.
 - For a sole proprietorship, by the proprietor.
 - For a municipal, state or other public facility, by principal executive officer, mayor, or ranking elected official.

After signing please mail to: Chief, Environmental Permits Division,
 MS Department of Environmental Quality, Office of Pollution Control
 P.O. Box 2261
 Jackson, Mississippi 39225

Pecan Lakes Utility, LLC

RECEIVED

MAR - 2 2011

Dept of Environmental Quality
Office of Pollution Control

PO Box 307
Hattiesburg, MS 39403-0307
601/544-0297
Fax: 601/582-2375

February 28, 2011

Mr. Jim Morris
Chief, General Permits Branch
Office of Pollution Control
PO Box 2261
Jackson MS 39225-2261

Re: Pecan Lakes Utility, LLC (Pecan Lakes Subdivision)
Ref. No. MSR102686
Large Construction General Permit

Dear Mr. Morris:

Enclosed please find the Pecan Lakes Utility Large Construction General Permit as requested in your letter dated January 24, 2011.

Sincerely,



Gary W. Fordham
Member/Manager

GWF:jf