



State of Mississippi

AIR POLLUTION CONTROL PERMIT

To Construct Air Emissions Equipment



THIS CERTIFIES

Australis TMS Inc, Lawson 25H-1 and 25-13H-1 Production Facility
MS Highway 568 and 584
Gillsburg, MS
Amite County

has been granted permission to construct air emissions equipment to comply with the emission limitations, monitoring requirements and other conditions set forth herein. This permit is issued in accordance with the provisions of the Mississippi Air and Water Pollution Control Law (Section 49-17-1 et. seq., Mississippi Code of 1972), and the regulations and standards adopted and promulgated thereunder.

Mississippi Environmental Quality Permit Board

A handwritten signature in blue ink, reading "Kristal R. Riddick".

Mississippi Department of Environmental Quality

Issued/Modified: AUG 08 2017

Expires:

Permit No. 0080-00032

Agency Interest # 57842

Table of Contents

Subject Item Inventory.....	i
Facility Requirements.....	1
General Information.....	A-1

Other Relevant Documents:

The federal regulations referenced in this permit may be found on-line at <http://ecfr.gpoaccess.gov/> and the State of Mississippi regulations may be found on-line at <http://www.mdeq.ms.state.us/> or a copy of the regulations may be obtained by contacting the Mississippi Department of Environmental Quality, Environmental Permitting Division, Post Office Box 2261, Jackson, Mississippi 39255, phone (601) 961-5171. The following regulations were referenced in this permit:

Mississippi Air Regulations APC-S-1, Air Emission Regulations for the Prevention, Abatement, and Control of Air Contaminants

Mississippi Air Regulations APC-S-2, Permit Regulations for the Construction and/or Operation of Air Emissions Equipment

40 CFR Part 60, Subpart JJJJ, Standards of Performance for Stationary Spark Ignition Internal Combustion Engines,

40 CFR Part 63, Subpart ZZZZ, National Emission Standards for Hazardous Air Pollutants for Stationary Internal Combustion Engines

40 CFR Part 63, Subpart HH - National Emissions Standards for Hazardous Air Pollutants: Oil and Natural Gas Production Facilities: Area Sources

40 CFR Part 60, Subpart OOOO - New Source Performance Standards for Crude Oil and Natural Gas Production, Transmission, and Distribution

To Construct Air Emissions Equipment

Australis TMS Inc, Lawson 25H-1 and 25-13H-1 Production Facility

Subject Item Inventory

Permit Number: 0080-00032

Activity ID No.: PER20170001

Subject Item Inventory:

ID	Designation	Description
AI57842	57842	Oil & Gas Production
CONT1	AA-001	Process Flare (FL-701)
EQPT2	AA-002	0.35 MMBTU/hr Heater Treater Burner Stack (V-103)
EQPT17	AA-003	0.5 MMBTU/hr Heater Treater Burner Stack (V-203)
EQPT3	AA-004	16,800 Gallon Crude Oil Storage Tank (S-501)
EQPT4	AA-005	16,800 Gallon Crude Oil Storage Tank (S-502)
EQPT8	AA-006	16,800 Gallon Crude Oil Storage Tank (S-503)
EQPT6	AA-007	16,800 Gallon Crude Oil Storage Tank (S-504)
EQPT22	AA-008	16,800 Gallon Crude Oil Storage Tank (S-505)
EQPT24	AA-009	16,800 Gallon Crude Oil Storage Tank (S-506)
EQPT9	AA-010	16,800 Gallon Produced Water Tank (S-507)
EQPT25	AA-011	16,800 Gallon Produced Water Tank 2 (S-508)
EQPT5	AA-012	4,200 Gallon Pop Tank (S-509)
EQPT18	AA-013	Pump Jack Engine (U-102) (Natural Gas Fired Reciprocating internal combustion engines, less than 500 HP)
EQPT23	AA-014	Pump Jack Engine (U-101) (Natural Gas Fired Reciprocating internal combustion engines, less than 500 HP)
ACT1	AA-015	Crude Oil Loading (OilLL)
ACT2	AA-016	Produced Water Loading (PWLL)
AREA1	AA-017	Fugitive Emissions (FUG)

To Construct Air Emissions Equipment

Australis TMS Inc, Lawson 25H-1 and 25-13H-1 Production Facility

Subject Item Inventory

Permit Number: 0080-00032

Activity ID No.: PER20170001

Subject Item Groups:

ID	Description	Components
GRPT1	Oil Storage Tanks	EQPT3 16,800 Gallon Crude Oil Storage Tank (S-501)
		EQPT4 16,800 Gallon Crude Oil Storage Tank (S-502)
		EQPT8 16,800 Gallon Crude Oil Storage Tank (S-503)
		EQPT6 16,800 Gallon Crude Oil Storage Tank (S-504)
		EQPT22 16,800 Gallon Crude Oil Storage Tank (S-505)
		EQPT24 16,800 Gallon Crude Oil Storage Tank (S-506)
GRPT2	Heater Treater Burner Stack	EQPT2 0.35 MMBTU/hr Heater Treater Burner Stack (V-103)
		EQPT17 0.5 MMBTU/hr Heater Treater Burner Stack (V-203)
GRPT3	Internal Combustion Engines	EQPT18 Pump Jack Engine (U-102) (Natural Gas Fired Reciprocating internal combustion engines, less than 500 HP)
		EQPT23 Pump Jack Engine (U-101) (Natural Gas Fired Reciprocating internal combustion engines, less than 500 HP)
GRPT4	Crude Oil and Produced Water Truck Loading Operations	ACT 1 Crude Oil Loading (OilLL)
		ACT 2 Produced Water Loading (PWLL)

To Construct Air Emissions Equipment

Australis TMS Inc, Lawson 25H-1 and 25-13H-1 Production Facility

Subject Item Inventory

Permit Number: 0080-00032

Activity ID No.: PER20170001

KEY

ACT = Activity

AREA = Area

CONT = Control Device

IA = Insignificant Activity

MAFO = Animal Feeding Operation

RPNT = Release Point

WDPT = Withdrawal Point

AI = Agency Interest

CAFO = Concentrated Animal Feeding Operation

EQPT = Equipment

IMPD = Impoundment

PCS = PCS

TRMT = Treatment

To Construct Air Emissions Equipment

Australis TMS Inc, Lawson 25H-1 and 25-13H-1 Production Facility

Facility Requirements

Permit Number: 0080-00032

Activity ID No.:PER20170001

Page 1 of 18

AI0000057842 (57842) Oil & Gas Production:

Limitation Requirements:

Condition No.	Parameter	Condition
L-1	Hydrogen sulfide	Hydrogen sulfide: The permittee shall not cause or permit the emission of any gas stream which contains hydrogen sulfide in excess of one grain per 100 standard cubic feet. Gas streams containing hydrogen sulfide in excess of one grain per 100 standard cubic feet shall be incinerated at temperatures of not less than 1600 degrees (fahrenheit) for a period of not less than 0.5 seconds, or processed in such manner which is equivalent to or more effective for the removal of hydrogen sulfide. [11 Miss. Admin. Code Pt. 2, Ch. 1. 4.2.b]
L-2	Sulfur Dioxide	Sulfur Dioxide: Sulfur dioxide concentration limitations in the gas streams resulting from such incineration or processing of hydrogen sulfide to shall be determined for each emission point on a case-by-case basis to insure that the resulting maximum ground level concentration of sulfur dioxide as determined by acceptable method or methods will be in compliance with the National Ambient Air Quality Standards for sulfur dioxide. Testing to determine the productive capacity of new fields shall be exempted from emission limitation provisions of the paragraph of the regulation providing such testing has been previously negotiated and approved by the Mississippi Office of Pollution Control. [11 Miss. Admin. Code Pt. 2, R. 1.4.B(2)]
L-3	Fuel Combusted	Fuel Combusted: For all combustion units operating at this facility, the permittee shall combust only commercial grade propane or natural gas. [APC-S-2 11.B(10)]
L-4		The permittee shall comply with all applicable requirements of 40 CFR Part 60, Subpart OOOO, New Source Performance Standards for Crude Oil and Natural Gas Production, Transmission, and Distribution. The permittee shall comply with all applicable requirements of this subpart within 60 days of publication of the rule in the Federal Register or upon start up, whichever is later. [APC-S-2 II.B(10)]

To Construct Air Emissions Equipment

Australis TMS Inc, Lawson 25H-1 and 25-13H-1 Production Facility

Facility Requirements

Permit Number: 0080-00032

Activity ID No.:PER20170001

Page 2 of 18

AI0000057842 (57842) Oil & Gas Production:

Monitoring Requirements:

Condition No.	Parameter	Condition
M-1		The permittee shall conduct an annual produced gas analysis including hydrogen sulfide concentration, sulfur content, methane concentration (volume), gross heating value and speciated constituents. In addition, the permittee shall measure the specific gravity and gas-to-oil ratio (GOR) for the produced crude oil/gas. [APC-S-2 II.B(11)]

To Construct Air Emissions Equipment
Australis TMS Inc, Lawson 25H-1 and 25-13H-1 Production Facility
Facility Requirements
Permit Number: 0080-00032
Activity ID No.:PER20170001

Page 3 of 18

AI0000057842 (57842) Oil & Gas Production:

Record-Keeping Requirements:

Condition No.	Condition
R-1	<p>For the facility, the permittee shall keep the following records:</p> <ul style="list-style-type: none">(1) Record the monthly and 12 month rolling lbs and/or tons of volatile organic compounds, total hazardous air pollutants and individual hazardous air pollutants including sample calculations;(2) Results of the annual produced gas analysis including hydrogen sulfide concentration, sulfur content, methane concentration (volume), gross heating value and speciated constituents and results of specific gravity and gas-to-oil ratio (GOR) measurements for the produced crude oil/gas(3) produced field gas (MMSCF), monthly and 12 month rolling;(4) produced crude oil (barrels), monthly and 12 month rolling;(5) produced water (barrels), monthly and 12 month rolling;(6) natural gas liquids (barrels), monthly and 12 month rolling;(7) cubic feet of gas flared, monthly and 12 month rolling;(8) record of corrective actions for all flare smoking events;(9) inlet gas volume to natural gas liquids plant. <p>The permittee shall maintain a copy of this record on site for at least five years and shall make them available upon request by the Mississippi Department of Environmental Quality (MDEQ) personnel. [APC-S-2 II.B(11)]</p>

To Construct Air Emissions Equipment

Australis TMS Inc, Lawson 25H-1 and 25-13H-1 Production Facility

Facility Requirements

Permit Number: 0080-00032

Activity ID No.:PER20170001

Page 4 of 18

AI0000057842 (57842) Oil & Gas Production:

Submittal/Action Requirements:

Condition No.	Condition
S-1	General Condition: The permittee shall submit certification of construction: Due within thirty (30) days of completion of construction or installation of an approved stationary source or prior to startup, whichever is earlier. The notification shall certify that construction or installation was performed in accordance with the approved plans and specifications. In the event there is any change in construction from the previously approved plans and specifications or permit, the permittee shall promptly notify MDEQ in writing. If MDEQ determines the changes are substantial, MDEQ may require the submission of a new application to construct with "as built" plans and specifications. Notwithstanding any provision herein to the contrary, the acceptance of an "as built" application shall not constitute a waiver of the right to seek compliance penalties pursuant to State Law. [11 Miss. Admin. Code Pt. 2, R. 2.5.D.]
S-2	The permittee shall submit a report to MDEQ detailing all requirements of 40 CFR Part 60, Subpart OOOO that are applicable to this facility. This report shall include, at minimum, standards, initial compliance demonstration, continuous compliance demonstration, recordkeeping, notification, performance testing, and reporting. This report shall be submitted no later than thirty (30) days after certification of construction. [APC-S-2 II.B(11)]
S-3	Within fifteen (15) days of beginning actual construction, the permittee must notify DEQ in writing that construction has begun. [11 Miss. Admin.Code Pt. 2, R.2.5.C (2).]
S-4	The permittee must notify DEQ in writing when construction does not begin within eighteen (18) months of issuance or if construction is suspended for eighteen (18) months or more. [11 Miss. Admin.Code Pt. 2, R.2.5.C(4).]

To Construct Air Emissions Equipment
Australis TMS Inc, Lawson 25H-1 and 25-13H-1 Production Facility
Facility Requirements
Permit Number: 0080-00032
Activity ID No.:PER20170001

Page 5 of 18

AI0000057842 (57842) Oil & Gas Production:

Submittal/Action Requirements:

Condition No.	Condition
S-5	<p>Except as otherwise specified herein, the permittee shall submit a certified annual report, due by the 31st of January for the preceding calendar year. This report shall address the required monitoring specified in the permit including the following:</p> <ul style="list-style-type: none">(1) the monthly and rolling 12-month totals for: VOC, individual HAPs and total HAPs;(2) Results of the annual produced gas analysis including hydrogen sulfide concentration, sulfur content, methane concentration (volume), gross heating value and speciated constituents; and results of specific gravity and gas-to-oil ratio (GOR) measurements for the produced crude oil/gas(3) produced field gas (MMSCF), monthly and 12 month rolling;(4) produced crude oil (barrels), monthly and 12 month rolling;(5) produced water (barrels), monthly and 12 month rolling;(6) natural gas liquid (barrels), monthly and 12 month rolling;(7) cubic feet of gas flared, monthly and 12 month rolling;(8) record of corrective actions for all flare smoking events;(9) inlet gas volume to natural gas liquids plant. [APC-S-2 II.B(11)]

To Construct Air Emissions Equipment
Australis TMS Inc, Lawson 25H-1 and 25-13H-1 Production Facility
Facility Requirements
Permit Number: 0080-00032
Activity ID No.:PER20170001

Page 6 of 18

AI0000057842 (57842) Oil & Gas Production:

Narrative Requirements:

General Condition:

Condition No.	Condition
T-1	General Condition: The stationary source shall be designed and constructed so as to operate without causing a violation of any Applicable Rules and Regulations or this permit, without interfering with the attainment and maintenance of State and National Ambient Air Quality Standards, and such that the emission of air toxics does not result in an ambient concentration sufficient to adversely affect human health and well-being or unreasonably and adversely affect plant or animal life beyond the stationary source boundaries. [11 Miss. Admin.Code Pt. 2, R.2.5.A.]
T-2	General Condition: Any activities not identified in the application are not authorized by this permit. [Miss. Code Ann. 49_17_29 1.b]
T-3	General Condition: The necessary facilities shall be constructed so that solids removed in the course of control of air emissions may be disposed of in a manner such as to prevent the solids from becoming windborne and to prevent the materials from entering State waters without the proper environmental permits. [Miss. Code Ann. 49_17_29]
T-4	General Condition: The air pollution control facilities shall be constructed such that diversion from or bypass of collection and control facilities is not needed except as provided for in Regulation 11 Miss. Admin. Code Pt.2, R. 1.10 "Air Emission Regulations for the Prevention, Abatement, and Control of Air Contaminants", Section 10. [11 Miss. Admin. Code Pt. 2, R. 1.10]
T-5	General Condition: The permittee shall allow the Mississippi Environmental Quality Commission, the Mississippi Environmental Quality Permit Board, MDEQ staff and/or their authorized representatives, upon the presentation of credentials: a. To enter upon the permittee's premises where an air emission source is located or in which any records are required to be kept under the terms and conditions of this permit; and b. At reasonable times to have access to and copy any records required to be kept under the terms and conditions of this permit, to inspect any monitoring equipment or monitoring method required in this permit, and to sample any air emission. [Miss. Code Ann. 49_17_21]
T-6	General Condition: After notice and opportunity for a hearing, this permit may be modified, suspended, or revoked in whole or in part during its term for good cause shown including, but not limited to, the following: a. Persistent violation of any terms or conditions of this permit; b. Obtaining this permit by misrepresentation or failure to disclose fully all relevant facts; or c. A change in any condition that requires either a temporary or permanent reduction or elimination of previously authorized air emissions. [11 Miss. Admin.Code Pt. 2, R.2.2.C.]

To Construct Air Emissions Equipment
Australis TMS Inc, Lawson 25H-1 and 25-13H-1 Production Facility
Facility Requirements
Permit Number: 0080-00032
Activity ID No.:PER20170001

Page 7 of 18

AI0000057842 (57842) Oil & Gas Production:

Narrative Requirements:

Condition No.	Condition
T-7	General Condition: Except for data determined to be confidential under the Mississippi Air & Water Pollution Control Law, all reports prepared in accordance with the terms of this permit shall be available for public inspection at the offices of the Mississippi Department of Environmental Quality Office of Pollution Control. [Miss. Code Ann. 49_17_39]

Condition No.	Condition
T-8	General Condition: This permit is for air pollution control purposes only. [11 Miss. Admin.Code Pt. 2, R.2.1.D.]
T-9	General Condition: The knowing submittal of a permit application with false information may serve as the basis for the Permit Board to void the permit issued pursuant thereto or subject the applicant to penalties for operating without a valid permit pursuant to State Law. [11 Miss. Admin.Code Pt. 2, R.2.2.B(5).]
T-10	General Condition: It is the responsibility of the applicant/permittee to obtain all other approvals, permits, clearances, easements, agreements, etc., which may be required including, but not limited to, all required local government zoning approvals or permits. [11 Miss. Admin.Code Pt. 2, R.2.1.D(6).]
T-11	General Condition: The issuance of a permit does not release the permittee from liability for constructing or operating air emissions equipment in violation of any applicable statute, rule, or regulation of state or federal environmental authorities. [11 Miss. Admin.Code Pt. 2, R.2.1.D(7).]
T-12	General Condition: It shall not be a defense for a permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of the permit, unless halting or reducing activity would create an imminent and substantial endangerment threatening the public health and safety of the lives and property of the people of this state. [11 Miss. Admin.Code Pt. 2, R.2.2.B(15)(a).]
T-13	General Condition: The permit and/or any part thereof may be modified, revoked, reopened, and reissued, or terminated for cause. Sufficient cause for a permit to be reopened shall exist when an air emissions stationary source becomes subject to Title V. The filing of a request by the permittee for a permit modification, revocation and reissuance, or termination, or of a notification of planned changes or anticipated noncompliance does not stay any permit condition. [11 Miss. Admin.Code Pt. 2, R.2.2.B(15)(b).]
T-14	General Condition: The permit does not convey any property rights of any sort, or any exclusive privilege. [11 Miss. Admin.Code Pt. 2, R.2.2.B(15)(c).]

To Construct Air Emissions Equipment
Australis TMS Inc, Lawson 25H-1 and 25-13H-1 Production Facility
Facility Requirements
Permit Number: 0080-00032
Activity ID No.:PER20170001

Page 8 of 18

AI0000057842 (57842) Oil & Gas Production:

Narrative Requirements:

Condition No.	Condition
T-15	General Condition: The permittee shall furnish to the DEQ within a reasonable time any information the DEQ may request in writing to determine whether cause exists for modifying, revoking and reissuing, or terminating the permit or to determine compliance with the permit. Upon request, the permittee shall also furnish to the DEQ copies of records required to be kept by the permit or, for information claimed to be confidential, the permittee shall furnish such records to the DEQ along with a claim of confidentiality. The permittee may furnish such records directly to the Administrator along with a claim of confidentiality. [11 Miss. Admin.Code Pt. 2, R.2.2.B(15) (d).]
T-16	General Condition: This permit shall not be transferred except upon approval of the Permit Board. [11 Miss. Admin.Code Pt. 2, R.2.16.B.]
T-17	General Condition: The provisions of this permit are severable. If any provision of the permit, or the application of any provision of the permit to any circumstances, is challenged or held invalid, the validity of the remaining permit provisions and/or portions thereof or their application to other persons or sets of circumstances, shall not be affected thereby. [11 Miss. Admin.Code Pt. 2, R.1.1.D(7).]
T-18	General Condition: The permit to construct will expire if construction does not begin within eighteen (18) months from the date of issuance or if construction is suspended for eighteen (18) months or more. [11 Miss. Admin.Code Pt. 2, R.2.5.C(1).]
T-19	General Condition: A new stationary source issued a Permit to Construct cannot begin operation until certification of construction by the permittee. [11 Miss. Admin.Code Pt. 2, R.2.5.D(3).]
T-20	General Condition: Except as prohibited in 11 Miss. Admin. Code Pt. 2,R. 2.5.D(7) after certification of construction by the permittee, the Permit to Construct shall be deemed to satisfy the requirement for a permit to operate until the date the application for issuance or modification of the Title V Permit or the application for issuance or modification of the State Permit to Operate, whichever is applicable, is due. This provision is not applicable to a source excluded from the requirement for a permit to operate as provided by 11 Miss. Admin. Code Pt. 2, R. 2.13.G. [11 Miss. Admin. Code Pt. 2, R. 2.5.D(4).]
T-21	General Condition: Except as otherwise specified in 11 Miss. Admin. Code Pt. 2, R. 2.5.D(7), the application for issuance or modification of the State Permit to Operate or the Title V Permit, whichever is applicable, is due twelve (12) months after beginning operation or such earlier date or time as specified in the Permit to Construct. The Permit Board may specify an earlier date or time for submittal of the application. Beginning operation will be assumed to occur upon certification of construction, unless the permittee specifies differently in writing. [11 Miss. Admin. Code Pt. 2, R. 2.5.D(5).]

To Construct Air Emissions Equipment
Australis TMS Inc, Lawson 25H-1 and 25-13H-1 Production Facility
Facility Requirements
Permit Number: 0080-00032
Activity ID No.:PER20170001

Page 9 of 18

AI0000057842 (57842) Oil & Gas Production:

Narrative Requirements:

Condition No.	Condition
T-22	General Condition: Except as otherwise specified in 11 Miss. Admin. Code Pt. 2, R. 2.5.D(7), upon submittal of a timely and complete application for issuance or modification of a State Permit to Operate or a Title V Permit, whichever is applicable, the applicant may continue to operate under the terms and conditions of the Permit to Construct and in compliance with the submitted application until the Permit Board issues, modifies, or denies the Permit to Operate. [11 Miss. Admin. Code Pt. 2, R. 2.5.D(6).]
T-23	General Condition: For moderate modifications that require contemporaneous enforceable emissions reductions from more than one emission point in order to net out of PSD/NSR, the applicable Title V Permit to Operate or State Permit to Operate must be modified prior to beginning operation of the modified facilities. [11 Miss. Admin.Code Pt. 2, R.2.5.D(7).]
T-24	General Condition: Regarding compliance testing: (a) The results of any emissions sampling and analysis shall be expressed both in units consistent with the standards set forth in any Applicable Rules and Regulations or this permit and in units of mass per time. (b) Compliance testing will be performed at the expense of the permittee. (c) Each emission sampling and analysis report shall include but not be limited to the following: 1. detailed description of testing procedures; 2. sample calculation(s); 3. results; and 4. comparison of results to all Applicable Rules and Regulations and to emission limitations in the permit. [11 Miss. Admin.Code Pt. 2, R.2.6.B(3),(4)&(6).]
T-25	General Condition: The construction of the stationary source shall be performed in such a manner so as to reduce fugitive dust emissions from construction activities to a minimum. [11 Miss. Admin.Code Pt. 2, R.2.5.A(4).]

To Construct Air Emissions Equipment

Australis TMS Inc, Lawson 25H-1 and 25-13H-1 Production Facility

Facility Requirements

Permit Number: 0080-00032

Activity ID No.:PER20170001

Page 10 of 18

CONT0000000001 (AA-001) Process Flare (FL-701):

Limitation Requirements:

Condition No.	Parameter	Condition
L-1		<p>Particulate Matter: (1) The maximum permissible emission of ash and/or particulate matter from fossil fuel burning installation of less than 10 million BTU per hour heat input shall not exceed 0.6 pounds per million BTU per hour heat input.</p> <p>(2) The maximum permissible emission of ash and /or particulate matter from fossil fuel burning installations equal to or greater than 10 million BTU per hour heat input but less than 10,000 million BTU per hour heat input shall not exceed an emission rate as determined by the relationship</p> $E = 0.8808 * I^{-0.1667}$ <p>Where E is the emission rate in pounds per million BTU per hour heat input and I is the heat input in millions of BTU per hour. [APC-S-1 3.4(a)1]</p>
L-2		The permittee shall operate the flare with no visible emissions as determined by EPA Method 22, except for periods not to exceed a total of 5 minutes during any consecutive two (2) hours. [APC-S-2 II.B(10)]
L-3		The permittee shall maintain a flare pilot flame at all times. [APC-S-2 II.B(10)]
L-4		In regards to the flare, the owner or operator has the choice of complying with the heat content specifications in 40 CFR 60.18(c)(3)(ii) and the maximum tip velocity specifications in 40 CFR 60.18 (c)(4), or adhering to the requirements in 40 CFR 60.18(c)(3)(i). [APC-S-2 II.B(10)]
L-5		The flare shall be steam assisted, air-assisted, or nonassisted. [APC-S-2 II.B(10)]
L-6		The flare shall be monitored to ensure that it is operated and maintained in accordance with the design. [APC-S-2 II.B(11)]
L-7		The flare shall be operational at all times when emissions are vented to the flare. [APC-S-2 II.B(10)]

To Construct Air Emissions Equipment

Australis TMS Inc, Lawson 25H-1 and 25-13H-1 Production Facility

Facility Requirements

Permit Number: 0080-00032

Activity ID No.:PER20170001

Page 11 of 18

CONT0000000001 (AA-001) Process Flare (FL-701):

Monitoring Requirements:

Condition No.	Parameter	Condition
M-1		The permittee shall visually observe the flare for a minimum of five (5) minutes during operation using EPA Method 22, weekly. If smoking is observed, corrective actions must be taken. The permittee shall perform a follow-up visual observation for a period of two (2) hours using EPA Method 22 immediately after corrections are made to demonstrate compliance with the visible emissions limitations. [APC-S-2 II.B(11)]
M-2		The presence of a flare pilot flame shall be continuously monitored using a thermocouple or any other equivalent device to detect the presence of a flame. [APC-S-2 II.B(11)]

Record-Keeping Requirements:

Condition No.	Condition
R-1	The permittee shall keep records of all maintenance performed on the flare in order to operate in a manner consistent with good air pollution control practices to minimize emissions and shall make said records available upon request during an inspection visit by the MDEQ personnel. [APC-S-2 II.B(11)]
R-2	The permittee shall record anytime the facility is operated without a flare flame present including the date, time, duration and corrective action taken. [APC-S-2 II.B(11)]
R-3	The date and time that smoking was observed, the duration of smoking, the nature and cause of smoking, the date, time and description of the corrective actions(s) taken, and the results of the EPA Method 22 visual observation shall be recorded. [APC-S-2 II.B(11)]

To Construct Air Emissions Equipment
Australis TMS Inc, Lawson 25H-1 and 25-13H-1 Production Facility
Facility Requirements
Permit Number: 0080-00032
Activity ID No.:PER20170001

AREA0000000001 (AA-017) Fugitive Emissions (FUG):

Limitation Requirements:

Condition No.	Parameter	Condition
L-1		Such air emission equipment shall be operated as efficiently as possible to provide the maximum reduction of air contaminants. [11 Miss. Admin. Code Pt. 2, Ch. 2. II.B(10)]

To Construct Air Emissions Equipment
Australis TMS Inc, Lawson 25H-1 and 25-13H-1 Production Facility
Facility Requirements
Permit Number: 0080-00032
Activity ID No.:PER20170001

Page 13 of 18

GRPT0000000001 (Group 1) Oil Storage Tanks:

Limitation Requirements:

Condition No.	Parameter	Condition
L-1		The permittee shall route vapors from the crude oil storage tanks to the flare or to a pipeline for product recovery. [APC-S-2 II.B(10)]
L-2		Such air emission equipment shall be operated as efficiently as possible to provide the maximum reduction of air contaminants. [11 Miss. Admin. Code Pt. 2, Ch. 2. II.B(10)]

To Construct Air Emissions Equipment

Australis TMS Inc, Lawson 25H-1 and 25-13H-1 Production Facility

Facility Requirements

Permit Number: 0080-00032

Activity ID No.:PER20170001

Page 14 of 18

GRPT0000000002 (Group 2) Heater Treater Burner Stack:

Limitation Requirements:

Condition No.	Parameter	Condition
L-1	Particulate Matter	<p>Particulate Matter: (1) The maximum permissible emission of ash and/or particulate matter from fossil fuel burning installation of less than 10 million BTU per hour heat input shall not exceed 0.6 pounds per million BTU per hour heat input.</p> <p>(2) The maximum permissible emission of ash and /or particulate matter from fossil fuel burning installations equal to or greater than 10 million BTU per hour heat input but less than 10,000 million BTU per hour heat input shall not exceed an emission rate as determined by the relationship</p> $E = 0.8808 * I^{-0.1667}$ <p>Where E is the emission rate in pounds per million BTU per hour heat input and I is the heat input in millions of BTU per hour. [APC-S-1 3.4.a(1)]</p>
L-2	Opacity	Opacity: The permittee shall not have emissions of opacity greater than or equal to 40% as determined by EPA Reference Method 9, 40 CFR 60, Appendix A. [APC-S-1 4.1.a]
L-3		Such air emission equipment shall be operated as efficiently as possible to provide the maximum reduction of air contaminants. [11 Miss. Admin. Code Pt. 2, Ch. 2. II.B(10)]
L-4		Separated gas from the heater treaters and three phase separators shall be routed to the control flare for destruction of volatile organic compounds; or the gas shall be routed to a natural gas sales pipeline, if available. [11 Miss. Admin. Code Pt. 2, R. 2.2.B(10)]

Monitoring Requirements:

Condition No.	Parameter	Condition
M-1		The permittee shall monitor the volume of gas sent to the control flare from the separator/heater treater processing units. [11 Miss. Admin. Code Pt. 2, R. 2.2.B(11)]

To Construct Air Emissions Equipment
Australis TMS Inc, Lawson 25H-1 and 25-13H-1 Production Facility
Facility Requirements
Permit Number: 0080-00032
Activity ID No.:PER20170001

GRPT0000000002 (Group 2) Heater Treater Burner Stack:

Record-Keeping Requirements:

Condition No.	Condition
R-1	The permittee shall record the volume of gas sent to the control flare from the separator/heater treater processing units. [11 Miss. Admin. Code Pt. 2, R. 2.2.B(11)]

To Construct Air Emissions Equipment

Australis TMS Inc, Lawson 25H-1 and 25-13H-1 Production Facility

Facility Requirements

Permit Number: 0080-00032

Activity ID No.:PER20170001

Page 16 of 18

GRPT0000000003 (Group 3) Internal Combustion Engines:

Limitation Requirements:

Condition No.	Parameter	Condition
L-1	Particulate Matter	Particulate Matter: The maximum permissible emission of ash and/or particulate matter from fossil fuel burning installation of less than 10 million BTU per hour heat input shall not exceed 0.6 pounds per million BTU per hour heat input. [11 Miss. Admin. Code Pt. 2, R. 1.3.D(1)a]
L-2	Opacity	Opacity: The reciprocating internal combustion engine shall have emissions of opacity less than or equal to 40%, as determined by EPA Reference Method 9, 40 CFR Part 60, Appendix A. [11 Miss. Admin. Code Pt. 2, R. 1.3.A(1)]
L-3		The permittee shall comply with all applicable requirements of the National Emission Standards for Hazardous Air Pollutants for Stationary Reciprocating Internal Combustion Engines, 40 CFR Part 63, Subpart ZZZZ for all stationary Reciprocating Internal Combustion Engines (RICE) operated at this facility. [40 CFR 63_Subpart ZZZZ.63.6585]
L-4		The permittee shall comply with all applicable requirements of the Standards of Performance for Stationary Spark Ignition Internal Combustion Engines, 40 CFR Part 60, Subpart JJJJ for any internal combustion engines operated at this facility. [40 CFR 60_SUBPART JJJJ.4230]

Record-Keeping Requirements:

Condition No.	Condition
R-1	The permittee shall develop a detailed report of all applicable requirements of 40 CFR Part 60, Subpart JJJJ and 40 CFR Part 63, Subpart ZZZZ including limitations, notifications, monitoring, testing, reporting and recordkeeping no later than thirty (30) days from the certification of construction date. This applicability report shall be attached to the Permittee's copy of the permit and kept on-site and made available to MDEQ representatives during an inspection of the facility. [11 Miss. Admin. Code Pt. 2, R. 2.2.B(11)]

To Construct Air Emissions Equipment
Australis TMS Inc, Lawson 25H-1 and 25-13H-1 Production Facility
Facility Requirements
Permit Number: 0080-00032
Activity ID No.:PER20170001

GRPT0000000003 (Group 3) Internal Combustion Engines:

Submittal/Action Requirements:

Condition No.	Condition
S-1	The permittee shall submit a report detailing all applicable requirements of 40 CFR Part 60, Subpart JJJJ and 40 CFR Part 63, Subpart ZZZZ including limitations, notifications, monitoring, testing, reporting and recordkeeping no later than thirty (30) days from the certification of construction date. [11 Miss. Admin. Code Pt. 2, R. 2.2.B(11)]

To Construct Air Emissions Equipment
Australis TMS Inc, Lawson 25H-1 and 25-13H-1 Production Facility
Facility Requirements
Permit Number: 0080-00032
Activity ID No.:PER20170001

GRPT0000000004 (Group 4) Crude Oil and Produced Water Truck Loading Operations:

Narrative Requirements:

Condition No.	Condition
T-1	Such air emission equipment shall be operated as efficiently as possible to provide the maximum reduction of air contaminants. [11 Miss. Admin. Code Pt. 2, R. 2.2.B (10)]

GENERAL INFORMATION

Australis TMS Inc, Lawson 25H-1 and 25-13H-1 Production Facility
MS Highway 568 and 584
Gillsburg, MS
Amite County

Alternate/Historic Identifiers

ID	Alternate/Historic Name	User Group	Start Date	End Date
57842	Australis TMS, Inc.	Official Site Name	08/07/2017	
2800500032	Australis TMS, Inc., Lawson 25H-1 and 25-13H-1 Prod. Facility	Air-AIRS AFS	06/18/2012	
008000032	Encana Oil and Gas USA Inc, Lawson 25H-1 and 25-13H-1 Production Facility	Air-Construction	11/07/2012	
	Branch	Branches Group - Air	07/18/2017	
57842	Encana Oil and Gas (USA), Inc.	Historic Site Name	06/18/2012	08/07/2017

Basin: South Independent Streams Basin

GENERAL INFORMATION

Relevant Documents:

The federal regulations referenced in this permit may be found on-line at <http://ecfr.gpoaccess.gov/> and the State of Mississippi regulations may be found on-line at <http://www.mdeq.ms.state.us/> or a copy of the regulations may be obtained by contacting the Mississippi Department of Environmental Quality, Environmental Permitting Division, Post Office Box 2261, Jackson, Mississippi 39255, phone (601) 961-5171. The following regulations were referenced in this permit:

Mississippi Air Regulations APC-S-1, Air Emission Regulations for the Prevention, Abatement, and Control of Air Contaminants

Mississippi Air Regulations APC-S-2, Permit Regulations for the Construction and/or Operation of Air Emissions Equipment

40 CFR Part 60, Subpart JJJJ, Standards of Performance for Stationary Spark Ignition Internal Combustion Engines,

40 CFR Part 63, Subpart ZZZZ, National Emission Standards for Hazardous Air Pollutants for Stationary Internal Combustion Engines

40 CFR Part 63, Subpart HH - National Emissions Standards for Hazardous Air Pollutants: Oil and Natural Gas Production Facilities: Area Sources

40 CFR Part 60, Subpart OOOO - New Source Performance Standards for Crude Oil and Natural Gas Production, Transmission, and Distribution